



HIGHLIGHTS

- In May 2017, the Ministry of Public Health and Population recorded 74 311 suspected cholera cases and 605 associated deaths (CFR 0.8%). In comparison, 25 827 suspected cholera cases and 129 deaths (CFR 0.5%) were recorded between October 2016 and 26 April 2017.
- Since the beginning of the second wave on 27 April 2017, the cumulative number of suspected cases of cholera reported stands at 74 855 including 617 deaths with a case fatality rate of 0.8%.
- The surge of suspected cholera cases comes as the health system and civil infrastructure, including water and sanitation facilities in most Yemeni governorates is seriously affected by the ongoing conflict.
- Poor access to health care services, food insecurity, malnutrition, unpaid salary to the health workers and population movements along with limited active case-findings due to insecurity in most districts, are severely compromising the effectiveness of the ongoing response operations.

EPIDEMIC CURVE FOR THE 2ND WAVE OF THE CHOLERA OUTBREAK IN YEMEN: 27 APRIL - 31 MAY 2017




CUMULATIVE KEY FIGURES, OCT 2016 - MAY 2017




LAST 4 WEEKS KEY FIGURES, MAY 2017



DISTRIBUTION OF SUSPECTED CHOLERA CASES IN YEMEN, MAY 2017



EPIDEMIC CURVE OF SUSPECTED CHOLERA CASES AND PROPORTION OF DEATHS IN YEMEN, OCTOBER 2016 - 31 MAY 2017



SUSPECTED CHOLERA CASES AND CASE-FATALITY RATES BY GOVERNORATE IN YEMEN, MAY 2017



SUSPECTED CHOLERA CASES AND ATTACK RATES BY 30 TOP DISTRICTS IN YEMEN, MAY 2017

