Introduction of the Annual Report

Dr Ala Alwan WHO Regional Director for the Eastern Mediterranean

Agenda item 2
62nd Session of the WHO Regional Committee for the
Eastern Mediterranean


5-9 October 2015, Kuwait






The Work of WHO in the Eastern Mediterranean Region

Annual Report of the Regional Director 2014



Activité de l'OMS dans la Région de la Méditerranée orientale

Rapport annuel du Directeur régional pour 2014





5 strategic priorities for the Region 2012-2016

- Health system strengthening towards universal health coverage
- Health security and control of communicable diseases
- Maternal and child health and nutrition
- Prevention and control of noncommunicable diseases
- Emergency preparedness and response




Health systems strengthening towards universal health coverage





Framework for action on advancing universal health coverage in the Region






Universal health coverage

- Extending population coverage
- Delivering the essential package of services
- Financial risk protection




Health system country profiles





Health technology assessment



Family practice approach








Family practice approach


Scaling up production and retention of family physicians




Medical education: trends in establishment of medical schools in the Region [*n*=153]



Trends in medical schools in the public and private sectors [n=138]



Hospital care and and management





Private sector

Developing technical guidance to strengthen national capacity to assess, regulate and partner with the private sector



Regional framework for health information and core indicators

Eastern Mediterranean Region

Framework for health information system and core indicators for monitoring health situation and health system performance.

Health Determinants & Risks Demographic& socio-economic

Population size
Population growth
Total feetility
Add escent feetility (15-19)
Not primary School exerciment
Proportion of population below the international
poverty line
Adult literary rate (15-24)
Access to improved diriking water

Access to improved sanitation facilities

Risk factors

Low birth weight. Breastfeeding exclusively for 6 months Onlidren under 5 who are stunted Children under 5 who are wasting Children under 5 who are overweight. Onildren under 5 who are obese Overweight (13-18) Obesity (13-18) Overweight (18+) Obesity (18+) Tobacco use (13-15) Tobacco use (15+) Insufficient physical activity (13-18) Insufficient physical activity (18+ Raised blood glucose (18+ Raised blood pressure (18+ Anemia among women of reproductive age

Health Status

Life expectancy & mortality

Ute espectancy at birth
Neceatal mortality
Under-5 mortality
Under-5 mortality
Under-5 mortality
Alaemal mortality ratio
Mortality between ages 30 and 70 from
card evercular diseases, cancer, diabetes, or direct
respiratory diseases
Coal trailific death ratio

Morbidity

Canzer incidence by type 18 Case not fication rate Estimated number of new HIV infections Number of newly reported HIV cases Incidence of continued malaria cases Incidence of measles cases

Health System Response

Health financing

EMR Core Indicators Framework

general government expenditure. For capita total health expenditure. Share of - out. - of pooket as % of total health expenditure. Popul atton with cata-strophic health expenditure. Popul atton that gets impoverished due to out-ofpooket health expenditure.

General government expenditure on health as % of

Health workforce

Density of health workers: a-Physicians, b-nurses, c-midwives, d-pharmacists, e-dentists Density of graduates of registered health profession educational institutions

Health information system

Births registration coverage group Deaths registration coverage group

Medianes & medical devises

Availability of selected essential medicines in public and private health facilities Density per million population of 6 selected medical devices in public and private health facilities

Service delivery


Density of primary health care facilities Density of inpatient beds (hospitals) Surgical wound infection rate Armual number of outpatient department visits, per caric b.

Coverage group of interventions

Need for contraception satisfied Antenatal care coverage group (1+ ;4+) Skilled birth attendance DPT3-containing vaccine / Pentavalent coverage group among dhildren under 1 year of age Meastes immunization goverage (MO/1) Percentage of suspected malaria cases that have had a diagnostic test. Percentage of individuals who slept under an ITN the previous riight Percentage of key populations at higher risk finieding drug users, sex workers, men who have sex with men) who have received an HIV test in the past 12 months and know their results adults and children currently receiving ARV therapy among all adults and children living with HIV Treatment success rate of new bacteriologically confirmed TB cases Oral rehydration therapy Service coverage for severe mental disorders



Eastern Mediterranean Region core indicators registry





Civil registration and vital statistics: estimated coverage of birth and death registration

(Data available 2012-2015)




Unregistered

Registered

Death registration


Registered

Unregistered



> 6 million


10 million





Civil registration and vital statistics: medical certification of death (%)


(Data available 2012-2015)






Public health law and legislation

Maternal and child health



Maternal and child health




Saving the lives of mothers and children








Global strategy for women's, children's and adolescents' health,







WHO-UNICEF estimates of DTP3 coverage, 2014



DTP3: 3.2 million unvaccinated infants in the Region, 2014






New vaccines








Global vaccine action plan






HIV/AIDS


Eligible people receiving antiretroviral therapy






Hepatitis





Reported malaria cases in the Eastern Mediterranean Region, 2000-2014





Global technical strategy for malaria 2016-2030







STRATÉGIE TECHNIQUE MONDIALE DE LUTTE CONTRE
LE **PALUDISME** 2016–2030














Tuberculosis prevalence and mortality 1990-2013





Tuberculosis: contribution to the regional gap between estimated and notified cases



Health security: assessment, surveillance and rapid response to health threats





Health security: Ebola preparedness assessment missions





Health security: infection prevention and control






Health security: closing knowledge gaps





Regional IHR implementation

(Source: 2012–2014 IHR monitoring tool)




Regional IHR implementation and Ebola preparedness assessment missions: major gaps identified


Multisectoral coordination

Monitoring tools Assessments findings findings 100% 75% 25% 10% Multisectoral SoP Multisectoral SoP committee committee

Capacities at points of entry



Food safety











NÉE MONDIALE DE LA SANTÉ 2015 food | www.who.int/whd/food-safety





#safefood | www.who.int/whd/food-safety


Introduction **Regional Dir**







Noncommunicable diseases: regional framework for action






Noncommunicable diseases: reducing risks, promoting health






Tobacco use among youth by WHO Region



Source: WHO Report on the Global Tobacco Epidemic 2015.



Implementation status of tobacco control among countries of the Region







Noncommunicable diseases: regulatory actions





Implementing the Political Declaration of the United Nations General Assembly on Noncommunicable Diseases



UN General Assembly (New York, 19-20 September 2011)






Mental health interventions: "Best buys"

Health care	Promotion and prevention	Emergencies
 Integration of early recognition and management of depression, anxiety, psychosis disorders, epilepsy in the basic health delivery package 	 Legislative and regulatory measures that restrict access to the means for self- harm/suicide 	Embedding mental health and psychosocial support in national emergency preparedness response and recovery plans
 Downsizing of long stay mental institutions and relocation to community- based care 	 Mass public awareness campaigns promoting mental health literacy and reducing stigma and discrimination 	 Provision of psychological interventions through community workers in complex emergencies
 Continuing care for severe mental disorders (such as psychosis) through non- specialist service delivery 	Universal and targeted social and emotional learning programmes using a whole school approach	 Recognition and management of mental health problems that are relevant to emergencies
 Provision of care for complex and severe mental disorders in psychiatric units in general hospital settings 	Parenting skills programmes	




Substance abuse





Eastern Mediterranean Region: 2nd highest road traffic death rate (2010)







Emergency preparedness and response



Polio eradication




Polio eradication: responding to outbreaks





Polio eradication: cases 2014–15 as at 15 September



Emergency preparedness











Emergency response





Emergency response





Emergency response



Emergency and outbreak










Emergency preparedness and response: regional restructuring



WHO humanitarian operations and logistics







Country profiles






WHO reform



Regional Committee 2014



Essential public health functions







Leadership for health programme





Fourth seminar on health diplomacy





Sustainable development goals 2016-2030





Working together to improve the health of our region

