

**WORLD HEALTH ORGANIZATION
REGIONAL OFFICE FOR THE EASTERN MEDITERRANEAN**

**TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA**



1984

FOREWORD

The Global Strategy to achieve the goal of Health for All by the Year 2000 has been adopted by the World Health Assembly in 1981 (resolution WHA34.46) and the Plan of action for implementing that Strategy in 1982 (resolution WHA35.23). Member States are expected to establish a continuous mechanism to monitor the progress and evaluate the effectiveness of their strategies, as an integral part of the managerial process. The Governing Bodies of the Organization are similarly required to periodically monitor and evaluate the regional and global strategies.

The purpose of this document is to provide data to serve as the baseline against which changes may be assessed for the monitoring and evaluation process.

It provides data on the Global Indicators approved by the Health Assembly, on the Regional Indicators adopted for the Regional monitoring and evaluation (resolution EM/RC30A/R.5), as well as on a few demographic and socioeconomic indicators to complement the picture. The data are the most recent, up to end 1982, so as to serve as the baseline, thus excluding data for 1983 onwards. Data referring to 1975 or earlier have been excluded, even if these were the most recent.

The document starts with the Regional summary. It shows for each indicator the frequency distribution of the indicator values, the weighted average, and the range. The average was not calculated whenever the data covered less than one-third of the countries. Detailed data on individual countries then follow, ending with a table on the Palestinian population in compliance to resolution EM/RC30A/R.5.

The information is derived from official national and international publications. Frequently different values were encountered in different sources on the same indicator for the same year; here selection was made for the value that seemed more consistent with other data. Member States are

kindly requested to validate the data therein, amend or complement as necessary. Data more recent than for 1982 will appear in future publications.

Every effort was made to check figures in the document. ANY MISTAKE OR OMISSION MAY PLEASE BE FORGIVEN.

* * * * *

CONTENTS

- Explanatory notes
- Regional summary
- Data on individual countries and on the Palestinian population
- Sources

CORRIGENDUM

Table 1:

% GDP from agriculture; range:
change to 0.5 - 78 %

Table 3:

Footnote should read
P = % population therein

Table 6:

Left-hand column, title to read:
Rate per 10 000 pop.

Interval 10.0 - , under hospital beds:
add 3 and 4.7 for M and P respectively.

Interval 15.0 - , under nursing/midwifery personnel:
add 1 and 15.8 for M and P respectively.

Interval 50.0 or more, under nursing/midwifery personnel:
change to 2 and 2.0 for M and P respectively

Range, dentists:
change to 0.0 - 4.3

Table 24:

Unemployment:
No data: change to 11 and 38.6 for M and P respectively
Less than 0.5% : add 1 and 1.1 for M and P respectively

EXPLANATORY NOTES

Indicator

1. G = Global Indicator, included in the Global Strategy for HFA/2000, and adopted by the World Health Assembly (resolution WHA34.36)
R = Regional Indicator, adopted by the Regional Committee for use in addition to the Global Indicators (resolution EM/RC30A/R.5)
2. Range, as available, according to geographical areas (e.g., urban and rural), or various population groups, expressed as ratio (%) of high : low values
3. The proportion of children under 5 years of age having a weight-for-age that corresponds to the reference values "median - 2SD" given in Annex 1 to Development of Indicators for Monitoring Progress Towards HFA/2000 ("Health for All" series, No. 4) - Global Indicator 8.2
4. Mechanisms for involving people in the implementation of strategies have been formed or strengthened, and are actually functioning - Global Indicator 2
5. The Strategy for HFA has been accompanied by explicit resource allocations and is receiving sustained resource support from more affluent countries - Global Indicator 6
6. i.e., first-level contact, including the regular supply of at least twenty essential drugs within one hour's walk or travel - Global Indicator 7.3
7. In the home or within 15 minutes' walking distance - Global Indicator 7.1.1
8. In the home or immediate vicinity - Global Indicator 7.1.2
9. The proportion of women who were attended during pregnancy and at childbirth - Global Indicator 7.4.1
10. The proportion of children cared for up to at least one year of age - Global Indicator 7.4.2

Value

Rg = Registered data

Gv = In government services or in government hospital establishments, as applicable

H = In Ministry of Health establishments only

Source

One-digit sources: Government sources (see list)

9 = Government correspondence (including replies to
WHO questionnaires)

9(a) = Data available at WHO Headquarters

Two-digit sources: International and other sources (see list)

PR = Report on Monitoring Progress in Implementing the Strategies for
HFA/2000 (submitted in 1983)

CS = Country Programme Statement, for 1986-87 WHO Programme-Budget
(submitted in 1984)

ER = Report on Evaluation of Strategies for HFA (submitted in 1984)

EM = Country report submitted to the Intercountry Group Meeting on
Evaluation of Strategies, Nicosia, 20-24 August 1984

0828b 1/8/84

Table 1: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 THE WHO EASTERN MEDITERRANEAN REGION AT LARGE:
 GENERAL DEMOGRAPHIC DATA.

I T E M				: Regional :		: M
				: total or :	R a n g e	:
				: average :		:
Surface area (sq.km)	:	13.1 m	:	622 - 2 505 813	:	23
Total population in 1982	:	282.6 m	:	0.27 - 87.8 m	:	23
Pop. projection for 2000	:	453.1 m	:	0.47 - 142.6 m	:	23
Rate of increase: Net	:	2.79 %	:	0.0 - 5.8 %	:	23
Natural	:	2.88 %	:	1.4 - 3.9 %	:	23
Pop. by age: Under 5 years	:	16 %	:	10 - 20 %	:	22
Under 15 years	:	44 %	:	25 - 50 %	:	23
Crude birth rate	:	42 ‰	:	22.1 - 49.6 ‰	:	23
Crude death rate	:	14 ‰	:	3.2 - 27.3 ‰	:	23
Infant mortality rate	:	111 ‰	:	15.6 - 182 ‰	:	23
Child (1-4 yrs) mortality rate	:	17 ‰	:	0.3 - 50 ‰	:	19
Proportion of deaths under 5 yrs	:	34 %	:	4.5 - 50 %	:	18
Life expectancy at birth	:	55 yrs	:	40.5 - 75 yrs	:	23
Adult literacy rate: M	:	47 %	:	11 - 98 %	:	20
F	:	22 %	:	2 - 88 %	:	20
Per capita GDP (US\$)	:	\$ 1 616	:	\$ 167 - 30 473	:	22
% GDP from: Agriculture	:	23 %	:	0.7 - 62 %	:	22
Mining & industry	:	21 %	:	7.1 - 64 %	:	22
Unemployment rate	:	4.6 %	:	0 - 7.7 %	:	12
Urban population	:	38 %	:	11 - 91 %	:	22

M = No. of Member States covered for each item.

Table 2: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 ENDORSEMENT OF HFA AS POLICY (Global Indicator 1);
 EXISTENCE OF MECHANISMS FOR INVOLVING PEOPLE IN THE
 IMPLEMENTATION OF THE STRATEGY (Global Indicator 2);
 AND, AVAILABILITY OF EXTERNAL RESOURCES (Global Indicator 6).

Global Indicator 1			
Level of Endorsement	:	M	P
In the constitution	:	15	52.3
In a law, decree, order, etc.	:	1	5.9
Other form (party resolution, etc.)	:	7	41.8
Not yet	:	0	0
Global Indicator 2			
Degree of Community Participation	:	M	P
Active participation	:	14	61.0
Limited participation	:	7	33.9
Not defined	:	2	5.1
Global Indicator 6			
Availability of Resources	:	M	P
Adequate without external input	:	5	5.7
External input received	:	8	30.6
Inadequate resources	:	2	31.3
Not defined	:	8	32.3

M = No. of Member States; P = % population therein.

Table 3: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENTAGE OF THE GROSS NATIONAL PRODUCT (GNP)
 AND THE GROSS DOMESTIC PRODUCT (GDP) SPENT ON HEALTH.
 (Global Indicator 3)

Desired Level: At least 5 %

=====					
I n t e r v a l (%)	: G N P :		: G D P :		
	: M :	P :	: M :	P :	

No data, as of:	:	:	:	:	
(Sept. 1983)	:(12):	(36.3):	:	:	
Sept. 1984	: 10 :	35.7 :	15 :	79.7	

Less than 1.0 %	:	:	:	:	
1.0 % -	: 2 :	31.6 :	4 :	15.3	
2.0 % -	: 2 :	0.7 :	1 :	2.5	
3.0 % -	: 4 :	7.0 :	2 :	1.0	
4.0 % -	: 2 :	8.5 :	:	:	

5.0 % -	: 1 :	14.2 :	:	:	
6.0 % -	:	:	:	:	
7.0 % -	: 1 :	1.4 :	1 :	1.4	
8.0 % or more	: 1 :	0.9 :	:	:	

T o t a l	: 23 :	100 :	23 :	100	
=====					
Regional Average*	: 3.0 % :	:	2.2 %	:	

R a n g e	: 1-10 % :	:	1.5-7.0 %	:	
=====					

M = No. of Member States; P = population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 4: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT ALLOCATED TO HEALTH MINISTRY FROM
 GOVERNMENT REGULAR (RECURRENT) BUDGET AND TOTAL BUDGET.
 (Regional Indicator)

=====									
% Allocated to	:	Regular	:	Total					
Health Ministry	:	budget	:	budget					
	:	M	:	P					
	:	M	:	P					
No data	:	10	:	41.0	:	2	:	4.2	
	:		:		:		:		
Less than 1.0 %	:	:	:	:	:	:	:	:	
1.0 % -	:	1	:	31.1	:	3	:	13.5	
2.0 % -	:	2	:	7.4	:	2	:	34.6	
3.0 % -	:	:	:	:	:	4	:	37.8	
4.0 % -	:	3	:	4.2	:	1	:	1.1	
5.0 % -	:	1	:	14.2	:	2	:	3.1	
6.0 % -	:	2	:	1.1	:	3	:	1.1	
7.0 % -	:	1	:	0.2	:	2	:	3.5	
8.0 % -	:	:	:	:	:	3	:	1.1	
9.0 % -	:	1	:	0.5	:	1	:	0.1	
10.0 % or more	:	2	:	0.2	:	:	:	:	
	:		:		:		:		
T o t a l	:	23	:	100	:	23	:	100	
=====									
Regional Average*	:	3.2 %	:	3.1 %					
	:		:		:		:		
R a n g e	:	1.5-26.5 %	:	1.7-9.1 %					
=====									

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 5: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENTAGE OF THE NATIONAL HEALTH EXPENDITURE
 DEVOTED TO PHC (Global Indicator 4).

Desired Level: A reasonable percentage

Interval (%)	:	M	:	P
No data, as of:	:	:	:	:
(Sept. 1983)	:	(13)	:	(71.3)
Sept. 1984	:	9	:	34.8
Less than 10 %	:	2	:	1.7
10 % -	:	2	:	3.5
20 % -	:	4	:	37.7
30 % -	:	3	:	15.8
40 % -	:	1	:	3.5
50 % -	:	:	:	:
60 % -	:	2	:	3.1
70 % -	:	:	:	:
80 % -	:	:	:	:
90 % or more	:	:	:	:
T o t a l	:	23	:	100
Regional Average*	:	:	:	31 %
R a n g e	:	4	:	64 %

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 6: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 RATES PER 10 000 POPULATION FOR
 PHYSICIANS, DENTISTS, NURSING-MIDWIFERY PERSONNEL
 AND HOSPITAL BEDS.

(Global Indicator 5)

R a t e p e r 100 000 pop.	:Physicians :		Dentists :		:Nursing-MW :		Hospital :	
	:		:		:personnel :		beds :	
	: M :	P :	: M :	P :	: M :	P :	: M :	P :
No data	: 0 :		: 0 :		: 0 :		: 1 :	0.9
Less than 0.5	: :		: 9 :	53.3 :	: :		: :	
0.5 -	: 2 :	7.8 :	: 3 :	16.7 :	: :		: :	
1.0 -	: 4 :	10.4 :	: 9 :	28.3 :	: 2 :	37.0 :	: :	
2.0 -	: 1 :	2.4 :	: :		: 1 :	2.5 :	: 1 :	5.9
3.0 -	: 5 :	52.6 :	: 2 :	1.7 :	: :		: :	
5.0 -	: 3 :	6.3 :	: :		: 9 :	36.6 :	: 4 :	41.7
10.0 -	: 3 :	16.1 :	: :		: 3 :	4.1 :	: 3 :	4.7
15.0 -	: 4 :	3.0 :	: :		: :		: 4 :	24.6
20.0 -	: 1 :	1.4 :	: :		: :		: 4 :	18.4
30.0 -	: :		: :		: 3 :	1.4 :	: 4 :	2.5
40.0 -	: :		: :		: 2 :	0.6 :	: 1 :	1.1
50.0 or more	: :		: :		: 3 :	17.8 :	: 1 :	0.2
T o t a l	: 23 :	100 :	: 23 :	100 :	: 23 :	100 :	: 23 :	100
Regional Average*	: 5.4 :		: 0.65 :		: 8.8 :		: 12.9 :	
R a n g e	: 0.6-24.8 :		: 0.1-4.3 :		: 1.1-78 :		: 2.7-67.3 :	

M = No. of Member States; P = % Population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 7: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PER CAPITA (IN US \$) OF BUDGET OF HEALTH MINISTRY;
 TOTAL PUBLIC (GOVT.) EXPENDITURE ON HEALTH; AND
 TOTAL HEALTH EXPENDITURE INCLUDING PRIVATE SECTOR.

(Regional Indicators)

Per Capita US \$	MOH		Total		Total	
	Budget		Govt.Exp.		Hlth.Exp.	
	M	P	M	P	M	P
No data	10	25.1	17	59.7	18	52.1
Less than \$ 10	2	46.9	1	31.1		
\$ 10 -	1	2.5	1	0.1	1	31.1
\$ 20 -	1	1.1				
\$ 30 -	1	2.4	1	7.0		
\$ 40 -					1	1.1
\$ 50 -	1	0.2				
\$ 60 -						
\$ 70 -	1	14.2				
\$ 80 -					1	14.2
\$ 90 -	1	0.5				
\$100 -	2	2.6			1	0.2
\$150 -						
\$ 200 or more	3	4.5	3	2.1	1	1.4
T o t a l	23	100	23	100	23	100
Regional Average*	\$ 39.9					
R a n g e	\$ 3.4-298		\$ 5.1-307		\$ 12-469	

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 8: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PROPORTION OF THE POPULATION TO WHICH SAFE DRINKING WATER
 IS AVAILABLE IN THE HOME OR WITHIN 15 MINUTES' WALKING DISTANCE.
 (Global Indicator 7.1.1)

Desired Level: The whole population

Interval (%)	Total		Urban		Rural	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	(6)	(13.4)	:	:	:	:
Sept. 1984	0	:	1	1.1	1	1.1
Less than 10 %	:	:	:	:	2	8.5
10 % -	2	6.7	:	:	1	0.5
20 % -	:	:	1	5.9	5	40.4
30 % -	3	35.4	:	:	2	15.0
40 % -	3	7.9	1	7.0	2	22.8
50 % -	1	14.2	2	1.9	1	0.1
60 % -	:	:	:	:	2	4.4
70 % -	4	26.5	5	49.8	:	:
80 % -	1	1.1	:	:	2	4.5
90 % -	4	5.7	6	14.5	:	:
100 %	5	2.4	7	19.8	5	2.7
T o t a l	23	100	23	100	23	100
Regional Average*	53 %	:	78 %	:	36 %	:
R a n g e	10 - 100 %	:	28 - 100 %	:	6 - 100 %	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 9: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PROPORTION OF THE POPULATION TO WHICH ADEQUATE FACILITIES
 FOR HYGIENIC WASTE DISPOSAL
 ARE AVAILABLE IN THE HOME OR IMMEDIATE VICINITY.
 (Global Indicator 7.1.2)

Desired Level: The whole population

I n t e r v a l (%)	: Total		: Urban		: Rural	
	: M	: P	: M	: P	: M	: P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	: (6)	: (13.4)	:	:	:	:
Sept. 1984	: 5	: 15.3	: 8	: 11.2	: 11	: 22.5
Less than 10 %	: 1	: 5.9	: 1	: 5.9	: 1	: 31.1
10 % -	: 2	: 33.6	:	:	: 1	: 7.0
20 % -	:	:	:	:	: 2	: 2.6
30 % -	: 3	: 1.0	: 1	: 5.0	: 3	: 18.6
40 % -	: 2	: 5.7	: 2	: 31.2	: 1	: 15.8
50 % -	:	:	: 1	: 3.3	:	:
60 % -	: 2	: 30.0	: 2	: 2.9	:	:
70 % -	: 4	: 6.2	: 1	: 7.0	:	:
80 % -	:	:	:	:	:	:
90 % -	:	:	: 3	: 31.1	:	:
100 %	: 4	: 2.4	: 4	: 2.4	: 4	: 2.4
T o t a l	: 23	: 100	: 23	: 100	: 23	: 100
Regional Average*	: 41 %	:	: 63 %	:	: 22 %	:
R a n g e	: 2 - 100 %	:	: 2 - 100 %	:	: 4 - 100 %	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 10: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 IMMUNIZATION COVERAGE:
 PROPORTION OF INFANTS UNDER ONE YEAR OF AGE FULLY IMMUNIZED -
 (A) DPT, POLIO & MEASLES (Global Indicator 7.2).

Desired Level: The whole population

Interval (%)	D P T		Polio		Measles	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	(6)	(5.9)	(6)	(5.9)	(6)	(5.9)
Sept. 1984	0	:	0	:	0	:
Less than 10 %	7	47.6	7	47.6	5	45.7
10 % -	3	10.8	3	10.8	5	8.6
20 % -	2	0.8	2	0.8	2	0.6
30 % -	2	4.7	1	3.5	5	9.6
40 % -	2	14.3	2	1.2	1	2.4
50 % -	3	2.9	3	2.9	1	14.2
60 % -	1	1.1	2	17.0	3	17.5
70 % -	1	0.6	1	14.2	:	:
80 % -	2	17.2	2	2.0	1	1.4
90 % -	:	:	:	:	:	:
100 %	:	:	:	:	:	:
T o t a l	23	100	23	100	23	100
Regional Average*	26 %	:	29 %	:	26 %	:
R a n g e	2-89 %	:	2.4-88 %	:	1-83 %	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 11: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 IMMUNIZATION COVERAGE (CONT'D)
 (B) PROPORTION OF INFANTS UNDER ONE YEAR OF AGE FULLY IMMUNIZED
 & PROPORTION OF PREGNANT WOMEN IMMUNIZED AGAINST TETANUS
 (Global Indicator 7.2)

Desired Level: The whole population

=====						
Interval (%)	: Infants under one yr		: Pregnant			
	:-----:					
	: B C G		: All EPI		: women	
	:-----:					
	: M :	P	: M :	P	: M :	P
=====						
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	:	(7):	(10.8):	:	:	(8): (7.5)
Sept. 1984	:	1 :	0.9 :	21 :	68.5 :	2 : 2.4

Less than 10 %	:	9 :	43.0 :	1 :	31.1 :	16 : 79.5
10 % -	:	2 :	20.2 :	:	:	2 : 16.3
20 % -	:	2 :	6.1 :	:	:	2 : 1.7
30 % -	:	1 :	3.3 :	1 :	0.4 :	1 : 0.1
40 % -	:	:	:	:	:	:
50 % -	:	1 :	0.1 :	:	:	:
60 % -	:	1 :	0.1 :	:	:	:
70 % -	:	3 :	22.2 :	:	:	:
80 % -	:	3 :	4.1 :	:	:	:
90 % -	:	:	:	:	:	:

100 %	:	:	:	:	:	:

T o t a l	:	23 :	100 :	23 :	100 :	23 : 100
=====						
Regional Average*	:	27 %	:	.	:	3.7 %

R a n g e	:	0.1-88 %	:	.	:	0-31 %
=====						

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 12: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 INCIDENCE RATES (PER 100 000 POPULATION)
 OF THE EPI-TARGET DISEASES (Regional Indicator).

(A) DIPHTHERIA, TETANUS AND POLIOMYELITIS

=====									
R a t e p e r 100 000 pop.	:	Diph-		:	Tetanus		:	Polio-	
	:	theria		:			:	myelitis	
	:	M :	P :	:	M :	P :	:	M :	P :
=====									
No data	:	4 :	3.0 :	:	2 :	2.7 :	:	3 :	9.0

Zero	:	3 :	1.8 :	:	1 :	1.4 :	:	3 :	1.8
0.0 -	:	7 :	56.2 :	:	9 :	29.0 :	:	8 :	75.1
1.0 -	:	5 :	20.2 :	:	6 :	5.5 :	:	3 :	4.8
2.0 -	:	1 :	7.0 :	:	1 :	2.5 :	:	4 :	8.8
3.0 -	:	1 :	3.3 :	:	1 :	31.1 :	:		
4.0 -	:			:			:		
5.0 or more	:	2 :	8.5 :	:	3 :	27.8 :	:	2 :	0.5

T o t a l	:	23 :	100 :	:	23 :	100 :	:	23 :	100
=====									
Regional Average*	:	2.0		:	5.3		:	0.83	

R a n g e	:	0 - 8.9		:	0 - 24.7		:	0 - 12.4	
=====									

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 13: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 INCIDENCE RATES OF THE EPI-TARGET DISEASES (CONT'D).
 (B) WHOOPING COUGH, MEASLES AND TUBERCULOSIS.

R a t e p e r 100 000 population	: Whooping		: Measles		: TB,		: Resp.	
	: Cough		:		: all forms		: TB	
	: M :	P :	: M :	P :	: M :	P :	: M :	P :
No data	: 4 :	5.4 :	: 3 :	3.0 :	: 7 :	18.7 :	: 8 :	40.4 :
Less than 10	: 8 :	29.3 :	: 2 :	21.8 :	: 2 :	17.2 :	: 3 :	18.4 :
10 -	: 1 :	5.0 :	: 1 :	3.3 :	: 2 :	6.2 :	: 4 :	23.7 :
20 -	: 1 :	0.4 :	: 2 :	32.5 :	: 3 :	18.6 :	: 1 :	1.1 :
30 -	: 1 :	31.1 :	: 1 :	0.6 :	: 1 :	2.4 :	: 1 :	0.1 :
40 -	: 1 :	3.5 :	: 1 :	2.4 :	: 1 :	0.1 :	:	:
50 -	: 4 :	15.2 :	: 3 :	16.5 :	: 4 :	32.1 :	: 4 :	9.2 :
100 or more	: 3 :	10.1 :	: 10 :	19.9 :	: 3 :	4.7 :	: 2 :	7.1 :
T o t a l	: 23 :	100 :	: 23 :	100 :	: 23 :	100 :	: 23 :	100 :
Regional Average*	: 51 :	:	: 90 :	:	: 73 :	:	: 42 :	:
R a n g e	: 0.1-340 :	:	: 2.0-1400 :	:	: 3.9-535 :	:	: 3.3-586 :	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 14: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PROPORTION OF THE POPULATION TO WHICH LOCAL HEALTH CARE
 IS AVAILABLE WITHIN ONE HOUR'S WALK OR TRAVEL.
 (Global Indicator 7.3)

Desired Level: The whole population

Interval (%)	Total		Urban		Rural	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	:(11):	(58.8):	:	:	:	:
Sept. 1984	: 6 :	19.2 :	13 :	44.3 :	13 :	44.3 :
Less than 10 %	:	:	:	:	:	:
10 % -	: 1 :	2.5 :	:	:	: 1 :	2.5 :
20 % -	:	:	:	:	:	:
30 % -	: 1 :	0.7 :	1 :	2.5 :	:	:
40 % -	: 1 :	5.9 :	:	:	:	:
50 % -	: 1 :	14.2 :	:	:	: 1 :	31.1 :
60 % -	: 1 :	31.1 :	:	:	:	:
70 % -	: 2 :	0.7 :	:	:	: 1 :	0.5 :
80 % -	: 1 :	3.5 :	:	:	:	:
90 % -	: 3 :	2.9 :	1 :	2.4 :	: 1 :	2.4 :
100 %	: 6 :	19.3 :	8 :	50.9 :	: 6 :	19.3 :
T o t a l	: 23 :	100 :	23 :	100 :	: 23 :	100 :
Regional Average*	:	69 % :	:	97 % :	:	68 % :
R a n g e	:	16-100 % :	:	35-100 % :	:	10-100 % :

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 15: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT OF WOMEN ATTENDED BY TRAINED PERSONNEL
 DURING PREGNANCY AND AT CHILDBIRTH.
 (Global Indicator 7.4.1)

Desired Level: The whole population

=====							
I n t e r v a l (%)	: Total		: Urban		: Rural		
	: M :	P :	: M :	P :	: M :	P :	
=====							
No data, as of:	:	:	:	:	:	:	:
(Sept. 1983)	:(13):	(60.9):	:	:	:	:	:
Sept. 1984	: 12 :	32.6 :	19 :	82.3 :	19 :	82.3 :	

Less than 10 %	: 1 :	14.2 :	:	:	:	:	
10 % -	:	:	:	:	:	:	
20 % -	: 1 :	31.1 :	:	:	:	:	
30 % -	:	:	:	:	:	1 :	15.8
40 % -	: 1 :	15.8 :	1 :	15.8 :	:	:	
50 % -	: 1 :	2.4 :	:	:	:	1 :	1.1
60 % -	:	:	:	:	:	:	
70 % -	: 2 :	1.5 :	:	:	:	:	
80 % -	: 1 :	0.1 :	1 :	1.1 :	:	:	
90 % -	: 2 :	1.5 :	:	:	:	:	

100 %	: 2 :	0.8 :	2 :	0.8 :	2 :	0.8 :	

T o t a l	: 23 :	100 :	23 :	100 :	23 :	100 :	
=====							
Regional Average*	: 28 % :	:	:	:	:	:	

R a n g e	: 5-100 % :	44-100 % :	37-100 % :				
=====							

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 16: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT WOMEN DELIVERED
 BY TRAINED PERSONNEL OR IN INSTITUTIONS,
 AND MATERNAL MORTALITY RATE (PER 10 000 LIVE-BIRTHS).
 (Regional Indicator)

Interval (%)					Interval (per 10 000 LB)				
: % Women delivered					: Maternal				
: By trained : In instit-					: mortality				
: personnel : utions					: rate				
: M : P : M : P					: M : P				
No data	: 15	: 42.5	: 15	: 92.7	No data	: 9	: 30.7		
Less than 10 %	: :	: :	: :	: :	Less than 1.0	: 5	: 5.9		
10 % -	: 1	: 5.9	: 1	: 3.3	1.0 -	: 2	: 1.0		
20 % -	: 2	: 46.9	: :	: :	2.0 -	: 1	: 0.1		
30 % -	: :	: :	: :	: :	3.0 -	: :	: :		
40 % -	: :	: :	: :	: :	4.0 -	: :	: :		
50 % -	: 1	: 2.4	: :	: :	5.0 -	: :	: :		
60 % -	: :	: :	: 1	: 1.1	6.0 -	: :	: :		
70 % -	: :	: :	: :	: :	7.0 -	: 1	: 15.8		
80 % -	: :	: :	: :	: :	8.0 -	: :	: :		
90 % -	: 2	: 0.7	: 4	: 1.2	9.0 -	: :	: :		
100 %	: 2	: 1.7	: 2	: 1.7	10.0 or more	: 5	: 46.4		
T o t a l	: 23	: 100	: 23	: 100	T o t a l	: 23	: 100		
Regional Average*	: 33 %	: :	: 45 %	: :	Regional Average*	: 37	: :		
R a n g e	: 10-100 %	: :	: 10-100 %	: :	R a n g e	: 0 - 70	: :		

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting, using the no. of live-births as weights.

Table 17: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT OF CHILDREN CARED FOR BY TRAINED PERSONNEL
 UP TO AT LEAST ONE YEAR OF AGE.
 (Global Indicator 7.4.2)

Desired Level: The whole population

Interval (%)	Total		Urban		Rural	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	:(16):	(77.5):	:	:	:	:
Sept. 1984	: 16 :	49.7 :	21 :	99.0 :	21 :	99.0 :
Less than 10 %	: 1 :	14.2 :	:	:	:	:
10 % -	:	:	:	:	:	:
20 % -	:	:	:	:	:	:
30 % -	: 1 :	31.1 :	:	:	:	:
40 % -	:	:	:	:	:	:
50 % -	: 1 :	2.4 :	:	:	:	:
60 % -	:	:	:	:	:	:
70 % -	:	:	:	:	:	:
80 % -	:	:	:	:	:	:
90 % -	: 3 :	2.0 :	1 :	0.4 :	1 :	0.4 :
100 %	: 1 :	0.6 :	1 :	0.6 :	1 :	0.6 :
T o t a l	: 23 :	100 :	23 :	100 :	23 :	100 :
Regional Average*	:	:	:	:	:	:
R a n g e	: 8-100 % :	:	:	:	:	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 18: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT OF NEWBORN INFANTS WITH A BIRTH WEIGHT OF
 AT LEAST 2 500 g.
 (Global Indicator 8.1)

Desired Level: At least 90 % of newborn infants

Interval (%)	Total		Urban		Rural	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	:(13):	(53.3):	:	:	:	:
Sept. 1984	: 6 :	8.8 :	20 :	98.3 :	20 :	98.3 :
Less than 10 %	:	:	:	:	:	:
10 % -	:	:	:	:	:	:
20 % -	:	:	:	:	:	:
30 % -	:	:	:	:	:	:
40 % -	:	:	:	:	:	:
50 % -	:	:	:	:	:	:
60 % -	:	:	:	:	:	:
70 % -	: 1 :	31.1 :	:	:	:	:
80 % -	: 4 :	14.4 :	:	:	:	:
90 % or more	: 12 :	45.7 :	3 :	1.7 :	3 :	1.7 :
T o t a l	: 23 :	100 :	23 :	100 :	23 :	100 :
Regional Average*	: 84 % :	:	.	:	.	:
R a n g e	: 70 - 96 % :	:	.	:	.	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 19: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 PERCENT OF CHILDREN WITHIN STANDARD WEIGHT-FOR-AGE.
 (Global Indicator 8.2)

Desired Level: At least 90 %

I n t e r v a l (%)	Under 5 years of age								At school	
	Total								entry	
	Total		Urban		Rural					
	M	P	M	P	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:	:	:	:	:
(Sept. 1983)	:(20)	:(93.7)	:	:	:	:	:	:	:	:
Sept. 1984	: 15	: 41.6	: 22	: 96.5	: 22	: 96.5	: 22	: 68.9	:	:
Less than 10 %	:	:	:	:	:	:	:	:	:	:
10 % -	:	:	:	:	:	:	:	:	:	:
20 % -	:	1	: 0.7	:	:	:	:	:	:	:
30 % -	:	1	: 2.5	:	:	:	:	1	: 31.1	:
40 % -	:	1	: 31.1	:	:	:	:	:	:	:
50 % -	:	:	:	:	:	:	:	:	:	:
60 % -	:	:	:	:	:	:	:	:	:	:
70 % -	:	1	: 0.4	:	:	1	: 3.5	:	:	:
80 % -	:	1	: 1.1	:	:	:	:	:	:	:
90 % or more	:	3	: 22.6	: 1	: 3.5	:	:	:	:	:
T o t a l	: 23	: 100	: 23	: 100	: 23	: 100	: 23	: 100	:	:
Regional Average*	:	60 %	:	.	:	.	:	.	:	.
R a n g e	:	26 - 93 %	:	.	:	.	:	.	:	.

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 20: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 INFANT MORTALITY RATE (PER 1 000 LIVE-BIRTHS).
 (Global Indicator 9)

Desired Level: Below 50 per 1000

R a t e (per 1 000 LB)	Total		Urban		Rural	
	M	P	M	P	M	P
No data, as of:	:	:	:	:	:	:
(Sept.1983)	(5)	(6.5)	:	:	:	:
Sept.1984	0	:	19	85.2	19	85.2
Less than 10	:	:	:	:	:	:
10 -	2	1.7	:	:	:	:
20 -	2	1.0	:	:	:	:
30 -	3	1.4	1	5.9	1	5.9
40 -	1	0.9	:	:	:	:
50 -	1	3.3	:	:	:	:
60 -	1	1.1	:	:	1	1.1
70 -	:	:	1	1.1	:	:
80 -	3	23.2	:	:	:	:
90 -	:	:	:	:	:	:
100 -	6	56.5	2	7.8	:	:
150 or more	4	11.0	:	:	2	7.8
T o t a l	23	100	23	100	23	100
Regional Average*	111	:	.	:	.	:
R a n g e	15.6 - 182	:	31 - 145	:	39 - 189	:

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using the no. of live-births as weights.

Table 21: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 LIFE EXPECTANCY AT BIRTH.
 (Global Indicator 10)

Desired Level: Over 60 years

=====						
Interval (yrs)	Both sexes :		Males :		Females :	
	:-----:		:-----:		:-----:	
	: M :	P :	: M :	P :	: M :	P :
=====						
No data, as of:	:	:	:	:	:	:
(Sept. 1983)	:	(6):	(7.6):	:	:	:
Sept. 1984	:	0 :	:	5 :	20.7 :	5 :
	:	:	:	:	:	:
Less than 40 yrs	:	:	:	:	:	:
40.0 yrs -	:	5 :	18.0 :	5 :	17.8 :	4 :
50.0 yrs -	:	2 :	31.6 :	1 :	15.8 :	2 :
55.0 yrs -	:	6 :	37.2 :	2 :	34.6 :	3 :
	:	:	:	:	:	:
60.0 yrs -	:	6 :	11.0 :	8 :	9.4 :	3 :
70.0 yrs or more	:	4 :	2.2 :	2 :	1.7 :	6 :
	:	:	:	:	:	:
T o t a l	:	23 :	100 :	23 :	100 :	23 :
	:	:	:	:	:	:
Regional Average*	:	55 yrs :	53.9 yrs :	54.6 yrs :		
	:	:	:	:	:	:
R a n g e	:	40.5-75 yrs:	41-73 yrs :	40-76 yrs :		
=====						

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 22: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 ADULT LITERACY RATE (%).
 (Global Indicator 11)

Desired Level: Over 70 %

Interval (%)	Both sexes		Males		Females	
	M	P	M	P	M	P
No data, as of: (Sept. 1983)	(7)	(10.0)				
Sept. 1984	1	0.1	2	0.2	2	0.2
Less than 10 %	2	4.3			3	10.3
10 % -	1	0.1	2	4.3	5	42.9
20 % -	4	47.6			3	35.0
30 % -	3	15.5	4	47.6	2	3.5
40 % -	3	23.2	3	15.5		
50 % -	1	1.1	1	15.8	2	4.4
60 % -	3	4.8	2	7.4	4	2.0
70 % -	3	1.6	5	5.5		
80 % -	1	1.4	2	2.0	2	1.7
90 % or more	1	0.2	2	1.7		
T o t a l	23	100	23	100	23	100
Regional Average*	35 %		47 %		22 %	
R a n g e	6-93 %		11-98 %		2-88 %	

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

Table 23: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 GROSS NATIONAL PRODUCT (GNP) PER HEAD (Global Indicator 12) &
 GROSS DOMESTIC PRODUCT (GDP) PER HEAD (Regional Indicator).

Desired Level: Over US \$ 500

=====				
I n t e r v a l (\$)	: G N P		: G D P	
	: M :	P	: M :	P

No data, as of:	:	:	:	:
(Sept. 1983)	:	(4): (2.4):	:	:
Sept. 1984	:	0 :	:	1 : 0.1

Less than \$ 100	:	:	:	:
\$ 100 -	:	:	:	1 : 5.9
\$ 200 -	:	2 : 7.8	:	2 : 32.9
\$ 300 -	:	2 : 38.1	:	1 : 0.7
\$ 400 -	:	3 : 3.4	:	2 : 9.5

\$ 500 -	:	2 : 30.0	:	1 : 15.8
\$ 1 000 -	:	4 : 7.7	:	5 : 22.0
\$ 2 000 -	:	1 : 5.0	:	1 : 5.0
\$ 3 000 -	:	1 : 0.2	:	1 : 0.2
\$ 4 000 -	:	1 : 0.5	:	1 : 0.5
\$ 5 000 -	:	3 : 2.7	:	2 : 1.6
\$10 000 or more	:	4 : 4.6	:	5 : 5.7

T o t a l	:	23 : 100	:	23 : 100
=====				
Regional Average*	:	\$ 1 504	:	\$ 1 616

R a n g e	:	\$227-31 600	:	\$167-30 473
=====				

M = No. of Member States; P = population therein.
 * Weighted average for Member States reporting,
 using % population therein as weights

Table 24: TOWARDS HFA/2000 IN WHO-EMR:
 BASELINE (UP TO END 1982) DATA.
 RATES OF NET AND NATURAL INCREASE
 & UNEMPLOYMENT RATE (%).
 (Regional Indicators)

R a t e (%)	I n c r e a s e				U n e m p l o y -	
	:-----:				m e n t	
	: N e t :		: N a t u r a l :		:	
	: M :	P :	: M :	P :	: M :	P :
No data	: 0 :		: 0 :		: 12 :	40.0
Less than 0.5 %	: 2 :	6.9 :	:		:	
0.5 % -	: :	:	:		: 1 :	0.4
1.0 % -	: 2 :	1.6 :	1 :	0.2 :	1 :	0.1
1.5 % -	: :	:	1 :	1.4 :	1 :	0.6
2.0 % -	: 2 :	4.9 :	4 :	9.7 :	:	
2.5 % -	: 3 :	23.6 :	9 :	28.8 :	1 :	0.2
3.0 % -	: 4 :	50.4 :	5 :	54.4 :	1 :	31.1
3.5 % -	: 5 :	10.9 :	3 :	5.5 :	2 :	1.2
4.0 % -	: 3 :	0.8 :	:		: 1 :	3.3
5.0 % or more	: 2 :	1.0 :	:		: 3 :	23.2
T o t a l	: 23 :	100 :	23 :	100 :	23 :	100
Regional Average*	: 2.79 % :		: 2.88 % :		: 4.6 % :	
R a n g e	: 0.0-5.8 % :		: 1.4-3.9 % :		: 0-7.7 % :	

M = No. of Member States; P = % population therein.

* Weighted average for Member States reporting,
 using % population therein as weights.

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: AFGHANISTAN
Area (sq.km): 647 497

I n d i c a t o r ¹		Value	Year	Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		16.786	1982	47
Projection for the year 2000		24.180	2000	51
R	Av. annual rate (%) of increase: Net ; Natural	0.0 ; 2.2	1980-85	51
	Crude birth rate	49.6	1980-85	51
	Crude death rate	27.3	1980-85	51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	18 ; 45	1980	42
G	Adult literacy rate (15 yrs & over): Total	20	1980	61
	M ; F	33 ; 6	1980	61
	Urban population (%)	15	1979	40
R	Unemployment rate (%)	5.5	1979	8
H E A L T H S T A T U S				
G	Infant mortality rate: Total	182	1982	PR
	Urban ; Rural	130;189	1982	PR
	Range ² (Ratio % High : Low)	145	1982	PR
	Child (1-4 yrs) mortality rate	30	1979	8
	Prop. mortality (%) below 5 yrs	18	1979	8
G	% of LBs with b.wt. at least 2 500 g.: Total	80	1982	PR
	Urban ; Rural			
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			
	Urban ; Rural			
R	% of children at school entry with sub-standard weight-for-age ³			
R	Incidence rates (per 100 000 pop.) of:			
	Diphtheria	0.8	1981	25
	Pertussis	0.9	1981	25
	Tetanus: Total	0.8	1981	25
	Neonatal (per 100 000 LB)			
	Poliomyelitis	0.0	1981	25
	Measles	2.4	1981	25
	TB : All forms	16.2	1981	25
	Respiratory	11.6	1981	25
R	Maternal mortality rate (per 10 000 LB)			
G	Life expectancy at birth: Total	40.5	1982	PR
R	M ; F	41 ; 40	1982	PR

0939b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: AFGHANISTAN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 2	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 4	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 62.1	: 1982	: 47
	Mining and quarrying	:)	:	:
	Manufacturing industries	:) 20.7	: 1982	: 47
R	Per capita (US\$) of: GDP	: 167	: 1982	: CS
G	GNP	: 227	: 1980	: 1
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 4.4	: 1982	: CS
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 2.8	: 1977	: 66
	Govt. total budget	: 3.0	: 1977	: 66
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 0.7 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.0 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 1.1 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 2.7	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:

WHO/EMRO/HST (Sept. 1984)

Country: AFGHANISTAN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	40	1982	CS
R	Urban ; Rural			
G	% of national health expenditure devoted to primary health care	26*	1982	PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:			
	Physicians			
	Nursing/midwifery personnel			
	Community health workers			
	Traditional birth attendants			
	PHC unit/dispensary/health centre			
	Hospital beds			
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :			
	Total	10	1982	36
R	Urban ; Rural	28 ; 8	1982	36
G	% Pop. with hygienic waste disposal ⁸ :			
	Total	minimal	1982	PR
R	Urban ; Rural			
G	% Infants under one year fully immunized:			
	DPT	5	1982	35
	Polio	5	1982	35
	Measles	8	1982	35
	BCG	10	1982	35
	Against all six diseases			
G	% Pregnant women given two doses of tetanus toxoid	5	1982	35
G	% Receiving care by trained personnel:			
	Mothers ⁹ : Total			
	Urban ; Rural			
	Children ¹⁰ : Total			
	Urban ; Rural			
	% Women delivered:			
	By trained personnel	10	1982	CS
	In institutions			

* Excluding development budget.

0939b 09/9/84

Country: AFGHANISTAN

[illegible]

Coverage:

Source:

[illegible]

Coverage:

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: BAHRAIN
Area (sq.km): 622

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 0.371	: 1982	: 1
Projection for the year 2000		: 0.688	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 4.3;2.7	: 1980-85	: 51
	Crude birth rate	: 32.3	: 1980-85	: 51
	Crude death rate	: 5.3	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 12 ; 33	: 1982	: 1
G	Adult literacy rate (10 yrs & over): Total	: 73	: 1981	: 1
	M ; F	: 79 ; 64	: 1981	: 1
	Urban population (%)	: 81	: 1981	: 1
R	Unemployment rate (%)	: 3.5	: 1981	: 1
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 34.6	: 1979	: 6
	Urban ; Rural	: 30.5;38.7	: 1979	: 6
	Range ² (Ratio % High : Low)	: 127	: 1979	: 6
	Child (1-4 yrs) mortality rate	:	:	:
	Prop. mortality (%) below 5 yrs	: 23 Rg	: 1982	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total	: 93	: 1980	: 4
	Urban ; Rural	: 94 ; 92	: 1980	: 4
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 0	: 1982	: 1
	Pertussis	: 5.9	: 1982	: 1
	Tetanus: Total	: 1.1	: 1982	: 1
	Neonatal (per 100 000 LB)	: 25.0	: 1982	: 1
	Poliomyelitis	: 0	: 1982	: 1
	Measles	: 310	: 1982	: 1
	TB : All forms	: 42.0	: 1982	: 1
	Respiratory	: 37.7	: 1982	: 1
R	Maternal mortality rate (per 10 000 LB)	: 0.9 Rg	: 1982	: 1
G	Life expectancy at birth: Total	: 68	: 1980-85	: 51
R	M ; F	: 66;70	: 1980-85	: 51

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: BAHRAIN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 3	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 1.4	: 1979	: 47
	Mining and quarrying	: 25.3	: 1979	: 47
	Manufacturing industries	: 9.9	: 1979	: 47
R	Per capita (US\$) of: GDP	: 5 843	: 1982	: 83
G	GNP	: 5 138	: 1978	: EM
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 10	: 1982	: 1
	Govt. total budget	: 6.6	: 1982	: 1
R	% of total public expenditure devoted to health and health-related services	: 8	: 1982	: PR
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	: 226	: 1982	: PR
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 9.1*	: 1982	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.5*	: 1982	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 30.2*	: 1982	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 30.4	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:

* Ministry of Health only.

WHO/EMRO/HST (Sept. 1984)

Country : BAHRAIN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% of national health expenditure devoted to primary health care	: 26	: 1982	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 42	: 1982	: 35
	Polio	: 43	: 1982	: 35
	Measles	: 37	: 1982	: 35
	BCG	: 63	: 1980	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 31	: 1982	: PR
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 80	: 1982	: PR
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	: 90	: 1982	: EM
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	: 99	: 1979	: 5
	In institutions	: 93	: 1982	: 1

TOWARDS HFA/2000 IN WHO-EMR
 BASELINE (UP TO END 1982) DATA -
 LEADING CAUSES OF MORTALITY AND MORBIDITY:
 RANK (R), RATE PER 100 000 POP. AND PROPORTION (%) OF ALL CAUSES

WHO/EMRO/HST (Sept. 1984)

Country: BAHRAIN

M O R T A L I T Y								
C a u s e s	: Both sexes		: M a l e s		: F e m a l e			
	:R: Rate : %		:R: Rate : %		:R: Rate : %			
Diseases of the circulatory system	:1:	98.7 :32.7	:1:	103.7 :32.8	:1:	91.6 :32.6		
	:	:	:	:	:	:	:	:
Certain conditions originating in the perinatal period	:2:	43.7 :14.5	:2:	42.4 :13.4	:2:	45.5 :16.2		
	:	:	:	:	:	:	:	:
Injury and poisoning	:3:	34.8 :11.5	:3:	41.0 :13.0	:3:	26.0 : 9.2		
	:	:	:	:	:	:	:	:
Symptoms, signs and ill-defined conditions	:4:	28.8 : 9.6	:4:	32.7 :10.3	:4:	23.4 : 8.3		
	:	:	:	:	:	:	:	:
Neoplasms	:5:	26.4 : 8.8	:5:	30.4 : 9.6	:5:	20.8 : 7.4		
	:	:	:	:	:	:	:	:
Diseases of the respiratory system	:6:	18.3 : 6.1	:6:	19.4 : 6.1	:6:	16.9 : 6.0		
	:	:	:	:	:	:	:	:

Coverage: Total reported deaths, 1982. By Main Section of ICD-9

Source: 1

M O R B I D I T Y								
C a u s e s	: Both sexes		: M a l e s		: F e m a l e s			
	:R: Rate : %		:R: Rate : %		:R: Rate : %			
Complications of pregnancy, childbirth and the puerperium	:1:	:26.4	:	:	:	:	:	:
	:	:	:	:	:	:	:	:
Diseases of the respiratory system	:2:	:12.3	:	:	:	:	:	:
	:	:	:	:	:	:	:	:
Injury and poisoning	:3:	: 8.2	:	:	:	:	:	:
	:	:	:	:	:	:	:	:
Diseases of the circulatory system	:4:	: 6.6	:	:	:	:	:	:
	:	:	:	:	:	:	:	:
Diseases of the digestive system	:5:	: 6.3	:	:	:	:	:	:
	:	:	:	:	:	:	:	:
Diseases of the genitourinary system	:6:	: 6.1	:	:	:	:	:	:
	:	:	:	:	:	:	:	:

Coverage: All discharges, Salmaniya medical Centre, 1982
 By Main Section of ICD-9.

Source: 1

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: CYPRUS
Area (sq.km): 9 251

I n d i c a t o r ¹				: Value	: Year	:Source
D E M O G R A P H I C D A T A						
	Total population (millions): Latest			: 0.646	: 1982	: 2
	Projection for the year 2000			: 0.759	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural			: 1.0;1.4	: 78-82;82	: 7
	Crude birth rate			: 22.1	: 1982	: 2
	Crude death rate: Total			: 8.3	: 1982	: 2
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs			: 10; 25	: 1982	: 2
G	Adult literacy rate (15 yrs & over): Total			: 93	: 1981	: 6
	M ; F			: 98 ; 88	: 1981	: 6
	Urban population (%)			: 64	: 1982	: 7
R	Unemployment rate (%)			: 2.8	: 1982	: 5
H E A L T H S T A T U S						
G	Infant mortality rate: Total			: 17.2	: 1982	: 2
	Urban ; Rural			:	:	:
	Range ² (Ratio % High : Low)			:	:	:
	Child (1-4 yrs) mortality rate			: 0.3	: 1982	: 2
	Prop. mortality (%) below 5 yrs			: 4.9	: 1982	: 2
G	% of LBs with b.wt. at least 2 500 g.: Total			: 92	: 1982	: EM
	Urban ; Rural			:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			:	:	:
	Urban ; Rural			:	:	:
R	% of children at school entry with sub-standard weight-for-age ³			:	:	:
R	Incidence rates (per 100 000 pop.) of:			:	:	:
	Diphtheria			: 0	: 1982	: 1
	Pertussis			:	:	:
	Tetanus: Total			: 0.4	: 1982	: 1
	Neonatal (per 100 000 LB)			: 0	: 1982	: 1
	Poliomyelitis			: 0	: 1982	: 1
	Measles			:	:	:
	TB : All forms			: 16	: 1982	: 1
	Respiratory			: 12	: 1982	: 1
R	Maternal mortality rate (per 10 000 LB)			: 0	: 1982	: CS
G	Life expectancy at birth: Total			: 74	: 1982	: CS
R	M ; F			: 72 ; 76	: 1982	: CS

0943b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: CYPRUS

I n d i c a t o r ¹		: Value	: Year	: Source
=====				
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
=====				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	:	1982	PR
	Other forms 3 ; Not yet 4	:	:	:

G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	:	1982	PR
	Not defined 3	:	:	:

G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	:	1982	EM
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
=====				
T O T A L H E A L T H R E S O U R C E S				
=====				
	GDP, % from: Agriculture, fisheries, etc.	:	1982	47
	Mining and quarrying	:	1982	47
	Manufacturing industries	:	1982	47

R	Per capita (US\$) of: GDP	:	1982	7
G	GNP	:	1982	7

R	Health expenditure, as % of: GDP	:	1982	4
G	GNP	:	1982	4

R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	:	1982	7
	Govt. total budget	:	1982	9

R	% of total public expenditure devoted to health and health-related services	:	:	:

R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	1982	7
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	1982	7

G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	:	1982	7
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	:	1982	7
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	:	1982	7
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	:	1982	7
	Range ² (Ratio % High : Low)	:	:	:
=====				

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : CYPRUS

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	: 0.9	: 1982	: PR
	Community health workers	: 1.8	: 1982	: PR
	Traditional birth attendants	: 0.5	: 1982	: PR
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 26	: 1982	: 35
	Polio	: 27	: 1982	: 35
	Measles	: 21	: 1982	: 35
	BCG	: 0.1	: 1982	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 0	: 1980	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 100	: 1982	: PR
	Urban ; Rural	: 100;100	: 1982	: PR
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	: 100	: 1982	: 9(a)
	In institutions	: 100	: 1982	: EM

0943b 09/9/84

Country: CYPRUS

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: DEMOCRATIC YEMEN
Area (sq.km): 332 968

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 2.093	: 1982	: 47
Projection for the year 2000		: 3.309	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 2.7;2.9	: 1980-85	: 51
	Crude birth rate	: 47.6	: 1980-85	: 51
	Crude death rate: Total	: 18.8	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 18;45	: 1980	: 42
G	Adult literacy rate (15 yrs & over): Total	: 31	: 1980	: 61
	M ; F	: 48;16	: 1980	: 61
	Urban population (%)	: 36	: 1980	: 45
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 152	: 1981	: PR
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 29	: 1981	: 65
	Prop. mortality (%) below 5 yrs	: 40	: 1976	: 2
G	% of LBs with b.wt. at least 2 500 g.: Total	:	:	:
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	: 74	: 1978	: 9(a)
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 1.5	: 1980	: 25
	Pertussis	: 94	: 1980	: 25
	Tetanus: Total	: 1.5	: 1980	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 2.8	: 1980	: 25
	Measles	: 176	: 1980	: 25
	TB : All forms	: 535	: 1980	: 25
	Respiratory	:	:	:
R	Maternal mortality rate (per 10 000 LB)	: 10	: 1982	: EM
G	Life expectancy at birth: Total	: 46	: 1981	: PR
R	M ; F	:	:	:

0944b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.

Page 2

BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: DEMOCRATIC YEMEN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 13	: 1980	: 74
	Mining and quarrying	:	:	:
	Manufacturing industries	: 14	: 1980	: 74
R	Per capita (US\$) of: GDP	: 350	: 1979	: 83
G	GNP	: 460	: 1981	: 74
R	Health expenditure, as % of: GDP	: 3.2	: 1982	: 9
G	GNP	:	:	:
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 6.0-6.7	: ?	: EM
	Govt. total budget	: 8	: 1982	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 1.3	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.1	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 13.1	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 14.4	: 1981	: EM
	Range ² (Ratio % High : Low)	: 200	: 1981	: EM

0944b 09/9/84

WHO/EMRO/HST (Sept. 1984)

Country : DEMOCRATIC YEMEN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 30	: 1982	: EM
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	: 5.8	: 1982	: EM
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 1.8	: 1981	: EM
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 44	: 1980	: 9(a)
R	Urban ; Rural	: 77;39	: 1982	: EM
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 33	: 1980	: 9(a)
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 6	: 1982	: 35
	Polio	: 6	: 1982	: 35
	Measles	: 7	: 1982	: 35
	BCG	: 6	: 1982	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 3	: 1982	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

Country: DEMOCRATOC YEMEN

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: DJIBOUTI
Area (sq.km): 22 000

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 0.332	: 1982	: 51
Projection for the year 2000		: 0.604	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 3.2;2.6	: 80-85;78	: 51,80
	Crude birth rate	: 49	: 1978	: 80
	Crude death rate	: 23	: 1978	: 80
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: ;40	: 1982	: 32
G	Adult literacy rate (15 yrs & over): Total	: 17	: 1982	: PR
	M ; F	:	:	:
	Urban population (%)	: 67	: 1982	: 32
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 120	: 1980	: 32
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	:	:	:
	Prop. mortality (%) below 5 yrs	:	:	:
G	% of LBs with b.wt. at least 2 500 g.: Total	:	:	:
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	:	:	:
	Pertussis	: 55	: 1981	: 25
	Tetanus: Total	: 1.2	: 1981	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 12.4	: 1981	: 25
	Measles	: 1400	: 1981	: 25
	TB : All forms	:	:	:
	Respiratory	: 586	: 1981	: 25
R	Maternal mortality rate (per 10 000 LB)	:	:	:
G	Life expectancy at birth: Total	: 55	: 1982	: PR
R	M ; F	:	:	:

0945b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: DJIBOUTI

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 4	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 5.2	: 1980	: 52
	Mining and quarrying	: 0	: 1980	: 52
	Manufacturing industries	: 7.6	: 1980	: 52
R	Per capita (US\$) of: GDP	:	:	:
G	GNP	: 480	: 1981	: 83
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 8.3	: 1982	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	: 18	: 1982	: PR
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 1.2 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.1 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel: Total	: 8.8 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 25.1 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

WHO/EMRO/HST (Sept. 1984)

Country: DJIBOUTI

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 75	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	: 33	: 1982	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	: 0.5	: 1982	: PR
	Nursing/midwifery personnel	: 2.4	: 1982	: PR
	Community health workers	: 2.4	: 1982	: PR
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 0.9	: 1982	: PR
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 45	: 1980	: 9(a)
R	Urban ; Rural	: 53;20	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 39	: 1980	: 9(a)
R	Urban ; Rural	: 43;20	: 1980	: 31
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 6	: 1982	: 35
	Polio	: 6	: 1982	: 35
	Measles	: 15	: 1982	: 35
	BCG	: 5	: 1982	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 0.1	: 1982	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

Country: DJIBOUTI

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: EGYPT
Area (sq.km): 1 001 449

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 44.673	: 1982	: 51
Projection for the year 2000		: 65.200	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 2.5;2.7	: 80-85;82	: 51,41
	Crude birth rate	: 36.9	: 1982	: 41
	Crude death rate	: 10.3	: 1982	: 41
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 15;39	: 1980	: 42
G	Adult literacy rate (15 yrs & over): Total	: 47	: 1981	: PR
	M ; F	: 56;28	: 1980	: 65
	Urban population (%)	: 44	: 1979	: 40
R	Unemployment rate (%)	: 7.7	: 1976	: 2
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 80	: 1980	: PR
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 17.6	: 1979	: 25
	Prop. mortality (%) below 5 yrs	: 46	: 1979	: 25
G	% of LBs with b.wt. at least 2 500 g.: Total	: 93	: 1982	: 9(a)
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	: 7	: 1978	: 9(a)
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 0.8	: 1980	: 25
	Pertussis	: 0.1	: 1980	: 25
	Tetanus: Total	: 10.8	: 1980	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 0.8	: 1980	: 25
	Measles	: 2.0	: 1980	: 25
	TB : All forms	: 3.9	: 1980	: 25
	Respiratory	: 3.3	: 1980	: 25
R	Maternal mortality rate (per 10 000 LB)	: 7.8	: 1979	: 25
G	Life expectancy at birth: Total	: 57	: 1981	: PR
R	M ; F	: 54;57	: 1980	: PR

TOWARDS HFA/2000 IN WHO-EMR.

Page 2

BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: EGYPT

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 19.0	: 1980	: 47
	Mining and quarrying	: 17.2	: 1980	: 47
	Manufacturing industries	: 12.2	: 1980	: 47
R	Per capita (US\$) of: GDP	: 538	: 1981	: 83
G	GNP	: 650	: 1981	: 75
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 3.6	: 1980/81	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	: 9.0	: 1981	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 12.3	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.7	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel: Total	: 16.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 20.0	: 1981	: 25
	Range ² (Ratio % High : Low)	: 650	: 1982	: 4

0946b

09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : EGYPT

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	: 2	: 1982	: PR
	Nursing/midwifery personnel	: 5	: 1982	: PR
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 1.1	: 1982	: PR
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 75	: 1980	: 9(a)
R	Urban ; Rural	: 100;49	: 1982	: PR
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 69	: 1982	: PR
R	Urban ; Rural	: 95;42	: 1982	: PR
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 89	: 1981	: PR
	Polio	: 69	: 1981	: PR
	Measles	: 66	: 1981	: PR
	BCG	: 78	: 1981	: PR
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 10	: 1981	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 40	: 1982	: PR
	Urban ; Rural	: 44;37	: 1982	: PR
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	: 21	: 1978	: 9(a)
	In institutions	:	:	:

0946b 09/9/84

Country: EGYPT

M O R T A L I T Y

Coverage: Total deaths for 1980. Causes according to the two-digit Basic Tabulation List, 1975 ICD Revision Source: 9

: Both sexes : Males : Females

Coverage:

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: IRAN, ISLAMIC REP.
Area (sq.km): 1 648 000

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 40.16	: 1982	: 47
Projection for the year 2000		: 65.549	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 3.0;3.1	: 80-85;82	: 51;9
	Crude birth rate	: 45.0	: 1982	: 9
	Crude death rate	: 14.0	: 1982	: 9
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 18;44	: 1982	: 9
G	Adult literacy rate (15 yrs & over): Total	: 36	: 1976	: 61
	M ; F	: 48;24	: 1976	: 61
	Urban population (%)	: 49	: 1982	: 9
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 104	: 1982	: 9
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 14	: 1981	: 65
	Prop. mortality (%) below 5 yrs	: 30	: 1980	: 9
G	% of LBs with b.wt. at least 2 500 g.: Total	: 96	: 1982	: EM
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 1.0	: 1981	: 25
	Pertussis	: 57	: 1981	: 25
	Tetanus: Total	: 0.3	: 1981	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 0.5	: 1981	: 25
	Measles	: 91	: 1981	: 25
	TB : All forms	: 29.8	: 1981	: 25
	Respiratory	: 19.4	: 1981	: 25
R	Maternal mortality rate (per 10 000 LB)	:	:	:
G	Life expectancy at birth: Total	: 57	: 1982	: EM
R	M ; F	:	:	:

0947b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: IRAN, ISLAMIC REP.

I n d i c a t o r ¹		Value	Year	Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:			
	Constitution 1 ; Law 2	1	1982	PR
	Other forms 3 ; Not yet 4			
G	Community participation ⁴ : code:			
	Active 1 ; Limited 2	1	1982	PR
	Not defined 3			
G	Explicit resource allocation ⁵ for HFA Strategy : code:			
	Adequate without external input 1	4	1982	PR
	External input received 2			
	Inadequate 3 ; Not defined 4			
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	20.4	1981	47
	Mining and quarrying	14.0	1981	47
	Manufacturing industries	6.7	1981	47
R	Per capita (US\$) of: GDP	1 022	1981	9
G	GNP	735	1982	EM
R	Health expenditure, as % of: GDP	1.64	1981	9
G	GNP	5.6*	1982	EM
R	% Allocated to Health Ministry from:			
	Govt. regular (recurrent) budget	5.8	1981	9
	Govt. total budget	3.5	1982	9
R	% of total public expenditure devoted to health and health-related services			
R	Per capita (US\$) of:			
	Annual Health Ministry budget	73	1982	9
	Govt. total expenditure on health			
	Total health expend. (incl. private sector)	85	1979	52
G	Rates per 10 000 pop. of:			
	Physicians : Total			
	Range ² (Ratio % High : Low)	3.9 Gv	1981	25
	Dentists : Total			
	Range ² (Ratio % High : Low)	0.6 Gv	1981	25
	Nursing/midwifery personnel:			
	Total			
	Range ² (Ratio % High : Low)	9.2 Gv	1981	25
	Hospital beds : Total			
	Range ² (Ratio % High : Low)	15.6	1981	25

* Excluding private sector.

WHO/EMRO/HST (Sept. 1984)

Country : IRAN, ISLAMIC REP.

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 50	: 1982	: EM
R	Urban ; Rural	:	:	:
G	% of national health expenditure	:	:	:
	devoted to primary health care	: 34	: 1982	: PR
R	PHC personnel & physical resources,	:	:	:
	rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 50	: 1982	: EM
R	Urban ; Rural	: 70;33	: 1982	: EM
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 60	: 1982	: EM
R	Urban ; Rural	: 90;30	: 1982	: EM
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 41	: 1982	: EM
	Polio	: 74	: 1982	: EM
	Measles	: 55	: 1982	: EM
	BCG	: 10	: 1982	: EM
	Against all six diseases	:	:	:
G	% Pregnant women given	:	:	:
	two doses of tetanus toxoid	: 3	: 1982	: EM
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 5*	: 1982	: EM
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	: 8*	: 1982	: EM
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

* Excluding private sector

Country: IRAN ISLAMIC REP.

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: IRAQ
Area (sq.km): 438 317

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 14.16	: 1982	: 51
Projection for the year 2000		: 24.926	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 3.4;3.2	: 80-85;82	: 51,4
	Crude birth rate	: 42.6	: 1982	: 4
	Crude death rate	: 10.6	: 1982	: 4
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 17;46	: 1982	: 2
G	Adult literacy rate (15 yrs & over): Total	: 43	: 1980	: 61
	M ; F	: 63;23	: 1980	: 61
	Urban population (%)	: 64	: 1982	: 4
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 82	: 1982	: 4
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	: 1320 Rg	: 1981	: 2
	Child (1-4 yrs) mortality rate	: 16.3 Rg	: 1982	: 1
	Prop. mortality (%) below 5 yrs	: 23	: 1982	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total	: 94	: 1982	: 9(a)
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 8.9	: 1982	: 9
	Pertussis	: 18.3	: 1982	: 9
	Tetanus: Total	: 7.5	: 1982	: 9
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 2.9	: 1982	: 9
	Measles	: 223	: 1982	: 9
	TB : All forms	:	:	:
	Respiratory	: 55	: 1982	: 9
R	Maternal mortality rate (per 10 000 LB)	: 12	: 1982	: 4
G	Life expectancy at birth: Total	: 64	: 1982	: 2
R	M ; F	: 63;65	: 1982	: 2

0948b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.

Page 2

BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: IRAQ

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:			
	Constitution 1 ; Law 2	3	1981	PR
	Other forms 3 ; Not yet 4			
G	Community participation ⁴ : code:			
	Active 1 ; Limited 2	3	1981	PR
	Not defined 3			
G	Explicit resource allocation ⁵ for HFA Strategy : code:			
	Adequate without external input 1	4	1981	PR
	External input received 2			
	Inadequate 3 ; Not defined 4			
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	9.9	1982	2
	Mining and quarrying	23.0	1982	2
	Manufacturing industries	6.8	1982	2
R	Per capita (US\$) of: GDP	2 330	1981	2
G	GNP	2 410	1981	2
R	Health expenditure, as % of: GDP			
G	GNP			
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget			
	Govt. total budget	1.7	1975	46
R	% of total public expenditure devoted to health and health-related services			
R	Per capita (US\$) of: Annual Health Ministry budget			
	Govt. total expenditure on health			
	Total health expend. (incl. private sector)			
G	Rates per 10 000 pop. of: Physicians : Total	5.6	1981	25
	Range ² (Ratio % High : Low)			
	Dentists : Total	1.0	1981	25
	Range ² (Ratio % High : Low)			
	Nursing/midwifery personnel: Total	6.1	1981	25
	Range ² (Ratio % High : Low)			
	Hospital beds : Total	18.6	1981	25
	Range ² (Ratio % High : Low)	246 Gv	1982	2

0948b 09/9/84

WHO/EMRO/HST (Sept. 1984)

Country : IRAQ

I n d i c a t o r ¹		: Value	: Year	: Source
=====				
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
=====				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	:	:	:
R	Urban ; Rural	:	:	:

G	% of national health expenditure	:	:	:
	devoted to primary health care	:	:	:

R	PHC personnel & physical resources,	:	:	:
	rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 0.6	: 1982	: 2
	Hospital beds	:	:	:
=====				
P R O V I S I O N O F H E A L T H C A R E				
=====				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 74	: 1980	: 36
R	Urban ; Rural	: 92;22	: 1980	: 34

G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	:	:	:
R	Urban ; Rural	: 30;	: 1980	: 36

G	% Infants under one year fully immunized:	:	:	:
	DPT	: 13	: 1980	: 35
	Polio	: 16	: 1980	: 35
	Measles	: 35	: 1980	: 35
	BCG	: 76	: 1980	: 35
	Against all six diseases	:	:	:

G	% Pregnant women given	:	:	:
	two doses of tetanus toxoid	: 4	: 1980	: 35

G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:

	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:
=====				

Country: IRAQ

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: ISRAEL
Area (sq.km): 20 770

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 4.03	: 1982	: 47
Projection for the year 2000		: 5.376	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 1.4;1.7	: 1981	: 1
	Crude birth rate	: 23.6	: 1981	: 1
	Crude death rate	: 6.6	: 1981	: 1
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 12;33	: 1981	: 1
G	Adult literacy rate (15 yrs & over): Total	: 88	: 1981	: PR
	M ; F	: 92;83	: 1981	: PR
	Urban population (%)	: 87	: 1981	: 1
R	Unemployment rate (%)	: 5.1	: 1981	: 1
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 15.6	: 1981	: 1
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 0.6	: 1981	: 1
	Prop. mortality (%) below 5 yrs	: 6.5	: 1981	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total	: 93	: 1982	: PR
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 0	: 1982	: 1
	Pertussis	: 2	: 1982	: 1
	Tetanus: Total	: 0	: 1982	: 1
	Neonatal (per 100 000 LB)	: 0	: 1982	: 1
	Poliomyelitis	: 0	: 1982	: 1
	Measles	: 20	: 1982	: 1
	TB : All forms	: 6.9	: 1981	: 1
	Respiratory	: 4.0	: 1981	: 1
R	Maternal mortality rate (per 10 000 LB)	: 0.54	: 1980	: 25
G	Life expectancy at birth: Total	: 74.7*	: 1981	: 1
R	M ; F	: 73*;76.3*	: 1981	: 1

* Data for Jews. Corresponding data for Arabs 72;71;73 respectively (Source: 1)

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: ISRAEL

I n d i c a t o r ¹		: Value	: Year	: Source
=====				
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
=====				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:

G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:

G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 4	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
=====				
T O T A L H E A L T H R E S O U R C E S				
=====				
	GDP, % from: Agriculture, fisheries, etc.	: 5.9	: 1982	: 47
	Mining and quarrying	: 19.0	: 1982	: 47
	Manufacturing industries	:	:	:

R	Per capita (US\$) of: GDP	: 5 739	: 1982	: 83
G	GNP	: 5 339	: 1981	: 3

R	Health expenditure, as % of: GDP	: 7.0	: 1981	: 4
G	GNP	: 7.2	: 1981	: 4

R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 2.7	: 1981	: 1
	Govt. total budget	: 1.9	: 1981	: 1

R	% of total public expenditure devoted to health and health-related services	: 9.0	: 1981	: 4

R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 106	: 1981	: 4
	Govt. total expenditure on health	: 269	: 1981	: 1
	Total health expend. (incl. private sector)	: 469	: 1981	: 3

G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 24.8	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 4.3	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 78.4	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 33.4*	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
=====				

* For general hospital beds only the figure is 29.8 (Source: 9)

WHO/EMRO/HST (Sept. 1984)

Country : ISRAEL

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% of national health expenditure devoted to primary health care	: 32*	: 1980	: 1
R	PHC personnel & physical resources, rates per 10 000 pop. of:			
	Physicians	: 8.1	: 1978	: PR
	Nursing/midwifery personnel	: 11	: 1978	: PR
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :			
	Total	: 100**	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Pop. with hygienic waste disposal ⁸ :			
	Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% Infants under one year fully immunized:			
	DPT	: 84	: 1981	: PR
	Polio	: 86	: 1981	: PR
	Measles	: 83	: 1981	: PR
	BCG	: 70	: 1981	: PR
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid			
G	% Receiving care by trained personnel:			
	Mothers ⁹ : Total	: 90	: 1980	: PR
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	: 90	: 1980	: PR
	Urban ; Rural	:	:	:
	% Women delivered:			
	By trained personnel	: 100	: 1980	: 9(a)
	In institutions	: 100	: 1980	: 9(a)

* Includes public clinics & preventive medicine plus private physicians

**Figure 96% relates to population having safe drinking water at home.

Country: ISRAEL

M O R T A L I T Y

C a u s e s	: Both sexes		: M a l e s		: F e m a l e s	
	:R:	Rate : %	:R:	Rate : %	:R:	Rate : %
27 Ischaemic heart disease	:1:	158.0 :24.4	:1:	183.7 :26.3	:1:	132.4 :22.1
29 Cerebrovascular disease	:2:	70.8 :10.9	:2:	63.1 : 9.0	:2:	78.5 :13.1
28 Diseases of pulm. circulation & other forms of heart diseases	:3:	61.4 : 9.5	:3:	58.4 : 8.4	:3:	64.4 :10.7
46 Signs, symptoms and ill-defined conditions	:4:	44.9 : 6.9	:4:	52.4 : 7.5	:4:	37.3 : 6.2
32 Other diseases of the respiratory system	:5:	41.2 : 6.3	:5:	46.6 : 6.7	:5:	35.7 : 6.2
09 Malignant neoplasm of digestive organs & peritonium	:6:	37.2 : 5.7	:6:	39.1 : 5.6	:6:	35.2 : 5.9

Coverage: Total deaths for 1981. Causes according to two-digit
Basic Tabulation List, 1975, ICD Revision. Source:9

M O R B I D I T Y

C a u s e s	: B o t h s e x e s		: M a l e s		: F e m a l e s	
	:-----:		:-----:		:-----:	
	:R:	Rate : %	:R:	Rate : %	:R:	Rate : %
=====	:	:	:	:	:	:
	:	:	:	:	:	:
-----	:	:	:	:	:	:
	:	:	:	:	:	:
	:	:	:	:	:	:
-----	:	:	:	:	:	:
	:	:	:	:	:	:
	:	:	:	:	:	:
-----	:	:	:	:	:	:
	:	:	:	:	:	:
	:	:	:	:	:	:
-----	:	:	:	:	:	:
	:	:	:	:	:	:
	:	:	:	:	:	:

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: JORDAN
Area (sq.km): 97 740

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 3.13	: 1982	: 47
Projection for the year 2000		: 6.400	: 2000	: 51
R Av. annual rate (%) of increase: Net ; Natural		: 3.7;3.7	: 1980-85	: 51
Crude birth rate		: 45.0	: 1980-85	: 51
Crude death rate		: 8.4	: 1980-85	: 51
Pop. (%) by age: Below 5 yrs ; Below 15 yrs		: 18;50	: 1979	: 3
G Adult literacy rate (15 yrs & over): Total		: 67	: 1979	: 3
M ; F		: 81;52	: 1979	: 3
Urban population (%)		: 60	: 1979	: 2
R Unemployment rate (%)		: 3.9	: 1979	: 3
H E A L T H S T A T U S				
G Infant mortality rate: Total		: 65	: 1982	: EM
Urban ; Rural		: 72;60	: 1982	: EM
Range ² (Ratio % High : Low)		: 120	: 1982	: EM
Child (1-4 yrs) mortality rate		: 5	: 1981	: 65
Prop. mortality (%) below 5 yrs		: 30	: 1979	: 9
G % of LBs with b.wt. at least 2 500 g.: Total		: 93	: 1979	: 65
Urban ; Rural		:	:	:
G % of children below 5 yrs with sub-standard weight-for-age ³ : (age 4 yrs)		: 14.2	: 1975	: 9(a)
Urban ; Rural		:	:	:
R % of children at school entry with sub-standard weight-for-age ³		:	:	:
R Incidence rates (per 100 000 pop.) of:		:	:	:
Diphtheria		: 0.6	: 1982	: EM
Pertussis		: 3.4	: 1982	: EM
Tetanus: Total		: 0.8	: 1982	: EM
Neonatal (per 100 000 LB)		:	:	:
Polioomyelitis		: 0.1	: 1982	: EM
Measles		: 51	: 1982	: EM
TB : All forms		:	:	:
Respiratory		: 21.4	: 1982	: EM
R Maternal mortality rate (per 10 000 LB)		:	:	:
G Life expectancy at birth: Total		: 66.5	: 1981	: PR
R M ; F		: 65.5;67.4	: 1981	: PR

0955b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
 BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: JORDAN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 6.2	: 1982	: 47
	Mining and quarrying	: 3.4	: 1982	: 47
	Manufacturing industries	: 12.5	: 1982	: 47
R	Per capita (US\$) of: GDP	: 1 602	: 1982	: 83
G	GNP	: 1 997	: 1982	: 2
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 3.8	: 1981	: PR
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 4.45	: 1982	: 2
	Govt. total budget	: 4.35	: 1976	: 82
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 24.1	: 1981	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	: 43.0	: 1980	: 52
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 5.8	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.3	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 8.3	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 8.1	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

0955b 09/9/84

WHO/EMRO/HST (Sept. 1984)

Country : JORDAN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	:	:	:
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	: 15	: 1981	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 89	: 1980	: 36
R	Urban ; Rural	: 100;65	: 1980	: 36
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 76	: 1980	: 36
R	Urban ; Rural	: 94;35	: 1980	: 36
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 39	: 1982	: 9(a)
	Polio	: 48	: 1982	: 9(a)
	Measles	: 32	: 1982	: 9(a)
	BCG	: 2	: 1982	: 9(a)
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 7	: 1982	: 9(a)
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 76	: 1982	: EM
	Urban ; Rural	: 89;56	: 1982	: EM
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

Country: JORDAN

M O R T A L I T Y								
C a u s e s	: Both sexes		: M a l e s		: F e m a l e s			
	:R: Rate : %		:R: Rate : %		:R: Rate : %			
B45 & 46 Symptoms and ill-defined conditions & other diseases	: 1:144.9	: 47.6	: 1:171.8	: 46.9	: 1:115.3	: 48.8		
B29 Other forms of heart disease	: 2: 37.6	: 12.4	: 2: 46.6	: 12.7	: 2: 27.8	: 11.8		
B28 Ischaemic heart disease	: 3: 19.2	: 6.3	: 3: 28.0	: 7.6	: 5: 9.6	: 4.1		
B19 Malignant neoplasms	: 4: 14.3	: 4.7	: 4: 18.2	: 5.0	: 4: 10.0	: 4.2		
B4 Enteritis and other diarrhoeal diseases	: 5: 12.9	: 4.2	: 6: 12.1	: 3.3	: 3: 13.8	: 5.9		
BE48 All other accidents	: 6: 12.7	: 4.2	: 5: 16.8	: 4.6	: 6: 8.3	: 3.5		

Coverage: Total deaths for 1979 - ICD-8 'B' List

Source: 25

[illegible]

Coverage:

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: KUWAIT
Area (sq.km): 17 818

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 1.57	: 1982	: 47
Projection for the year 2000		: 2.969	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 5.3;2.9	: 80-85;82	: 51;9
	Crude birth rate	: 34.7	: 1982	: 4
	Crude death rate	: 3.2	: 1982	: 4
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 16;40	: 1980	: 25
G	Adult literacy rate (10 yrs & over): Total	: 71	: 1980	: ER
	M ; F	: 76;64	: 1980	: ER
	Urban population (%)	: 91	: 1980	: 42
R	Unemployment rate (%)	: 1.8	: 1980	: ER
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 22.8	: 1982	: 4
	Urban ; Rural	: :	: :	: :
	Range ² (Ratio % High : Low)	: 194	: 1982	: 4
	Child (1-4 yrs) mortality rate	: 1.27	: 1982	: 4
	Prop. mortality (%) below 5 yrs	: 30	: 1982	: 4
G	% of LBs with b.wt. at least 2 500 g.: Total	: 93	: 1980	: ER
	Urban ; Rural	: :	: :	: :
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	: :	: :	: :
	Urban ; Rural	: :	: :	: :
R	% of children at school entry with sub-standard weight-for-age ³	: :	: :	: :
R	Incidence rates (per 100 000 pop.) of:	: :	: :	: :
	Diphtheria	: 1.0	: 1982	: EM
	Pertussis	: 6.3	: 1982	: EM
	Tetanus: Total	: 0.2	: 1982	: EM
	Neonatal (per 100 000 LB)	: :	: :	: :
	Poliomyelitis	: 0.4	: 1982	: EM
	Measles	: 39	: 1982	: EM
	TB : All forms	: 55	: 1982	: EM
	Respiratory	: :	: :	: :
R	Maternal mortality rate (per 10 000 LB)	: 1.84	: 1982	: 4
G	Life expectancy at birth: Total	: 69	: 1980	: 2
R	M ; F	: 67;72	: 1980	: 2

0956b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.

Page 2

BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: KUWAIT

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code;	:	:	:
	Adequate without external input 1	: 1	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 0.5	: 1982	: 47
	Mining and quarrying	: 48.2	: 1982	: 47
	Manufacturing industries	: 7.3	: 1982	: 47
R	Per capita (US\$) of: GDP	: 12 862	: 1982	: 83
G	GNP	: 20 900	: 1982	: ER
R	Health expenditure, as % of: GDP	: 1.5	: 1979/80	: 2
G	GNP	: 2.8*	: 1982	: EM
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 4.74	: 1978/79	: 3
	Govt. total budget	: 6.9	: 1981	: PR
R	% of total public expenditure devoted to health and health-related services	: 23.1	: 1979/80	: 2
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 298	: 1980	: ER
	Govt. total expenditure on health	: 307	: 1977	: 3
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 15.2	: 1982	: ER
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.6	: 1982	: ER
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 54.6	: 1982	: ER
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 38.3	: 1982	: ER
	Range ² (Ratio % High : Low)	:	:	:

*Ministry of Public Health only. (Source: EM)

0956b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)		Country : KUWAIT			
I n d i c a t o r ¹		: Value	: Year	: Source	
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C					
G	Availability of local health care ⁶ ,	:	:	:	
	% pop. covered: Total	: 100	: 1982	: PR	
R	Urban ; Rural	: 100;100	: 1982	: PR	
G	% of national health expenditure devoted to primary health care	: 25	: 1982	: EM	
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:	
	Physicians	: 4.5	: 1982	: EM	
	Nursing/midwifery personnel	: 26.9	: 1982	: EM	
	Community health workers	:	:	:	
	Traditional birth attendants	:	:	:	
	PHC unit/dispensary/health centre	: 0.4	: 1982	: EM	
	Hospital beds	:	:	:	
P R O V I S I O N O F H E A L T H C A R E					
G	% Pop. with access to safe drinking water ⁷ :	:	:	:	
	Total	: 100	: 1982	: PR	
R	Urban ; Rural	: 100;100	: 1982	: PR	
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:	
	Total	: 100	: 1982	: PR	
R	Urban ; Rural	: 100;100	: 1982	: PR	
G	% Infants under one year fully immunized:	:	:	:	
	DPT	: 79	: 1982	: 9(b)	
	Polio	: 88	: 1982	: 9(b)	
	Measles	: 10	: 1982	: 9(b)	
	BCG	: 2	: 1982	: 9(b)	
	Against all six diseases	:	:	:	
G	% Pregnant women given two doses of tetanus toxoid	: 24	: 1982	: 9(b)	
G	% Receiving care by trained personnel:	:	:	:	
	Mothers ⁹ : Total	: 100	: 1981	: CS	
	Urban ; Rural	: 100;100	: 1981	: CS	
	Children ¹⁰ : Total	: 100	: 1981	: CS	
	Urban ; Rural	: 100;100	: 1981	: CS	
	% Women delivered:	:	:	:	
	By trained personnel	: 98	: 1982	: 4	
	In institutions	: 96	: 1982	: 4	

Country: KUWAIT

M O R T A L I T Y								
C a u s e s	: Both sexes		: M a l e s		: F e m a l e s			
	:R:	Rate : %	:R:	Rate : %	:R:	Rate : %	:R:	Rate : %
E47 Transport accidents	:1:	34.2 :10.7	:1:	48.7 :13.8	:7:	13.8	:5.1	
45 Certain conditions originating in the perinatal period	:2:	31.9 :10.0	:3:	32.6 : 9.3	:1:	30.9	:11.3	
27 Ischaemic heart diseases	:3:	30.0 : 9.4	:2:	40.1 :11.4	:5:	15.8	: 5.8	
32 Other diseases of the respiratory system	:4:	26.0 : 8.2	:4:	27.7 : 7.9	:3:	23.7	: 8.7	
46 Signs, symptoms and ill-defined conditions	:5:	20.3 : 6.4	:6:	16.4 : 4.7	:2:	25.7	: 9.4	
26 Hypertensive disease	:6:	17.7 : 5.5	:7:	15.7 : 4.5	:4:	20.4	: 7.5	

Coverage: Total deaths for 1982. Causes according to the two-digit Basic Tabulation List, 1975 ICD Revision Source: 4

[illegible]

Coverage:

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: LEBANON
Area (sq.km): 10 400

I n d i c a t o r ¹				: Value	: Year	: Source
D E M O G R A P H I C D A T A						
	Total population (millions): Latest			: 2.64	: 1982	: 47
	Projection for the year 2000			: 3.617	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural			: -0.0;2.1	: 1980-85	: 51
	Crude birth rate			: 29.3	: 1980-85	: 51
	Crude death rate			: 8.8	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs			: 17;43	: 1980	: 42
G	Adult literacy rate (15 yrs & over): Total			: 77	: 1980	: 9(a)
	M ; F			: 85;68	: 1980	: 9(a)
	Urban population (%)			: 65	: 1980	: 42
R	Unemployment rate (%)			:	:	:
H E A L T H S T A T U S						
G	Infant mortality rate: Total			: 48	: 1980-85	: 51
	Urban ² ; Rural			:	:	:
	Range ² (Ratio % High : Low)			:	:	:
	Child (1-4 yrs) mortality rate			: 2	: 1981	: 65
	Prop. mortality (%) below 5 yrs			:	:	:
G	% of LBs with b.wt. at least 2 500 g.: Total			: 88	: 1979	: 9(a)
	Urban ; Rural			:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			:	:	:
	Urban ; Rural			:	:	:
R	% of children at school entry with sub-standard weight-for-age ³			:	:	:
R	Incidence rates (per 100 000 pop.) of:			:	:	:
	Diphtheria			:	:	:
	Pertussis			:	:	:
	Tetanus: Total			:	:	:
	Neonatal (per 100 000 LB)			:	:	:
	Poliomyelitis			:	:	:
	Measles			:	:	:
	TB : All forms			:	:	:
	Respiratory			:	:	:
R	Maternal mortality rate (per 10 000 LB)			:	:	:
G	Life expectancy at birth: Total			: 65	: 1980	: 51
R	M ; F			: 63;67	: 1980	: 51

0957b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: LEBANON

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 8.5	: 1977	: 47
	Mining and quarrying	:) 13.0	: 1977	: 47
	Manufacturing industries	:)	:	:
R	Per capita (US\$) of: GDP	: 1 447	: 1981	: 83
G	GNP	: 1 200	: 1980	: PR
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 10	: 1982	: PR
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	:	:	:
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 16.3	: 1979	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 2.4	: 1979	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 13.9	: 1979	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	:	:	:
	Range ² (Ratio % High : Low)	:	:	: 0

WHO/EMRO/HST (Sept. 1984)		Country : LEBANON		
I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	:	:	:
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	: 4	: 1982	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 92	: 1982	: PR
R	Urban ; Rural	: 95;85	: 1982	: PR
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	:	:	:
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 4	: 1982	: 35
	Polio	: 9	: 1982	: 35
	Measles	: 1	: 1982	: 35
	BCG	:	:	:
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	:	:	:
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

Country: LEBANON

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: LIBYAN ARAB J.
Area (sq.km): 1 759 540

I n d i c a t o r ¹		Value	Year	Source
D E M O G R A P H I C D A T A				
	Total population (millions): Latest	3.224	1982	51
	Projection for the year 2000	6.072	2000	51
R	Av. annual rate (%) of increase: Net ; Natural	3.8;3.9	80-85;82	51;9
	Crude birth rate	43.6	1980-85	9
	Crude death rate	4.6 Rg*	1980-85	9
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	20;49	1982	9
G	Adult literacy rate (15 yrs & over): Total	57	1980	61
	M ; F	76;39	1980	61
	Urban population (%)	54	1981	65
R	Unemployment rate (%)	0	1982	9
H E A L T H S T A T U S				
G	Infant mortality rate: Total	32.8 Rg*	1982	9
	Urban ; Rural			
	Range ² (Ratio % High : Low)			
	Child (1-4 yrs) mortality rate	8.4	1981	9
	Prop. mortality (%) below 5 yrs	42	1981	9
G	% of LBs with b.wt. at least 2 500 g.: Total	95	1982	9
	Urban ; Rural	97;93	1982	9
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			
	Urban ; Rural			
R	% of children at school entry with sub-standard weight-for-age ³			
R	Incidence rates (per 100 000 pop.) of:			
	Diphtheria	0.2	1980	25
	Pertussis	4.4	1981	25
	Tetanus: Total	0.7	1981	25
	Neonatal (per 100 000 LB)			
	Poliomyelitis	1.1	1981	25
	Measles	52	1980	25
	TB : All forms	24.2	1980	25
	Respiratory	3.5	1981	25
R	Maternal mortality rate (per 10 000 LB)	0.09	1982	9
G	Life expectancy at birth: Total	58	1980-85	51
R	M ; F	60;56	1980-85	51

*UN estimates 11 for CDR and 92 for IMR for 1980-85 (Source: 51)

0958b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 2

WHO/EMRO/HST (Sept. 1984)

Country: LIBYAN ARAB J.

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 1	: 1982	: 9
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 2.0	: 1981	: 47
	Mining and quarrying	: 52.2	: 1981	: 47
	Manufacturing industries	: 2.8	: 1981	: 47
R	Per capita (US\$) of: GDP	: 10 013	: 1981	: 83
G	GNP	: 8 450	: 1981	: 65
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 7.3	: 1977	: 52
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	: 109	: 1979	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 15.1 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.0 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel: Total	: 31.3 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 49.7 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

0958b

09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : LIBYAN ARAB J.

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 100	: 1982	: PR
R	Urban ; Rural	: 100;100	: 1982	: PR
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	: 40.6	: 1982	: 9
	Community health workers	: 1.6	: 1982	: 9
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 3.2	: 1982	: 9
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 90	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 70	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 60	: 1981	: 35
	Polio	: 60	: 1981	: 35
	Measles	: 65	: 1981	: 35
	BCG	: 88	: 1980	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 28	: 1982	: 9
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	: 68	: ?	: PR

0958b

09/9/84

Country: LIBYAN ARAB J.

[illegible]

Coverage:

Source:

[illegible]

Coverage:

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: OMAN
Area (sq.km): 300 000*

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 1.5*	: 1982	: 9
Projection for the year 2000		:	:	:
R	Av. annual rate (%) of increase: Net ; Natural	: 4.5;3.0	: 80-85;82	: 51;EM
	Crude birth rate	: 49	: 1982	: EM
	Crude death rate	: 19	: 1982	: EM
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 15;46	: 1982	: 2
G	Adult literacy rate (? yrs & over): Total	: 30	: ?	: EM
	M ; F	: 47;12	: ?	: EM
	Urban population (%)	: 15	: 1982	: 2
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 111	: 1982	: 2
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	:	:	:
	Prop. mortality (%) below 5 yrs	:	:	:
G	% of LBs with b.wt. at least 2 500 g.: Total	: 85	: 1979	: PR
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 0.5	: 1982	: EM
	Pertussis	: 185	: 1982	: EM
	Tetanus: Total	: 1.1	: 1982	: EM
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 2.3	: 1982	: EM
	Measles	: 1 060	: 1982	: EM
	TB : All forms	:	:	:
	Respiratory	: 81	: 1982	: EM
R	Maternal mortality rate (per 10 000 LB)	:	:	:
G	Life expectancy at birth: Total	: 50	: 1980-85	: 51
R	M ; F	: 49;51	: 1980-85	: 51

* Figures given by Government; pop. size adopted for planning purposes since 1974, rates based on this figure; UN estimates 1.08 m for 1982, and area 212 457 sq.kms (Sources: 46 & 47).

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 2

WHO/EMRO/HST (Sept. 1984)

Country: OMAN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 4	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 1.7	: 1982	: 47
	Mining and quarrying	: 62.8	: 1982	: 47
	Manufacturing industries	: 1.1	: 1982	: 47
R	Per capita (US\$) of: GDP	: 4 732	: 1982	: EM
G	GNP	: 4 134	: 1982	: EM
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 1.64	: 1982	: EM
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 9.9	: 1982	: CS
	Govt. total budget	: 5.9	: 1981	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 90	: 1981	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 4.0	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.2	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 8.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 12.4	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

09/9/84

0959b

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : OMAN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 75	: 1982	: EM
R	Urban ; Rural	: 100;70	: 1982	: EM
G	% of national health expenditure devoted to primary health care	: 60	: 1981-85	: EM
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 0.82	: 1980	: 1
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 15	: 1980	: 31
R	Urban ; Rural	: 70;10	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	:	:	:
R	Urban ; Rural	: 60;	: 1980	: 31
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 26	: 1982	: 9(a)
	Polio	: 26	: 1982	: 9(a)
	Measles	: 63	: 1982	: 9(a)
	BCG	: 88	: 1982	: 9(a)
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 16	: 1982	: 9(a)
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

0959b

09/9/84

Country: OMAN

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: PAKISTAN
Area (sq.km): 796 095

I n d i c a t o r ¹		Value	Year	Source
D E M O G R A P H I C D A T A				
	Total population (millions): Latest	87.758	1982	3
	Projection for the year 2000	142.554	2000	51
R	Av. annual rate (%) of increase: Net ; Natural	3.1;3.0	80-85;82	51;5
	Crude birth rate	42	1982	5
	Crude death rate	12	1982	5
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	15;45	1981	4
G	Adult literacy rate (10 yrs & over): Total	26	1981	3
	M ; F	35;16	1981	3
	Urban population (%)	28	1981	4
R	Unemployment rate (%)	3.1	1982	5
H E A L T H S T A T U S				
G	Infant mortality rate: Total	120	1981	65
	Urban ; Rural			
	Range ² (Ratio % High : Low)			
	Child (1-4 yrs) mortality rate	15	1981	65
	Prop. mortality (%) below 5 yrs	37	1981	65
G	% of LBs with b.wt. at least 2 500 g.: Total	70	1976-77	6
	Urban ; Rural			
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	60	1976-77	6
	Urban ; Rural			
R	% of children at school entry with sub-standard weight-for-age ³	30	1976-77	6
R	Incidence rates (per 100 000 pop.) of:			
	Diphtheria	1.1	1981	9
	Pertussis	37.2	1981	9
	Tetanus: Total	3.3	1981	9
	Neonatal (per 100 000 LB)			
	Poliomyelitis	0.5	1981	9
	Measles	21.8	1981	9
	TB : All forms	92	1981	9
	Respiratory			
R	Maternal mortality rate (per 10 000 LB)	70	1982	7
G	Life expectancy at birth: Total	54.5	1982	7
R	M ; F	55;54	1982	7

0960b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: PAKISTAN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 3	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 27.7	: 1982	: 47
	Mining and quarrying	: 1.0	: 1982	: 47
	Manufacturing industries	: 15.0	: 1982	: 47
R	Per capita (US\$) of: GDP	: 294	: 1982	: 83
G	GNP	: 350	: 1981	: 5
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 1	: 1978-79	: CS
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 1.5	: 1981	: 5
	Govt. total budget	: 2.2	: 1981	: 5
R	% of total public expenditure devoted to health and health-related services	: 10	: 1980-81	: 5
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 3.4	: 1981-82	: 75
	Govt. total expenditure on health	: 5.1	: 1981-82	: 75
	Total health expend. (incl. private sector)	: 12.1	: 1981-82	: 75
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 3.5	: 1981	: 9
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.1	: 1981	: 9
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 1.8	: 1981	: 9
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 6.0	: 1981	: 9
	Range ² (Ratio % High : Low)	:	:	:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page

WHO/EMRO/HST (Sept. 1984)

Country : PAKISTAN

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 65	: 1982	: PR
R	Urban ; Rural	: 100;50	: 1982	: PR
G	% of national health expenditure devoted to primary health care	: 29	: 1981-82	: 8
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	: 0.2	: 1981	: 7
	Nursing/midwifery personnel	: 1.2	: 1981	: 7
	Community health workers	:	:	:
	Traditional birth attendants	: 3.3	: 1981	: 7
	PHC unit/dispensary/health centre	: 0.7	: 1981	: 7
	Hospital beds	: 0.9	: 1981	: 7
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 38	: 1982	: 7
R	Urban ; Rural	: 77;22	: 1982	: 7
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 16	: 1982	: 7
R	Urban ; Rural	: 48;4	: 1982	: PR
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 2.3	: 1981	: 9
	Polio	: 2.4	: 1981	: 9
	Measles	: 1.4	: 1981	: 9
	BCG	: 8.5	: 1981	: 9
	Against all six diseases	: 1.7	: 1981	: 9
G	% Pregnant women given two doses of tetanus toxoid	: 0.9	: 1982	: 9
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 26	: 1981	: 8
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	: 30	: 1981	: 8
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	: 24	: 1976	: 9(a)
	In institutions	:	:	:

Country: PAKISTAN

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: QATAR
Area (sq.km): 11 000

I n d i c a t o r ¹		Value	Year	Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		0.27	1982	47
Projection for the year 2000		0.469	2000	51
R	Av. annual rate (%) of increase: Net ; Natural	4.0;2.5	1980-85	51
	Crude birth rate	30.1	1980-85	51
	Crude death rate	4.6*	1980-85	51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	12;32	1981	1
G	Adult literacy rate (yrs & over): Total			
	M ; F			
	Urban population (%)	74	1980	42
R	Unemployment rate (%)	1.2	1981	1
H E A L T H S T A T U S				
G	Infant mortality rate: Total	30 Rg**	1981	9
	Urban ; Rural			
	Range ² (Ratio % High : Low)	146 Rg	1982	1
	Child (1-4 yrs) mortality rate			
	Prop. mortality (%) below 5 yrs	21 Rg	1982	1
G	% of LBs with b.wt. at least 2 500 g.: Total			
	Urban ; Rural			
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			
	Urban ; Rural			
R	% of children at school entry with sub-standard weight-for-age ³			
R	Incidence rates (per 100 000 pop.) of:			
	Diphtheria			
	Pertussis	79	1981	25
	Tetanus: Total	0.8	1981	25
	Neonatal (per 100 000 LB)			
	Poliomyelitis	1.6	1981	25
	Measles	610	1981	25
	TB : All forms	87	1981	25
	Respiratory	71	1981	25
R	Maternal mortality rate (per 10 000 LB)	2.5 Rg	1982	1
G	Life expectancy at birth: Total	71	1982	PR
R	M ; F	69;72	1982	PR

* Registered crude death rate 3.0 for 1981 (Source : 51)

**UN estimate 45 for 1980-85 (Source : 1)

0961b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: QATAR

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 1	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 0.7	: 1982	: 1
	Mining and quarrying	: 52.8	: 1982	: 1
	Manufacturing industries	: 5.7	: 1982	: 1
R	Per capita (US\$) of: GDP	: 30 473	: 1982	: 83
G	GNP	: 31 600	: ?	: PR
R	Health expenditure, as % of: GDP	: 1.5	: 1982	: 1
G	GNP	: 2	: 1982	: PR
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 26.5	: 1982	: 1
	Govt. total budget	: 9.1	: 1982	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 11.1 Gv	: 1981	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.5 Gv	: 1981	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 35.4 Gv	: 1981	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 29.9 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : QATAR

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	: 95	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 0.78	: 1981	: 1
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 95	: 1982	: PR
R	Urban ; Rural	: 98;50	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 35	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 53	: 1982	: PR
	Polio	: 53	: 1982	: PR
	Measles	: 37	: 1982	: PR
	BCG	: 52	: 1982	: PR
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 0	: 1980	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	: 95	: 1982	: PR
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	: 90	: 1980	: 9

0961b 09/9/84

Country: QATAR

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: SAUDI ARABIA
Area (sq.km): 2 149 690

I n d i c a t o r ¹				: Value	: Year	:Source
D E M O G R A P H I C D A T A						
Total population (millions): Latest				: 10.00	: 1982	: 47
Projection for the year 2000				: 18.864	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural			: 3.9;3.1	: 1980-85	: 51
Crude birth rate				: 43.0	: 1980-85	: 51
Crude death rate: Total				: 12.1	: 1980-85	: 51
M ; F				:	:	:
Urban ; Rural				:	:	:
Pop. (%) by age: Below 5 yrs ; Below 15 yrs				: 18;45	: 1980	: 42
G	Adult literacy rate (15 yrs & over): Total			: 25	: 1980	: 61
M ; F				: 35;12	: 1980	: 61
Urban population (%)				:	:	:
R	Unemployment rate (%)			:	:	:
H E A L T H S T A T U S						
G	Infant mortality rate: Total			: 103	: 1980-85	: 51
Urban; Rural				:	:	:
Range ² (Ratio % High : Low)				:	:	:
Child (1-4 yrs) mortality rate				: 17	: 1981	: 65
Prop. mortality (%) below 5 yrs				: 41	: 1980	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total			:	:	:
Urban ; Rural				:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			: 8	: 1982	: PR
Urban ; Rural				: 2;23	: 1982	: PR
R	% of children at school entry with sub-standard weight-for-age ³			:	:	:
R	Incidence rates (per 100 000 pop.) of:			:	:	:
Diphtheria				: 1.3	: 1981	: 2
Pertussis				: 41.8	: 1981	: 2
Tetanus: Total				: 1.3	: 1981	: 2
Neonatal (per 100 000 LB)				:	:	:
Poliomyelitis				: 1.8	: 1981	: 2
Measles				: 384	: 1981	: 2
TB : All forms				:	:	:
Respiratory				: 85	: 1981	: 2
R	Maternal mortality rate (per 10 000 LB)			:	:	:
G	Life expectancy at birth: Total			: 56	: 1980	: 51
R	M ; F			: 55;58	: 1980	: 51

0962b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: SAUDI ARABIA

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 3	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 1	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 1.1	: 1978	: 52
	Mining and quarrying	: 53.7	: 1978	: 52
	Manufacturing industries	: 4.5	: 1978	: 52
R	Per capita (US\$) of: GDP	: 15 660	: 1982	: 83
G	GNP	: 12 600	: 1981	: 75
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 2.81	: 1982	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	: 276	: 1982	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 3.8 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.2 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel: Total	: 7.2 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 15.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

WHO/EMRO/HST (Sept. 1984)

Country : SAUDI ARABIA

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	: 85	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	: 40	: 1982	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 1.0	: 1980	: 2
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 91	: 1980	: 9(a)
R	Urban ; Rural	: 92;87	: 1980	: 65
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 76	: 1980	: 9(a)
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 30	: 1982	: 35
	Polio	: 30	: 1982	: 35
	Measles	: 13	: 1982	: 35
	BCG	: 29	: 1982	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 0.1	: 1982	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

Country: SAUDI ARABIA

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: SOMALIA
Area (sq.km): 637 657

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 5.116	: 1982	: 47
Projection for the year 2000		: 7.079	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 3.7;2.5	: 1980-85	: 51
	Crude birth rate	: 46.5	: 1980-85	: 51
	Crude death rate	: 21.3	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 19;44	: 1980	: 42
G	Adult literacy rate (15 yrs & over): Total	: 6	: 1980	: 61
	M ; F	: 11;3	: 1980	: 61
	Urban population (%)	: 31	: 1980	: 42
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 170	: 1980-82	: EM
	Urban ; Rural	: 145;180	: 1980-82	: EM
	Range ² (Ratio % High : Low)	: 125	: 1980-82	: EM
	Child (1-4 yrs) mortality rate	: 31	: 1981	: 65
	Prop. mortality (%) below 5 yrs	: 50	: 1980	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total	:	:	:
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	:	:	:
	Pertussis	:	:	:
	Tetanus: Total	:	:	:
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	:	:	:
	Measles	:	:	:
	TB : All forms	:	:	:
	Respiratory	:	:	:
R	Maternal mortality rate (per 10 000 LB)	:	:	:
G	Life expectancy at birth: Total	: 49.5	: 1980-82	: EM
R	M ; F	: 49.2;49.9	: 1980-82	: EM

0964b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: SOMALIA

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	:	:	:
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 78	: 1977	: 3
	Mining and quarrying	:	:	:
	Manufacturing industries	:	:	:
R	Per capita (US\$) of: GDP	: 220	: 1978	: 48
G	GNP	: 280	: 1981	: 83
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 3.2	: 1978	: 82
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 0.6	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.01	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel: Total	: 5.2	: 1980	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 17.5	: 1972	: 25
	Range ² (Ratio % High : Low)	:	:	:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : SOMALIA

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	:	:	:
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	:	:	:
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 30	: 1981	: 2
R	Urban ; Rural	: 58;20	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	:	:	:
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 5	: 1982	: 35
	Polio	: 5	: 1982	: 35
	Measles	: 10	: 1982	: 35
	BCG	: 8	: 1982	: 35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 8	: 1982	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

0964b 09/9/84

Country: SOMALIA

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: SUDAN
Area (sq.km): 2 505 000

I n d i c a t o r ¹		Value	Year	Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		19.80*	1982	47
Projection for the year 2000		32.926	2000	51
R	Av. annual rate (%) of increase: Net ; Natural	2.5;2.5	1980-81	1
	Crude birth rate	48-50	1980-81	1
	Crude death rate	20-25	1980-81	1
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	19;46	1980	42
G	Adult literacy rate (15 yrs & over): Total	25	1980	61
	M ; F	38;15	1980	61
	Urban population (%)	25	1981	1
R	Unemployment rate (%)			
H E A L T H S T A T U S				
G	Infant mortality rate: Total	140	1981	PR
	Urban ; Rural			
	Range ² (Ratio % High : Low)	200	1981	PR
	Child (1-4 yrs) mortality rate	21	1981	65
	Prop. mortality (%) below 5 yrs			
G	% of LBs with b.wt. at least 2 500 g.: Total	83	1982	9(a)
	Urban ; Rural			
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total			
	Urban ; Rural			
R	% of children at school entry with sub-standard weight-for-age ³			
R	Incidence rates (per 100 000 pop.) of:			
	Diphtheria	2.3	1981	25
	Pertussis	217	1981	25
	Tetanus: Total	24.7	1981	25
	Neonatal (per 100 000 LB)			
	Poliomyelitis			
	Measles	317	1981	25
	TB : All forms	227	1981	25
	Respiratory	189	1981	25
R	Maternal mortality rate (per 10 000 LB)	20	?	9
G	Life expectancy at birth: Total	48	1980-85	51
R	M ; F	47;49	1980-85	51

* National estimate 17.697 m for 1981 (Source: 1)

0965b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.

Page 2

BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: SUDAN

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 36.5	: 1977	: 47
	Mining and quarrying	: 0.1	: 1977	: 47
	Manufacturing industries	: 7.5	: 1977	: 47
R	Per capita (US\$) of: GDP	: 428	: 1979	: 83
G	GNP	: 300	: 1982	: PR
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 1.71	: 1978	: 82
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	: 34.3	: 1982	: 9
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 1.1 H	: 1981	: 1
	Range ² (Ratio % High : Low)	: 600 H	: 1981	: 1
	Dentists : Total	: 0.1 H	: 1981	: 1
	Range ² (Ratio % High : Low)	: 5 800 H	: 1981	: 1
	Nursing/midwifery personnel:	:	:	:
	Total	: 7.3 H	: 1981	: 1
	Range ² (Ratio % High : Low)	: 740 H	: 1981	: 1
	Hospital beds : Total	: 9.8 H	: 1981	: 1
	Range ² (Ratio % High : Low)	: 560 H	: 1981	: 1

0965b

09/9/84

WHO/EMRO/HST (Sept. 1984)

Country : SUDAN

I n d i c a t o r ¹		:	Value	:	Year	:	Source
=====							
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C							
=====							
G	Availability of local health care ⁶ ,	:		:		:	
	% pop. covered: Total	:		:		:	
R	Urban ; Rural	:		:		:	

G	% of national health expenditure	:		:		:	
	devoted to primary health care	:		:		:	

R	PHC personnel & physical resources,	:		:		:	
	rates per 10 000 pop. of:	:		:		:	
	Physicians	:	1.1	:	1982	:	9
	Nursing/midwifery personnel	:	10.0	:	1982	:	9
	Community health workers	:	2.1	:	1982	:	9
	Traditional birth attendants	:		:		:	
	PHC unit/dispensary/health centre	:	2.5	:	1982	:	9
	Hospital beds	:	9.0	:	1982	:	9
=====							
P R O V I S I O N O F H E A L T H C A R E							
=====							
G	% Pop. with access to safe drinking water ⁷ :	:		:		:	
	Total	:		:		:	
R	Urban ; Rural	:	49;45	:	?	:	EM

G	% Pop. with hygienic waste disposal ⁸ :	:		:		:	
	Total	:		:		:	
R	Urban ; Rural	:	70;10	:	?	:	EM

G	% Infants under one year fully immunized:	:		:		:	
	DPT	:	2	:	1982	:	9(a)
	Polio	:	4	:	1982	:	9(a)
	Measles	:	4	:	1982	:	9(a)
	BCG	:	2	:	1982	:	9(a)
	Against all six diseases	:		:		:	

G	% Pregnant women given	:		:		:	
	two doses of tetanus toxoid	:	1	:	1980	:	9(a)

G	% Receiving care by trained personnel:	:		:		:	
	Mothers ⁹ : Total	:		:		:	
	Urban ; Rural	:		:		:	
	Children ¹⁰ : Total	:		:		:	
	Urban ; Rural	:		:		:	

	% Women delivered:	:		:		:	
	By trained personnel	:		:		:	
	In institutions	:		:		:	
=====							

Country: SUDAN

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: SYRIAN ARAB R.
Area (sq.km): 185 000

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 9.30	: 1982	: 47
Projection for the year 2000		: 18.102	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 3.7;3.9	: 1980-85	: 51
	Crude birth rate	: 46.5	: 1980-85	: 51
	Crude death rate	: 7.2	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 18;46	: 1980	: 42
G	Adult literacy rate (? yrs & over): Total	: 66	: 1981	: PR
	M ; F	: 78;53	: 1981	: PR
	Urban population (%)	: 48	: 1980	: 42
R	Unemployment rate (%)	: 4.5	: 1978	: 46
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 57	: 1981	: PR
	Urban ² ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 5.4	: 1976-79	: 1
	Prop. mortality (%) below 5 yrs	: 22	: 1980	: 1
G	% of LBs with b.wt. at least 2 500 g.: Total	: 90	: 1981	: PR
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	: 8	: 1981	: PR
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 3.3	: 1981	: 25
	Pertussis	: 2.8	: 1981	: 25
	Tetanus: Total	: 0.5	: 1981	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 0.5	: 1981	: 25
	Measles	: 15.9	: 1981	: 25
	TB : All forms	: 20.5	: 1981	: 25
	Respiratory	: 14.7	: 1981	: 25
R	Maternal mortality rate (per 10 000 LB)	: 0.81	: 1981	: 25
G	Life expectancy at birth: Total	: 64	: 1981	: PR
R	M ; F	:	:	:

0966b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: SYRIAN ARAB R.

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 4	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 21.1	: 1982	: 47
	Mining and quarrying	:) 19.7	: 1982	: 47
	Manufacturing industries	:)	:	:
R	Per capita (US\$) of: GDP	: 1 912	: 1982	: 83
G	GNP	: 1 446	: 1981	: PR
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 3.2	: 1981	: PR
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	:	:	:
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	:	:	:
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 4.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 1.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 8.9	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 10.1	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : SYRIAN ARAB R.

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	0	0	0
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	0	:
	PHC unit/dispensary/health centre	0	:	0
	Hospital beds	:	0	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	71	1980	36
R	Urban ; Rural	77;65	1980	36
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	45	1980	36
R	Urban ; Rural	58;33	1980	36
G	% Infants under one year fully immunized:	:	:	:
	DPT	14	1982	35
	Polio	14	1982	35
	Measles	34	1982	35
	BCG	34	1982	35
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	2	1982	35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	0	:	0
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	10	1979	3

0966b 09/9/84

Country: SYRIAN ARAB R.

		M O R T A L I T Y					
C a u s e s		: Both sexes		: M a l e s		: F e m a l e s	
		:R: Rate : %		:R: Rate : %		:R: Rate : %	
46	Signs, symptoms and ill-defined conditions	: :	: :	: :	: :	: :	: :
		:1:218.7	: 59.3:	:1:222.0	: 56.3:	:1:215.3	:63.0
27	Ischaemic heart disease	:2: 25.9	: 7.0 :	:2: 32.3	: 8.2:	:2: 19.3	: 5.6
		: :	: :	: :	: :	: :	: :
28	Diseases of pulmonary circulation & other forms of heart diseases	: :	: :	: :	: :	: :	: :
		:3: 18.8	: 5.1 :	:3: 19.1	: 4.8:	:3: 18.6	: 5.4
32	Other diseases of the respiratory system	: :	: :	: :	: :	: :	: :
		:4: 13.1	: 3.5 :	:5: 13.8	: 3.5:	:4: 12.3	: 3.6
E52	Other accidents, including late effects	: :	: :	: :	: :	: :	: :
		:5: 10.0	: 2.7 :	:4: 15.3	: 3.9:	:9: 4.5	: 1.3
22	Diseases of the nervous system	: :	: :	: :	: :	: :	: :
		:6: 9.2	: 2.5 :	:7: 9.7	: 2.4:	:5: 8.8	: 2.6

Source: 9(a)

[illegible]**Source:**

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: TUNISIA
Area (sq.km): 163 610

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 6.726	: 1982	: 47
Projection for the year 2000		: 9.725	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 2.4;2.2	: 1980-85	: 51;41
	Crude birth rate	: 2.9	: 1982	: 41
	Crude death rate	: 10.1	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 15;42	: 1979	: 40
G	Adult literacy rate (yrs & over): Total	: 43	: 1980	: 65
	M ; F	: 61;34	: 1980	: 65
	Urban population (%)	: 51	: 1980	: 42
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 85	: 1980-85	: 51
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 9	: 1981	: 65
	Prop. mortality (%) below 5 yrs	:	:	:
G	% of LBs with b.wt. at least 2 500 g.: Total	: 93	: 1982	: 9(a)
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	:	:	:
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 0.1	: 1981	: 25
	Pertussis	:	:	:
	Tetanus: Total	: 0.6	: 1981	: 25
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 0.6	: 1981	: 25
	Measles	: 46.2	: 1981	: 25
	TB : All forms	: 35.6	: 1981	: 25
	Respiratory	:	:	:
R	Maternal mortality rate (per 10 000 LB)	:	:	:
G	Life expectancy at birth: Total	: 58	: 1981	: PR
R	M ; F	:	:	:

0967b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: TUNISIA

I n d i c a t o r ¹		: Value	: Year	: Source
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 12.7	: 1982	: 47
	Mining and quarrying	: 11.8	: 1982	: 47
	Manufacturing industries	: 11.8	: 1982	: 47
R	Per capita (US\$) of: GDP	: 1 185	: 1982	: 83
G	GNP	: 1 300	: 1980	: PR
R	Health expenditure, as % of: GDP	:	:	:
G	GNP	: 3.6	: 1981	: PR
R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	:	:	:
	Govt. total budget	: 7.1	: 1978	: 82
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 30	: 1982	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 2.8	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Dentists : Total	: 0.5	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 11.7 Gv	: 1981	: 25
	Range ² (Ratio % High : Low)	:	:	:
	Hospital beds : Total	: 21.3 Gv	: 1981	: 35
	Range ² (Ratio % High : Low)	:	:	:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)

Country : TUNISIA

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	: 95	: 1981	: PR
R	Urban ; Rural	: 95;95	: 1981	: PR
G	% of national health expenditure devoted to primary health care	: 13.7*	: 1982	: PR
R	PHC personnel & physical resources, rates per 10 000 pop. of:			
	Physicians	: :	: :	: :
	Nursing/midwifery personnel	: :	: :	: :
	Community health workers	: :	: :	: :
	Traditional birth attendants	: :	: :	: :
	PHC unit/dispensary/health centre	: :	: :	: :
	Hospital beds	: :	: :	: :
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :			
	Total	: 72	: 1982	: PR
R	Urban ; Rural	: 96;29	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :			
	Total	: 46	: 1981	: PR
R	Urban ; Rural	: 64;29	: 1980	: 36
G	% Infants under one year fully immunized:			
	DPT	: 51	: 1982	: 35
	Polio	: 51	: 1982	: 35
	Measles	: 42	: 1982	: 35
	BCG	: 81	: 1982	: 35
	Against all six diseases	: :	: :	: :
G	% Pregnant women given two doses of tetanus toxoid	: 2	: 1982	: 35
G	% Receiving care by trained personnel:			
	Mothers ⁹ : Total	: 50	: 1982	: PR
	Urban ; Rural	: :	: :	: :
	Children ¹⁰ : Total	: 50	: 1982	: PR
	Urban ; Rural	: :	: :	: :
	% Women delivered:			
	By trained personnel	: 50	: 1982	: PR
	In institutions	: :	: :	: :

* Figure excludes expenditure on personnel.

0967b 09/9/84

Country: TUNISIA

[illegible]

Source:

[illegible]

Source:

WHO/EMRO/HST
(Sept. 1984)

Country: UNITED ARAB EMIRATES
Area (sq.km): 83 600

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 1.13	: 1982	: 47
Projection for the year 2000		: 1.916	: 2000	: 51
R Av. annual rate (%) of increase: Net ; Natural		: 5.8;2.3	: 1980-85	: 51;1
Crude birth rate		: 34.4 Rg	: 1981	: 1
Crude death rate		: 4.0	: 1980-85	: 51
Pop. (%) by age: Below 5 yrs ; Below 15 yrs		: 13;29	: 1980	: 1
G Adult literacy rate (yrs & over): Total		: 68	: 1980	: 1
M ; F		: 70;63	: 1980	: 1
Urban population (%)		: 74	: 1980	: 42
R Unemployment rate (%)		: 0.9	: 1980	: 1
H E A L T H S T A T U S				
G Infant mortality rate: Total		: 23.8	: 1981	: 6
Urban ; Rural		:	:	:
Range ² (Ratio % High : Low)		: 900	: 1981	: 5
Child (1-4 yrs) mortality rate		: 4	: 1981	: 65
Prop. mortality (%) below 5 yrs		: 26	: 1981	: 5
G % of LBs with b.wt. at least 2 500 g.: Total		: 92	: 1981	: 6
Urban ; Rural		: 92;92	: 1981	: 1
G % of children below 5 yrs with sub-standard weight-for-age ³ : Total		: 23*	: 1980	: PR
Urban ; Rural		:	:	:
R % of children at school entry with sub-standard weight-for-age ³		:	:	:
R Incidence rates (per 100 000 pop.) of:		:	:	:
Diphtheria		: 0.1	: 1982	: PR
Pertussis		: 21.2	: 1982	: PR
Tetanus: Total		: 1.3	: 1982	: PR
Neonatal (per 100 000 LB)		: 0	: 1982	: PR
Poliomyelitis		: 5.1	: 1982	: PR
Measles		: 150	: 1982	: PR
TB : All forms		: 53	: 1982	: PR
Respiratory		:	:	:
R Maternal mortality rate (per 10 000 LB)		: 1.1 Rg	: 1981	: 5
G Life expectancy at birth: Total		: 71	: 1980-85	: 51
R M ; F		: 68;73	: 1980-85	: 51

* For children aged 12 m in Dubai Medical Zone (Source: PR).

0968b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: UNITED ARAB EMIRATES

I n d i c a t o r ¹		: Value	: Year	: Source
H F A/2 000 P O L I C Y A N D S T R A T E G Y				
G	HFA endorsed as policy at highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:
G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 2	: 1982	: PR
	Not defined 3	:	:	:
G	Explicit resource allocation ⁵ for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 1	: 1981	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
T O T A L H E A L T H R E S O U R C E S				
	GDP, % from: Agriculture, fisheries, etc.	: 1.0	: 1982	: 47
	Mining and quarrying	: 49.5	: 1982	: 47
	Manufacturing industries	: 8.9	: 1982	: 47
R	Per capita (US\$) of: GDP	: 26 100	: 1982	: PR
G	GNP	: 24 660	: 1981	: 9(a)
R	Health expenditure, as % of: GDP (MOH only)	: 1.5	: 1982	: PR
G	GNP	:	:	:
R	% Allocated to Health Ministry from: Govt. regular (recurrent) budget	: 6.0	: 1981	: 1
	Govt. total budget	: 6.6	: 1982	: PR
R	% of total public expenditure devoted to health and health-related services	:	:	:
R	Per capita (US\$) of: Annual Health Ministry budget	: 226	: 1981	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:
G	Rates per 10 000 pop. of: Physicians : Total	: 16	: 1981	: PR
	Range ² (Ratio % High : Low)	: 270	: 1981	: PR
	Dentists : Total	: 1.2	: 1981	: PR
	Range ² (Ratio % High : Low)	: 315	: 1981	: PR
	Nursing/midwifery personnel: Total	: 40	: 1981	: PR
	Range ² (Ratio % High : Low)	: 200	: 1981	: PR
	Hospital beds : Total	: 34	: 1981	: PR
	Range ² (Ratio % High : Low)	: 265	: 1981	: PR

WHO/EMRO/HST (Sept. 1984)

Country: UNITED ARAB EMIRATES

I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ , % pop. covered: Total	: 96	: 1981	: PR
R	Urban ; Rural	:	:	:
G	% of national health expenditure devoted to primary health care	:	:	:
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	:	:	:
	Nursing/midwifery personnel	:	:	:
	Community health workers	:	:	:
	Traditional birth attendants	:	:	:
	PHC unit/dispensary/health centre	: 0.74	: 1981	: PR
	Hospital beds	:	:	:
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 100	: 1980	: PR
R	Urban ; Rural	: 100;100	: 1980	: PR
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 75	: 1980	: PR
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 56	: 1982	: PR
	Polio	: 56	: 1982	: PR
	Measles	: 21	: 1982	: PR
	BCG	: 8	: 1982	: PR
	Against all six diseases	: 30	: 1981	: PR
G	% Pregnant women given two doses of tetanus toxoid	: 0	: 1980	: 35
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total (MOH only)	: 79*	: 1980	: PR
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total (MOH only)	: 91**	: 1981	: PR
	Urban ; Rural	: 92;90**	: 1981	: 6
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	: 94	: 1982	: PR

* Based on a sample study in Dubai, 1980. (Source: PR)

**Based on a field study in Al-Ein Medical Zone, 1981. (Source: 6)

Country: UAE

[illegible]

Source:

[illegible]

Source:

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA

Page 1

WHO/EMRO/HST
(Sept. 1984)

Country: YEMEN
Area (sq.km): 195 000

I n d i c a t o r ¹		: Value	: Year	: Source
D E M O G R A P H I C D A T A				
Total population (millions): Latest		: 7.145*	: 1981	: 1
Projection for the year 2000		: 9.859	: 2000	: 51
R	Av. annual rate (%) of increase: Net ; Natural	: 2.4;2.7	: 1980-85	: 51
	Crude birth rate	: 48.5	: 1980-85	: 51
	Crude death rate	: 21.6	: 1980-85	: 51
	Pop. (%) by age: Below 5 yrs ; Below 15 yrs	: 18;44	: 1981	: 1
G	Adult literacy rate (15 yrs & over): Total	: 9	: 1980	: 61
	M ; F	: 18;2	: 1980	: 61
	Urban population (%)	: 11	: 1980	: 42
R	Unemployment rate (%)	:	:	:
H E A L T H S T A T U S				
G	Infant mortality rate: Total	: 174	: 1981	: 1
	Urban ; Rural	:	:	:
	Range ² (Ratio % High : Low)	:	:	:
	Child (1-4 yrs) mortality rate	: 50	: 1981	: 65
	Prop. mortality (%) below 5 yrs	: 24	: 1976	: 2
G	% of LBs with b.wt. at least 2 500 g.: Total	:	:	:
	Urban ; Rural	:	:	:
G	% of children below 5 yrs with sub-standard weight-for-age ³ : Total	: 69	: 1979	: 9(a)
	Urban ; Rural	:	:	:
R	% of children at school entry with sub-standard weight-for-age ³	:	:	:
R	Incidence rates (per 100 000 pop.) of:	:	:	:
	Diphtheria	: 6.8	: 1982	: 1
	Pertussis	: 340	: 1982	: 1
	Tetanus: Total	: 2.4	: 1982	: 1
	Neonatal (per 100 000 LB)	:	:	:
	Poliomyelitis	: 2.8	: 1982	: 1
	Measles	: 270	: 1982	: 1
	TB : All forms	: 250	: 1982	: 1
	Respiratory	:	:	:
R	Maternal mortality rate (per 10 000 LB)	: 10	: 1981	: 9
G	Life expectancy at birth: Total	: 42	: 1981	: 1
R	M ; F	: 43;41	: 1981	: 1

*Those registered within the country. Total census 8.54 millions.
UN estimates for 1982 only 6.09 millions (Source: 47).

09 69b 09/9/84

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

WHO/EMRO/HST (Sept. 1984)

Country: YEMEN

I n d i c a t o r ¹		: Value	: Year	: Source
=====				
H F A / 2 0 0 0 P O L I C Y A N D S T R A T E G Y				
=====				
G	HFA endorsed as policy at	:	:	:
	highest official level: code:	:	:	:
	Constitution 1 ; Law 2	: 1	: 1982	: PR
	Other forms 3 ; Not yet 4	:	:	:

G	Community participation ⁴ : code:	:	:	:
	Active 1 ; Limited 2	: 1	: 1982	: PR
	Not defined 3	:	:	:

G	Explicit resource allocation ⁵	:	:	:
	for HFA Strategy : code:	:	:	:
	Adequate without external input 1	: 2	: 1982	: PR
	External input received 2	:	:	:
	Inadequate 3 ; Not defined 4	:	:	:
=====				
T O T A L H E A L T H R E S O U R C E S				
=====				
	GDP, % from: Agriculture, fisheries, etc.	: 28.5	: 1981	: 47
	Mining and quarrying	: 1.2	: 1981	: 47
	Manufacturing industries	: 5.9	: 1981	: 47

R	Per capita (US\$) of: GDP	: 466	: 1981	: 83
G	GNP	: 460	: 1981	: 9(a)

R	Health expenditure, as % of: GDP	: 2.8	: 1982	: CS
G	GNP	: 4	: 1981	: PR

R	% Allocated to Health Ministry from:	:	:	:
	Govt. regular (recurrent) budget	: 4.3	: 1982	: ER
	Govt. total budget	: 5.5	: 1982	: ER

R	% of total public expenditure devoted to	:	:	:
	health and health-related services	:	:	:

R	Per capita (US\$) of:	:	:	:
	Annual Health Ministry budget	: 15.4	: 1982	: PR
	Govt. total expenditure on health	:	:	:
	Total health expend. (incl. private sector)	:	:	:

G	Rates per 10 000 pop. of:	:	:	:
	Physicians : Total	: 1.2	: 1982	: 1
	Range ² (Ratio % High : Low)	: 600	: 1982	: 1
	Dentists : Total	: 0.04 Gv	: 1982	: 1
	Range ² (Ratio % High : Low)	:	:	:
	Nursing/midwifery personnel:	:	:	:
	Total	: 2.6 Gv	: 1982	: 1
	Range ² (Ratio % High : Low)	: 510	: 1982	: 1
	Hospital beds : Total	: 6.3 Gv	: 1982	: 1
	Range ² (Ratio % High : Low)	: 910	: 1982	: 1
=====				

TOWARDS HFA/2000 IN WHO-EMR.
BASELINE (UP TO END 1982) DATA (Cont'd)

Page 3

WHO/EMRO/HST (Sept. 1984)		Country : YEMEN		
I n d i c a t o r ¹		: Value	: Year	: Source
H E A L T H R E S O U R C E S A L L O C A T E D T O P H C				
G	Availability of local health care ⁶ ,	:	:	:
	% pop. covered: Total	: 16	: 1981	: 9(a)
R	Urban ; Rural	: 35;10	: 1981	: 9
G	% of national health expenditure devoted to primary health care	: 64	: 1982	: ER
R	PHC personnel & physical resources, rates per 10 000 pop. of:	:	:	:
	Physicians	: 0.7	: 1982	: 9
	Nursing/midwifery personnel	: 1.02	: 1982	: 9
	Community health workers	: 0.28	: 1982	: 9
	Traditional birth attendants	: 0.08	: 1982	: 9
	PHC unit/dispensary/health centre	: 1.9	: 1982	: 9
	Hospital beds	: 6.1	: 1982	: 9
P R O V I S I O N O F H E A L T H C A R E				
G	% Pop. with access to safe drinking water ⁷ :	:	:	:
	Total	: 30	: 1982	: PR
R	Urban ; Rural	: 95;6	: 1980	: 31
G	% Pop. with hygienic waste disposal ⁸ :	:	:	:
	Total	: 12	: 1982	: PR
R	Urban ; Rural	:	:	:
G	% Infants under one year fully immunized:	:	:	:
	DPT	: 18	: 1982	: 9(a)
	Polio	: 17	: 1982	: 9(a)
	Measles	: 18	: 1982	: 9(a)
	BCG	: 29	: 1982	: 9(a)
	Against all six diseases	:	:	:
G	% Pregnant women given two doses of tetanus toxoid	: 0.1	: 1982	: 9(a)
G	% Receiving care by trained personnel:	:	:	:
	Mothers ⁹ : Total	:	:	:
	Urban ; Rural	:	:	:
	Children ¹⁰ : Total	:	:	:
	Urban ; Rural	:	:	:
	% Women delivered:	:	:	:
	By trained personnel	:	:	:
	In institutions	:	:	:

0969b 09/9/84

Country: YEMEN

Coverage

Source:

Coverage: Hospital in-patients, 1982. According to Main Sections, ICD-9
Source: 1

بسم الله الرحمن الرحيم

Palestine Red Crescent Society
CAIRO



جمعية الهلال الأحمر الفلسطيني
القاهرة

A GENERAL SUMMARY FOR THE STATISTICS
OF
THE PALESTINIAN POPULATION

A) DEMOGRAPHIC DATA:

1) Total Population:

- In Jordan	1.160.800
- In the West Bank	818.300
- In Gaza Strip	476.700
- In Lebanon	347.100
- In Syria	215.500
- Other areas, non-calculated persons, other nationalities	1.371.500

TOTAL 4.390.000

2) Av.annual rate of increase	3.5 %
3) Crude birth rate	45.9 ‰(per thousand
4) Crude death rate	5.9 ‰
5) Pop. below 5 Years	18.14%
below 15 years	46.95%
6) Urban Population	73 %
7) Unemployment rate	81 %

64 El Thawra St., Heliopolis

Teleg.: "Al - Enayah "

P.O.Box : 61 Mohamed Farid - Tel. 666321 - 661433

٦٤ ش الثورة - مصر الجديدة

العنوان التلغرافي : العناية

ص ب ٦١ محمد فريد - تليفون ٦٦٦٣٢١ - ٦٦١٤٣٣

Palestine Red Crescent Society
CAIRO

بسم الله الرحمن الرحيم



جمعية الهلال الأحمر الفلسطيني
القاهرة

B) HEALTH STATUS

1) Total infant mortality rate	44.14%
2) Child (1-4) Mortality rate	4.99%
3) Lbs with body weight at least 2500 g.	2.34%
4) Incidence rates (per 10.000 pop.)	
- Diphtheria	0.16
- Pertussis	0.31
- Tetanus	1.2

C) TOTAL HEALTH RESOURCES

PHC personnel and physical resources
(Per 10.000 pop.)

- Physicians	4.2
- Nursing/ midwifery personnel	3.8
- Traditional birth attendance	0.51
- Hospital beds	6.9

64 El Thawra St., Heliopolis

Teleg.: "Al - Enayah "

P.O.Box : 61 Mohamed Farid - Tel. 666321 - 661433

٦٤ تن الثورة - مصر الجديدة •

البريد التلغرافي : العناية

ص ب ٦١ محمد فريد - تليفون ٦٦٦٣٢١ - ٦٦١٤٣٣

DATA ON THE PALESTINIAN POPULATION
PROVIDED BY THE PALESTINIAN RED CRESCENT SOCIETY

Page 3

WHO/EMRO/HST
(Sept. 1984)

I n d i c a t o r ¹ : GAZA : W.BANK : JORDAN : LEBANON : S A R						
D E M O G R A P H I C D A T A						
Total population	: 476 700	: 818 300	: 1 160 800	: 347 100	: 215 500	
R Av. annual rate (%) of increase:	4	: 3	:	2.5	: 2.5	
Crude birth rate	: 49	: 43	: 32	: 50	: 24.1	
Crude death rate	: 8.5	: 6.8	:	25	:	
Pop. (%) by age: Below 5 yrs	: 20	: 18	: 9	:	: 12	
Below 15 yrs	: 48	: 46	: 34	:	: 41	
G Adult literacy rate: Total	:	:	:	:	:	
Males	:	:	:	:	:	
Females	:	:	:	:	:	
H E A L T H S T A T U S						
G Infant mortality rate	: 65	: 29	: 66	:	: 44	
Child (1-4 yrs) mortality rate	:	:	:	:	: 5.0	
Prop. mortality (%) below 5 yrs:	:	:	:	:	: 3.9	
G % of LBs with birth weight at least 2 500 g.	:	:	:	: 2.34	: 2.3	
G % of children below 5 yrs with sub-standard weight-for-age ³ :	:	:	:	:	:	
R Incidence rates (per 1000 000 pop.) of:	:	:	:	:	:	
Diphtheria	: 0	: 1.0	:	: 1.6	: 0	
Whooping Cough	: 2.9	: 8.0	:	: 0.8	: 3.3	
Tetanus: Total	:	: 15	:	: 8.0	: 0	
Neonatal	: 0	: 0	:	: 1.2	: 0	
Poliomyelitis	:	:	:	:	: 0.9	
Measles	:	:	:	:	: 76	
TB : All forms	:	:	:	:	: 0	
Respiratory	:	:	:	:	: 0	
R Maternal mortality rate	:	:	:	:	: 0	
G Life expectancy at birth:	:	:	:	:	:	

0639b 03/10/84

DATA ON THE PALESTINIAN POPULATION (CONT'D)

WHO/EMRO/HST (Sept. 1984)

I n d i c a t o r ¹		GAZA	W. BANK	JORDAN	LEBANON	S A R
H E A L T H R E S O U R C E S						
G	Per capita (US\$) of GNP	:	:	:	:	:
G	Health expenditure, as % of GNP:	:	:	:	:	:
R	% Allocated to Health Min. from Govt. regular budget	:	:	:	:	:
G	% of national health expend. devoted to PHC	:	:	:	:	:
R	Per capita (US\$) of public expend. on health	:	:	:	:	:
G	Rates per 10 000 pop. of:	:	:	:	:	:
	Physicians	4.2	6.2	0.56	0.8	:
	Dentists	:	:	:	:	:
	Nursing/midwifery personnel	6.9	11	1.52	3.0	:
	Hospital beds	:	:	0.49	9.0	:
P R O V I S I O N O F H E A L T H C A R E						
G	Availability of local health care 6: % pop. covered	:	:	:	:	:
G	% Pop. with access to safe drinking water ⁷	:	:	:	:	:
G	% Pop. with hygienic waste disposal ⁸	:	:	:	:	:
G	% Infants under one year fully immunized:	:	:	:	:	:
	DPT	:	:	84	99	91
	Polio	:	:	84	99	91
	Measles	:	:	70	88	85
	BCG	:	:	:	98	100
	All of them	:	:	69	95	43
G	% Pregnant women given two doses of tetanus toxoid	:	:	:	76	0.0
G	% Receiving care by trained personnel: Mothers ⁹	:	:	:	:	49
	Children ¹⁰	:	:	:	98	77
	% Women delivered:	:	:	:	:	:
	By trained personnel	:	:	:	:	:
	In institutions	:	:	:	:	:
G	Community participation 4: code:	:	:	:	:	:
	Active 1 ; Limited 2	:	:	:	:	:
	Not defined 3	:	:	:	:	:

TOWARDS HFA/2000 IN WHO-EMR
DATA ON THE PALESTINIAN POPULATION
IN THE FOUR UNRWA FIELDS*

Page 1

WHO/EMRO/HST
(Sept. 1984)

I n d i c a t o r ¹					GAZA	JORDAN*	LEBANON	S A R
D E M O G R A P H I C D A T A								
	Total population				400 000	766 672	252 593	207 643
R	Av. annual rate (%) of increase				4		2.5	2.5
	Crude birth rate				48	32 (45)	50	24.1
	Crude death rate				8	(12)	25	
	Pop. (%) by age: Below 5 yrs					9 (15)		12
	Below 15 yrs					34 (50)		41
G	Adult literacy rate: Total							
	Males							
	Females							
H E A L T H S T A T U S								
G	Infant mortality rate				65	54-66 (80)		44
	Child (1-4 yrs) mortality rate					(41)		5.0
	Prop. mortality (%) below 5 yrs							
G	% of LBs with b.wt. at least 2 500 g.				4.5			
G	% of children below 5 yrs with sub-standard weight-for-age ³					3.8	9.4	2.3
R	Incidence rates (per 100 000 pop.) of:							
	Diphtheria				0		0	0
	Whooping Cough				0.3		1.6	3.3
	Tetanus: Total						0.8	0
	Neonatal (per 100 000 LB)				0			0
	Poliomyelitis				0.8		1.2	0.9
	Measles				110		126	76
	TB : All forms							0
	Respiratory				17.5		23	0
R	Maternal mortality rate (per 10 000 LB)						0	0
G	Life expectancy at birth: Total							
	Males							
	Females							

* Data provided by UNRWA. (Those between brackets were provided by MOH, Jordan)

TOWARDS HFA/2000 IN WHO-EMR.
DATA ON THE PALESTINIAN POPULATION (CONT'D)

WHO/EMRO/HST (Sept. 1984)

I n d i c a t o r ¹		: GAZA	: JORDAN*	: LEBANON	: S A R
H E A L T H R E S O U R C E S					
G	Per capita (US\$) of GNP	:	:	:	:
G	Health expenditure, as % of GNP	:	:	:	:
R	% Allocated to Health Ministry from Govt. regular (recurrent) budget	:	18.4	:	:
G	% of national health expenditure devoted to primary health care	:	:	:	:
R	Per capita (US\$) of public expenditure on health	:	:	:	:
G	Rates per 10 000 pop. of:	:	:	:	:
	Physicians	:	0.56(5.3)	:	0.92
	Dentists	:	0.08	:	0.14
	Nursing/midwifery personnel	:	1.52(1.5)	:	3.32
	Hospital beds	12.8	0.49 (21)	:	2.31
P R O V I S I O N O F H E A L T H C A R E					
G	Availability of local health care ⁶ :	:	:	:	:
	% pop. covered	85	:	:	86
G	% Pop. with access to safe drinking water ⁷	85	:	100	70
G	% Pop. with hygienic waste disposal ⁸	50	:	65	85
G	% Infants under one year fully immunized:	:	:	:	:
	DPT	100	84	99	91
	Polio	100	84	99	91
	Measles	90	70	88	85
	BCG	100	:	98	100
	Against all six diseases	90	69	:	83
G	% Pregnant women given two doses of tetanus toxoid	80	:	76	0.0
G	% Receiving care by trained personnel:	:	:	:	:
	Mothers ⁹	:	:	:	49
	Children ¹⁰	:	:	98	77
	% Women delivered:	:	:	:	:
	By trained personnel	:	:	:	:
	In institutions	:	:	:	:
G	Community participation ⁴ : code	:	:	:	:
	Active 1 ; Limited 2	3	:	:	1
	Not defined 3	:	:	:	:

SOURCES

(A) Government Sources

AFGHANISTAN

- 1- Central Statistics Office: Economic and Social Indicators 1357-1359
- 2- Central Statistics Office: Child Atlas 1981
- 3- Central Statistics Office: Statistical Profile of Children and Mothers in the Democratic Republic of Afghanistan (dated March 1981).
- 4- Ministry of Public Health: Health Statistics of Afghanistan, January 1980
- 5- Ministry of Public Health: Inpatients in Afghanistan Hospitals, 1357-1358
- 6- Ministry of Public Health and WHO-EMRO: Infant and Early Childhood Mortality in Relation to Fertility Patterns. Report on an Ad-Hoc Survey in Greater Kabul, 1972-1975 (dated 1979)
- 7- Ministry of Planning: Statistical Information of Afghanistan (1975-1978)
- 8- State Planning Committee: Preliminary Results of the First Afghan Population Census

BAHRAIN

- 1- Ministry of Health: Annual Report (and its predecessor on the State of the Public Health) (various issues of this annual report).
- 2- Ministry of Finance and National Economy: Statistical Abstract (various issues of this annual report)
- 3- Ministry of Finance and National Economy: Statistics of the Population Census, 1971
- 4- Study on Birthweights in Bahrain: by Dr A.O. Mosaiger, Chief, Nutrition Section, Ministry of Health (1982)
- 5- Supreme Council for Youth and Sport: A field study on Infant Mortality in Bahrain, 1981

CYPRUS

- 1- Ministry of Health: Annual Report, (various issues)
- 2- Ministry of Finance, Department of Statistics and Research: Demographic Report, (various issues)
- 3- Ministry of Finance, Department of Statistics and Research: Statistical Abstract (various)
- 4- Ministry of Finance, Department of Statistics and Research: Health Statistics, Series III, No. 4, 1983
- 5- Ministry of Finance, Department of Statistics and Research: Labour Statistics, 1982
- 6- Ministry of Finance, Department of Statistics and Research: Multi-round Demographic Survey, 1980-81

DEMOCRATIC YEMEN

- 1- Ministry of Public Health: National Health Programme 1979/83
- 2- Ministry of Public Health: Annual Report, 1976
- 3- Central Statistics Office: Preliminary Results of the 1973 Census

EGYPT

- 1- Ministry of Health: Health in Egypt. Publication No.15, dated March 1980
- 2- Central Agency for Public Mobilization and Statistics: Results of the 1976 Population Census
- 3- Central Agency for Public Mobilization and Statistics: Statistical Yearbook, 1980
- 4- Ministry of Health: Basic Statistical Information of Health Services dated December 1982

DJIBOUTI

- 1- Annuaire statistique, 1977-1980
- 2- Direction nationale de la statistique: Bulletin trimestriel de statistiques, 2^{ème} trimestre, 1982
- 3- Services d'hygiène: Rapport annuel, 1976
- 4- Direction de la santé publique (en collaboration avec l'OMS et l'UNICEF): Séminaire-atelier national sur les soins de santé primaires en république de Djibouti. Djibouti, 13-18 février 1982

IRAN, ISLAMIC REPUBLIC

IRAQ

- 1- Ministry of Health: Statistical Compass (for 1971 and for 1974/75)
- 2- Ministry of Planning; Central Statistics Organization: Annual Abstract of Statistics, 1982 and 1983
- 3- Ministry of Planning; Central Statistics Agency: Survey of Vital indicators in Iraq (1974-1975)
- 4- Ministry of Health, Country Profile 1982, letter 14/8/4127 dated 19/2/84

ISRAEL

- 1- Central Bureau of Statistics: Statistical Abstract of Israel, 1975
- 2- Ministry of Health: Country Programme and Budget Proposal for the Biennium 1986-1987. Letter R4/62/2-ISR

JORDAN

- 1- Ministry of Health: Statistical Yearbook, 1977
- 2- Department of Statistics: Statistical Yearbook, 1980
- 3- Department of Statistics: Housing and Population Census 1979 (June 1984)

KUWAIT

- 1- Ministry of Public Health; Vital and Health Statistics Division: Annual Reports (various issues)
- 2- Ministry of Public Health, Office of National Health Planning: Kuwait Health Plan 1982-2000 (April 1982)
- 3- Ministry of Planning: Annual Statistical Abstract, 1979
- 4- Ministry of Public Health: Division of Vital Statistics, 1982

LEBANON

- 1- Ministry of Public Health: Annual Report of Health Statistics (various issues)

LYBIAN ARAB JAMAHIRIYA

- 1- Secretariat of the People's General Committee for Health: Statistical Yearbook (various issues)
- 2- Ministry of Planning and Scientific Research: Statistical Yearbook, 1973

OMAN

- 1- Development Council, Technical Secretariat: Statistical Yearbook, 1980
- 2- MCH Services in the Sultanate of Oman by Dr Laila G. Gholam. Paper presented at the Symposium on the Present and Future of Child in the Gulf, Bahrain, February 1984

PAKISTAN

- 1- Health, Demography and Social Welfare Section; Planning and Development Division: Statistical Profile of Children of Pakistan, 1980
- 2- Health, Demography and Social Welfare Section; Planning and Development Division: Statistical Profile of Females of Pakistan, 1980
- 3- Statistics Division: Pakistan, Statistical Yearbook, 1978 and 1984
- 4- Population Census Organization: Population Census, 1981
- 5- Finance Division: Pakistan Economic Survey, 1981-82 and 1982-83. Monthly Economic Statistics, Vol.1, No. 3, May 1984
- 6- Planning and Economic Division: Micro Nutrition Survey, 1976-77
- 7- Planning Commission: The Sixth Five-Year Plan, 1983-88. Annual Plan
- 8- Primary Health Care in Pakistan for Children Survival, 1982

QATAR

- 1- Central Statistics Organization: Annual Statistical Abstract, various issues

SAUDI ARABIA

- 1- Ministry of Health: The First Annual Report, 1399 H.
- 2- Ministry of Health, Statistical Department: Statistical Review, 1981
- 3- Central Department of Statistics: Statistical Yearbook, 1394 H.

SOMALIA

- 1- Ministry of Health, Statistical Unit: Health and Health-Related Information, 1978-1979
- 2- Ministry of Health: Country Programme Statement and Proposed Budget for 1986-1987 (Letter A3/24/4 - 86-87)
- 3- Republic of Somalia: National Health Plan 1980-85 (dated 1980)

SUDAN

- 1- Ministry of Health: National Health Programme 1977/78 - 1983/84
- 2- Department of Statistics: Statistical Yearbook (second issue, C.1975)

SYRIA

- 1- Ministry of Health: Annual Statistical Report (various issues)
- 2- Central Bureau of Statistics: Statistical Abstract, 1981
- 3- Ministry of Health: Deliveries in government Hospitals (MCH/FP Publication No. 8)

TUNISIA

- 1- Ministry of Health: La Situation de la Tunisie à l'égard de la Mortalité, 1972
- 2- Service des statistiques: Annuaire statistique (various issues)

UNITED ARAB EMIRATES

- 1- Ministry of Planning, Central Department of Statistics: Annual Statistical Abstract, (various issues)
- 2- Ministry of Planning, Central Department of Statistics: Demographic Analysis of the 1975 Population Census
- 3- Ministry of Planning, Central Department of Statistics: Statistical Review 1982
- 4- Ministry of Planning, Central Department of Statistics: Vital Statistics (Births and Deaths) 1981
- 5- Ministry of Health, Directorate of Planning: Statistical Yearbook (various issues)
- 6- Ministry of Health, Al-Ain Medical Zone: Infant Mortality in Al-Ain Zone: (A field study) by Dr A.Q. Shalaby, March 1983
- 7- Department of Planning, Emirate of Abu Dhabi: Statistical yearbook, 1980

YEMEN

- 1- Ministry of Health: Annual Statistics Report (various issues)
- 2- Ministry of Health: Health Statistics Indicators for 1975/1976
- 3- Central Planning Organization: Statistical Yearbook 1982

SOURCES

(B) International and Other Sources

WHO

25. World Health Statistics Annual (various issues)
26. World Health Statistics Quarterly (and its predecessor World Health Statistics Report) (various issues)
27. Sixth (also Fifth) Report on the World Health Situation

WHO-EMRO

30. Directory of Education and Training Programmes of Health Personnel
31. Water, Sanitation and Health, 1981 (Document EM/RC30/(81)/Tech. Disc.1)
32. Office of the WHO Representative and Programme Coordinator for Djibouti: Profil Sanitaire de la République de Djibouti (dated March 1982 and 1 January 1984)
33. Quarterly Field Report by Khin Mu Aye, WHO Nurse Educator, Somalia (dated July 1982). Project EM/SOM/PTR/001
34. Basic health Indicators for Member States, October 1981
35. The Expanded Programme of Immunization in the Eastern Mediterranean Region
36. Sector Digest Update for the International Water supply and Sanitation Decade, 1984

UN:

40. Demographic yearbook (various issues)
41. Population and Vital Statistics Report (Statistical Papers, Series A) (various issues)
42. Selected World Demographic Indicators by Country, 1950-2000 as assessed in 1978 (Document ESA/P/WP.66 dated 1980)
43. World Population Trends and Prospects by Country, 1950-2000: Summary Report of the 1978 Assessment (Document ST/ESA/SER.R./33 dated 1979)
44. World Population and its Age-Sex Composition by Country, 1950-2000: Demographic Estimation and Projection, as assessed in 1978 (Document ESA/P/WP.65 dated 1980)
45. Urban, Rural and City Population, 1950-2000 as assessed in 1978 (Document ESA/P/WP.66 dated 1980)
46. Statistical Yearbook (various issues)
47. Monthly Bulletin of Statistics (various issues)
48. World Statistics in Brief (Document ST/ESA/SER.V.5/5 dated 1981)
49. Compendium of Housing Statistics, 1975-1977 (dated 1980)
50. Yearbook of World Energy Statistics, 1979
51. World Population Prospects: Estimates and Projections as assessed in 1982. UN Population Division (dated 1983)
52. Yearbook of National Accounts Statistics, 1981 (dated 1983)

UN-ECWA

55. Survey of Economic and Social Developments in the ECWA Region, 1980
56. The Population Situation in the ECWA Region "Country Series", 1979-1981
57. Statistical Abstract of the Region of the Economic Commission for Western Asia, 1968-1977 (dated 1980)

UNESCO

61. Statistical Yearbook (various issues)

UNICEF

64. Gulf Area Office: Report on the Statistics and Registration System of Births and Deaths in the United Arab Emirates (dated November/December 1980)
65. The State of the World's Children, 1984

UNFPA

67. Bahrain, Report of Mission on Needs Assessment for Population Assistance. Report Number 14 (dated May 1979)

FAO

71. Regional Food and Nutrition Commission for the Near East:
Food and Nutrition in the Near East: A Situation Analysis
(Document ENS: NNE/81/3)

WORLD BANK

72. Djibouti, Economic Memorandum
73. A.R.E., Domestic Resource, Mobilization and Growth Prospects for the 1980's (Report No. 3123-EGT)
74. PDRY, Economic Memorandum (Report No. 3570-YDR)
75. World Bank Development Report
76. Health Sector Report on Pakistan, 1983

Other Sources

80. US Department of Commerce, Bureau of the Census:
World Population 1979 - Recent Demographic Estimates for the Countries and Regions of the World (Document ISP-WP-79 dated 1980)
81. Population Reference Bureau, Inc. (USA): World's Children Data Sheet, 1979
82. IMF Government Finance Statistical Yearbook
83. The Economist Intelligence Unit:
Quarterly Economic Review Series