

# Ethical soundness of health technology assessment reports in Islamic Republic of Iran

Vahid Yazdi-Feyzabadi<sup>1</sup> and Salman Bashzar<sup>2</sup>

<sup>1</sup>Student Research Committee, Faculty of Management and Medical Information Sciences, Kerman University of Medical Sciences, Kerman, Islamic Republic of Iran. <sup>2</sup>Health Services Management Research Center, Institute for Futures Studies in Health, Kerman University of Medical Sciences, Kerman, Islamic Republic of Iran. (Correspondence to Salman Bashzar: sbashzar03@gmail.com).

## Abstract

**Background:** Health technology assessment (HTA) is a conventional method for evaluating reasonable use of health technologies in many countries.

**Aims:** To investigate the ethical soundness of HTA studies in Islamic Republic of Iran.

**Methods:** All HTA reports published by the HTA office until 2020 were reviewed using the HTA Core Model and the Q-SEA questionnaires.

**Results:** We evaluated 91 reports for ethical soundness. The research question, literature search and inclusion/exclusion criteria were included in 91.2%, 83.5% and 82.4% of the HTA reports, respectively. Only 13.2% of the reports explicitly stated the objective of the analysis and 6.6% stated the ethics framework. Only 2.2%, 4.4%, 9.9%, 9.9%, 14.3%, and 2.2%, respectively, of the reports, complied with the completeness, bias, policy implications, other implications, conceptual clarification, and conflicting values.

**Conclusions:** HTA reports in the Islamic Republic of Iran require coordinated and integrated framework acceptable to all stakeholders to ensure their compliance with sound ethical requirements.

Keywords: health technology assessment, medical ethics, quality, Iran

Citation: Yazdi-Feyzabadi V, Bashzar S. Ethical soundness of health technology assessment reports in Islamic Republic of Iran. *East Mediterr Health J.* 2023;29(7):524–529. <https://doi.org/10.26719/emhj.23.039>

Received: 16/06/22; Accepted: 18/12/22

Copyright © Authors 2023; Licensee: World Health Organization. EMHJ is an open access journal. This paper is available under the Creative Commons Attribution Non-Commercial ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

## Introduction

Concerns about unassessed benefits and the high cost of healthcare interventions have led to the establishment of health technology assessment (HTA), a policy-oriented interdisciplinary process to inform decision-making (1–3). Similar schemes have been devised throughout the world by establishing agencies or HTA units in health systems (1,4–6). The focus of HTA has been on the medical, economic, social and ethical outcomes; development; distribution; and use of health technologies (4–11), and most national and international HTA organizations have emphasized these aspects. The ethical aspect is, however, often less developed and less considered than other aspects such as clinical characteristics and economic effectiveness (8,12–15).

In the HTA process, ethical analysis can be considered an assessment of ethical issues caused by technology or related to the HTA process (16–21). Health technologies incorporate ethical values and properties that can affect moral values on a personal or society level (22). Ethical analysis can be used as basis for public participation and research on the values and preferences of stakeholders (11,23–27).

Although almost all HTA experts have reached consensus on conducting ethical analysis, the methods proposed for addressing ethical issues differ markedly in terms of philosophical approach, structure and

comprehensiveness. However, a “one size fits all” approach is probably not the best option for evaluating ethical considerations about healthcare technologies (12,28). Examining ethical considerations in HTA reports may help improve the quality of reports.

In the Islamic Republic of Iran, HTA is not very old, it was introduced in the late 1990s. HTA activities began in 2007 in the Department of Health Economics at the Center for Network Development and Health Promotion within the Ministry of Health and Medical Education. In 2010, changes in the structure of the Ministry of Health and Medical Education led to the separation of the deputies of hygiene and curative affairs. At the same time, the HTA office began its activities in the Health Technology Assessment, Standardization, and Tariffs Office under the supervision of the Deputy of Curative Affairs and with a new structure. The vision of the HTA office was to establish HTA within the health system, and thus, all forthcoming decisions and policies would be based on scientific evidence obtained from HTA reports (29–31).

Since, as a developing country, the Islamic Republic of Iran is exposed to modern healthcare technologies, this study examined the quality of ethical analyses of all HTA reports in the country.

## Methods

This study is a type of grey literature review of HTA reports. All the reports from the Iranian HTA office up to 2020 were retrieved from the Iranian government website (<http://ihta.behdasht.gov.ir>). We used 2 assessment tools, the HTA Core Model questionnaire (32) and the Q-SEA questionnaire (8), to examine the quality of ethical analyses of all the reports. Two appraisers carried out the assessment and rating at the same time; in case of any disagreement, discussion continued until a consensus agreement was reached on the rating.

The HTA Core Model questionnaire contains 6 domains and 12 issues, including principal questions about the ethical aspects of technology, autonomy, human dignity, human integrity, beneficence/non-maleficence and justice/equity. We used the HTA Core Model for ethical analysis of HTA reports because most Iranian HTA researchers use this model for their assessments. The second tool used, the Q-SEA questionnaire, has 2 domains, the process domain and the outputs domain. The process domain has 5 elements: research questions, literature search, inclusion and exclusion criteria, perspective and the ethics framework. The outputs domain also has 5 elements: completeness, bias, implications, conceptual clarification and conflicting values (8).

Ethical clearance was obtained from the ethics board of Kerman University of Medical Sciences (ethics clearance certificate number IR.KMU.REC.1397.381).

## Results

A total of 101 Iranian HTA reports were retrieved. One report was excluded because it was a duplicate, another 3 were excluded because they were not HTA reports, and 6 were excluded due to the lack of access to their full text. Therefore, 91 reports were included in the final ethical analyses.

Regarding the ethical aspect of the HTA reports based on the Q-SEA tool, in the process aspect, 91.2% of the reports included the research question, 83.5% included the text search and 82.4% included the inclusion/exclusion criteria. The analysis perspective was only explicitly mentioned in 13.2% of the reports, and only 6.6% included an ethics framework in their analysis. Maximum compliance was poor, with completeness considered in 2.2% of the reports, bias in 4.4%, policy implications in 9.9%, implications differentiated by stakeholder in 9.9%, conceptual clarification in 14.3% and conflicting values in 2.2%. A description of items included in the HTA reports based on the Q-SEA tool is presented in Table 1.

Using the HTA Core Model questionnaire (Table 2), we found that 80.2% of the reports noted that this was a modern technology in the health field for the Islamic Republic of Iran, adding to, or replacing, the existing health standards. The relationship between the evaluated technology and the religious and cultural beliefs of some groups was only noted in 4.4% of the reports and just over 60% mentioned the hidden or unintended consequences of technology.

**Table 1. Frequency distribution of elements of the Q-SEA tool in Iranian health technology assessment reports published up to 2020**

Element	Description	Yes		Rating Partially <sup>a</sup>		No	
		No.	%	No.	%	No.	%
<b>Process domain</b>							
<b>Research question</b>	Was the research question clearly stated a priori?	83	91.2	3	3.3	5	5.5
<b>Literature search</b>	Was the search for literature comprehensive?	76	83.5	8	8.8	7	7.7
<b>Inclusion and exclusion criteria</b>	Did the analysis clearly state inclusion and exclusion criteria?	75	82.4	10	11.0	6.0	6.6
<b>Perspective</b>	Was the analysis conducted from an impartial perspective? (i.e. considers how the technology impacts on various stakeholders: patients, health system, care providers, etc.)	12	13.2	25	27.5	54	59.3
<b>Ethics framework</b>	Did the analysis identify which ethics framework (s) it has adopted?	6	6.6	4	4.4	81	89.0
<b>Output domain</b>							
<b>Completeness</b>	Did the analysis acknowledge gaps in the ethical literature?	2	2.2	8	8.8	81	89.0
<b>Bias</b>	Were possible sources of bias identified?	4	4.4	6	6.6	81	89.0
<b>Implications</b>	Were policy implications identified?	9	9.9	16	17.6	66	72.5
	Were implications differentiated by stakeholder (e.g. patient, health professionals, policy-makers, health system, industry, etc.)	9	9.9	24	26.4	58	63.7
<b>Conceptual clarification</b>	Were key terms in the analysis defined?	13	14.3	30	33.0	48	52.7
<b>Conflicting values</b>	Were potential conflicts of values identified?	2	2.2	6	6.6	83	91.0

<sup>a</sup>Can be inferred.

The impact of technology on patients' autonomy was considered in 9.9% of the reports; 5.5% mentioned the impact of the studied technologies on human dignity and 3.3% mentioned integrity. The consequences of implementing/not implementing the technology on justice in the healthcare system were mentioned in only 4.4% of the reports. A description of the items included in the HTA reports from the Islamic Republic of Iran based on the HTA Core Model are presented in Table 2.

## Discussion

In reviewing the development of the Iranian HTA reports using the Q-SEA tool, the focus has been on evaluating the quality of the process regarding ethical analysis, and this study shows that 100% of the HTA reports included ethics in their systematic review. However, they did not respond to ethics in the patient, intervention, comparison, outcome (PICO) format as a systematic review of clinical evidence, as suggested by McCullough et al. (33).

Our review of the clinical aspects and effectiveness of the Iranian HTA reports used a search strategy to choose the appropriate information sources. However, none of the reports reviewed mentioned the search for content related to the philosophical and ethical issues of technology. The inclusion and exclusion criteria were

clearly stated in 82.4% of the reports and ethical issues were noted in the inclusion criteria.

Because most researchers working on HTA projects believed that other aspects of HTA cover the ethical aspect, they did not conduct a separate ethical analysis. Therefore, in terms of inclusion and exclusion criteria, they also referred to studies on technology-related ethical issues and noted the study of such issues as inclusion criteria.

Less than 15% of the HTA reports we studied clearly stated that their analysis and assessment were unbiased. It should be noted that, when investigating the ethical aspect of technology, certain other methods are commonly used, for example convening an expert panel or focus group discussions that include clinical experts and decision-makers in the relevant field.

A wide range of ethics frameworks, such as the Socratic approach, fundamentalism, coherence analysis or participatory HTA approaches, have been used to analyse the ethical aspects of HTA based on the HTA Core Model (34). In contrast, we found that only some reports noted that the technologies were investigated using the HTA Core Model. There was no transparency in this regard, and stakeholders' perceptions of the studied technologies were not examined.

**Table 2. Frequency distribution of elements of the core model questionnaire in Iranian health technology assessment reports published up to 2020**

Topic	Issue	Rating					
		Yes		Partially		No	
		No.	%	No.	%	No.	%
<b>Principal questions about the ethical aspects of technology</b>	Is the technology a new, innovative mode of care, an "add-on" to a standard mode of care or a replacement of a standard?	73	80.2	11	12.1	7	7.7
	Can the technology challenge religious, cultural or moral convictions or beliefs of some groups or change current social arrangements?	4	4.4	5	5.5	82	90.1
	What could be the hidden or unintended consequences of the technology and its applications for different stakeholders?	56	61.5	21	23.1	14	15.4
<b>Autonomy</b>	Does the implementation or use of the technology challenge patient autonomy?	9	9.9	1	1.1	81	89.0
	Is the technology used for patients/people that are especially vulnerable?	6	6.6	4	4.4	81	89.0
	Can the technology entail special challenges/risks that the patient/person needs to be informed of?	34	37.4	34	37.4	23	25.3
<b>Human dignity</b>	Does the implementation or use of the technology affect human dignity?	5	5.5	3	3.3	83	91.2
<b>Human integrity</b>	Does the implementation or use of the technology affect human integrity?	3	3.3	1	1.1	87	95.6
<b>Beneficence/ non-maleficence</b>	What are the benefits and harms for patients, and what is the balance between the benefits and harms when implementing and when not implementing the technology? Who will balance the risks and benefits in practice and how?	30	33.0	33	36.3	28	30.8
	Can the technology affected any other stakeholders?	7	7.7	5	5.6	79	86.8
<b>Justice and equity</b>	What are the consequences of implementing/ not implementing the technology on justice in the health care system?	4	4.4	7	7.7	80	87.9
	How are technologies presenting with relevantly similar (ethical) problems treated in health care system?	5	5.5	7	7.7	79	86.8

Results relating to the output domain of the tool, which evaluated the quality of the output components, (i.e. the ethical analysis as the outcome of the process) showed that only 2.2% of all reports acknowledged ethical gaps. This finding is significant, indicating the absence of the approaches that many researchers use to ensure the completeness of any ethical analysis (8,19,35,36).

Brief reference to any possible biases during the ethical analysis was made in only 4.4% of the reports, and the policy- and other stakeholder-related implications were discussed in less than 10%. Therefore, from this point of view, Iranian HTA reports were not found to be of good quality, did not explicitly identify various ethical issues and offered no suggestions for stakeholders.

In terms of conceptual clarification, the reports were poorly presented. Although the systematic review does not provide any transparent assessment of conceptual topics, the authors of those reports implicitly proposed several explanations, such as: "it has no effect on human dignity", "it does not affect patient autonomy", or "the studied technology enhances justice in access".

An interesting point about the reports that referred to ethical issues is the use of concepts such as benefits and loss balance, autonomy and human dignity, indicating that these are the most important ethical issues that could present a risk for health technology. This was also noted by Bellemare et al. in a systematic review (14) and Strech and Sofaer in an ethical analysis of 7 reports on the European HTA Network (37).

The issues of justice, safety, human integrity, human dignity and free choice were discussed in only a few Iranian HTA reports. None of the issues discussed around ethics were based on ethical studies; they were based on the opinions of experts and specialists in the technology field.

Although most reports used the HTA Core Model, the lack of a standard model in HTA in the Islamic Republic

of Iran can be seen in the ethical analysis of technology-related issues, which has also been highlighted in previous research (14). Most of the reported Iranian HTAs were conducted by only 1 or 2 people; in none of them was a medical ethics expert involved, although this was not mentioned in the reports. This shows the significant weakness of knowledge related to complex philosophical theories, ethical arguments and a lack of expertise in ethical justification methods for HTA studies. The technology-related ethical goals were discussed in only a few reports; these were not transparent and did not use any of the various approaches to ethical analysis.

Over more than a decade since the establishment of the HTA office in the Islamic Republic of Iran, many activities have been carried out to promote HTA, an indication of the serious determination to develop a dynamic and active HTA system. However, our findings show that, although an appropriate structure has been prepared for HTA, there are systematic weaknesses for an integrated and coherent HTA system, especially for the ethical aspect. This issue highlights the need for a standard model for ethical analysis of technology-related issues, training of ethics experts in the field of health, and enhancing the knowledge of experts in ethical theories.

## Conclusion

In this study, we used 2 important tools to check the quality of Iranian HTA reports. The results show that the ethical dimension of health technologies, one of the most important aspects of an HTA, has not been properly investigated in HTA studies in the Islamic Republic of Iran, and that there is a huge gap between what is and what can be. We believe, therefore, that a critical appraisal of the ethical dimension of HTA reports is necessary to eliminate the existing gaps.

## Acknowledgements

This study is based on a research study entitled "A study on challenges and quality assessment of ethical analyses aspect in health technology assessment in Iran", approved on 24 December 2018 by the Deputy for Research and Technology of Kerman University of Medical Sciences (code:97000508) and registered with the Ethics Committee (IR.KMU.REC.1397.381). The researchers are grateful to the Deputy for Research and Technology at Kerman University of Medical Sciences.

**Funding:** This research was funded by the Student Research Committee of Kerman University of Medical Sciences.

**Competing interests:** None declared.

## Validité éthique des rapports d'évaluation des technologies de la santé en République islamique d'Iran

### Résumé

**Contexte:** L'évaluation des technologies de la santé (ETS) est une méthode conventionnelle permettant d'évaluer l'utilisation raisonnable des technologies de la santé dans de nombreux pays.

**Objectif:** Examiner la validité éthique des études ETS en République islamique d'Iran.

**Méthodes:** Tous les rapports d'évaluation des technologies de la santé (ETS) publiés jusqu'en 2020 par le bureau chargé de ces évaluations ont été examinés à l'aide du modèle ETS principal et des questionnaires Q-SEA.



**Résultats :** Nous avons évalué la validité éthique de 91 rapports. La question de recherche, la recherche dans la littérature et les critères d'inclusion et d'exclusion étaient inclus dans 91,2 %, 83,5 % et 82,4 % des rapports ETS, respectivement. Seuls 13,2 % des rapports mentionnaient explicitement l'objectif de l'analyse et 6,6 % en indiquaient le cadre éthique. Parmi les rapports, seuls 2,2 %, 4,4 %, 9,9 %, 9,9 %, 14,3 % et 2,2 %, respectivement, étaient conformes aux exigences en matière d'exhaustivité, d'impartialité, d'implications par rapport aux politiques ou autres, de clarification conceptuelle et de valeurs conflictuelles.

**Conclusion :** Les rapports ETS en République islamique d'Iran nécessitent un cadre coordonné et intégré qui soit acceptable pour toutes les parties prenantes, afin de garantir leur conformité avec des exigences éthiques bien fondées.

## السلامة الأخلاقية لتقارير تقييم التكنولوجيات الصحية في جمهورية إيران الإسلامية

وحيد يزدى - فيض آبادى، سلمان باش زر

### الخلاصة

الخلفية: يُعدُّ تقييم التكنولوجيات الصحية من الطرق التقليدية لتقييم الاستخدام المعقول للتكنولوجيات الصحية في العديد من البلدان.

الأهداف: هدفت هذه الدراسة الى استقصاء السلامة الأخلاقية لدراسات تقييم التكنولوجيات الصحية في جمهورية إيران الإسلامية.

طرق البحث: استعرض المكتب المعني بتقييم التكنولوجيات الصحية جميع تقارير تقييم التكنولوجيات الصحية حتى عام 2020 باستخدام النموذج الأساسي لتقييم التكنولوجيات الصحية واستبيانات Q-SEA.

النتائج: قيّمنا 91 تقريراً عن السلامة الأخلاقية. وأدرج سؤال البحث، والبحث في المؤلفات، ومعايير الإدراج/ الاستبعاد في 91.2٪، و 83.5٪، و 82.4٪ من تقارير تقييم التكنولوجيات الصحية، على التوالي. وأوضحت 13.2٪ فقط من التقارير صراحة هدف التحليل، وذكرت 6.6٪ منها إطار الأخلاقيات. وقد امتثل فقط 2.2٪، و 4.4٪، و 9.9٪، و 9.9٪، و 14.3٪، و 2.2٪ من التقارير، على التوالي، للاكتمال، والتحيز، والآثار المترتبة على السياسات، والآثار الأخرى، والإيضاحات المفاهيمية، والقيم المتضاربة.

الاستنتاجات: تتطلب تقارير تقييم التكنولوجيات الصحية في جمهورية إيران الإسلامية إطاراً منسقاً ومتكاملاً، ويكون مقبولاً من جميع أصحاب المصلحة لضمان امتثالهم للمتطلبات الأخلاقية السليمة.

## References

1. Lafortune L, Farand L, Mondou I, Sicotte C, Battista R. Assessing the performance of health technology assessment organizations: a framework. *Int J Technol Assess Health Care*. 2008 Winter;24(1):76–86. doi:10.1017/S0266462307080105
2. Banta D, Oortwijn W. Health technology assessment and health care in the European Union. *Int J Technol Assess Health Care*. 2000 Spring;16(2):626–35. PMID:10932427
3. Henshall C, Oortwijn W, Stevens A, Granados A, Banta D. Priority setting for health technology assessment. Theoretical considerations and practical approaches. Priority setting Subgroup of the EUR-ASSESS Project. *Int J Technol Assess Health Care*. 1997 Spring;13(2):144–85. doi:10.1017/s0266462300010357
4. Velasco-Garrido M, Busse R. Health technology assessment: an introduction to objectives, role of evidence, and structure in Europe. Copenhagen: World Health Organization Regional Office for Europe, European Observatory on Health Policies; 2005.
5. Hanney SR, Gonzalez-Block MA, Buxton MJ, Kogan M. The utilisation of health research in policy-making: concepts, examples and methods of assessment. *Health Res Policy Syst*. 2003 Jan 13;1(1):2. doi:10.1186/1478-4505-1-2
6. Drummond M, Banta D. Health technology assessment in the United Kingdom. *Int J Technol Assess Health Care*. 2009 Jul;25(-Suppl. 1):178–81. doi:10.1017/S0266462309090618
7. Banta D. What is technology assessment? *Int J Technol Assess Health Care*. 2009 Jul;25(Suppl. 1):7–9. doi:10.1017/S0266462309090333
8. Scott AM, Hofmann B, Gutiérrez-Ibarluzea I, Lysdahl KB, Sandman L, Bombard Y. Q-SEA—a tool for quality assessment of ethics analyses conducted as part of health technology assessments. *GMS Health Technol Assess*. 2017;13:Doc02. doi:10.3205/hta000128
9. EUnetHTA, Mäkelä M. HTA Core Model® for Medical and Surgical Interventions 1.0 R. Copenhagen: European Network for Health Technology Assessment (EUnetHTA); 2008 (<https://corehta.info/model/HTA%20Core%20Model%20for%20Medical%20and%20Surgical%20Interventions%201.0.pdf>, accessed 15 February 2023).
10. Goodman CS. HTA 101: introduction to health technology assessment. Bethesda: National Library of Medicine; 2014 ([https://www.nlm.nih.gov/nichsr/hta101/HTA\\_101\\_FINAL\\_7-23-14.pdf](https://www.nlm.nih.gov/nichsr/hta101/HTA_101_FINAL_7-23-14.pdf), accessed 15 February 2023).
11. NaserHamzeKhanloo M, Bazayr M. Role and necessity of health technology assessment (HTA) in health system. *J Health*. 2010;1(2):59–68 ([https://healthjournal.arums.ac.ir/browse.php?a\\_id=143&sid=1&slc\\_lang=en](https://healthjournal.arums.ac.ir/browse.php?a_id=143&sid=1&slc_lang=en), accessed 15 February 2023).

12. Hofmann BM. Why ethics should be part of health technology assessment. *Int J Technol Assess Health Care*. 2008 Fall;24(4):423–9. doi:10.1017/S0266462308080550
13. Leys M. Health care policy: qualitative evidence and health technology assessment. *Health Policy*. 2003;65(3):217–26. doi:10.1016/s0168-8510(02)00209-9
14. Bellemare CA, Dagenais P, Suzanne K, Béland J-P, Bernier L, Daniel C-É, et al. Ethics in health technology assessment: a systematic review. *Int J Technol Assess Health Care*. 2018 Jan;34(5):447–57. doi:10.1017/S0266462318000508
15. Weinstein BD. What is an expert? *Theor Med*. 1993 Mar;14(1):57–73. doi:10.1007/BF00993988
16. Clausen C, Yoshinaka Y. Social shaping of technology in TA and HTA. *Poiesis & Praxis*. 2004;2(2–3):221–46. doi:10.1007/s10202-003-0046-1
17. Hofmann B. The technological invention of disease. *Med Humanit*. 2001 Jun;27(1):10–9. doi:10.1136/mh.27.1.10
18. Reuzel RP, van der Wilt GJ, ten Have HA, de Vries Robbé PF. Interactive technology assessment and wide reflective equilibrium. *J Med Philos*. 2001 Jun;26(3):245–61. doi:10.1076/jmep.26.3.245.3015
19. Popay J, Rogers A, Williams G. Rationale and standards for the systematic review of qualitative literature in health services research. *Qual Health Res*. 1998 May;8(3):341–51. doi:10.1177/104973239800800305
20. ten Have H. Ethical perspectives on health technology assessment. *Int J Technol Assess Health Care*. 2004 Winter;20(1):71–6. doi:10.1017/s0266462304000819
21. Reuzel R, Oortwijn W, Decker M, Clausen C, Gallo P, Grin J, et al. Ethics and HTA: some lessons and challenges for the future. *Poiesis & Praxis*. 2004;2(2–3):247–56. doi:10.1007/s10202-003-0054-1
22. Hofmann B. On value-judgements and ethics in health technology assessment. *Poiesis & Praxis*. 2005;3(4):277–95. doi:10.1007/s10202-005-0073-1
23. Hutton J, McGrath C, Frybourg J-M, Tremblay M, Bramley-Harker E, Henshall C. Framework for describing and classifying decision-making systems using technology assessment to determine the reimbursement of health technologies (fourth hurdle systems). *Int J Technol Assess Health Care*. 2006 Winter;22(1):10–8. doi:10.1017/s0266462306050781
24. Braunack-Mayer AJ. Ethics and health technology assessment: handmaiden and/or critic? *Int J Technol Assess Health Care*. 2006 Summer;22(3):307–12. doi:10.1017/s0266462306051191
25. Gauvin FP, Abelson J, Giacomini M, Eyles J, Lavis JN. “It all depends”: conceptualizing public involvement in the context of health technology assessment agencies. *Soc Sci Med*. 2010 May;70(10):1518–26. doi:10.1016/j.socscimed.2010.01.036
26. Daniels N, Sabin J. The ethics of accountability in managed care reform: recent efforts at reforming managed care practices have one thing in common: a call for accountability to consumers. *Health Aff (Millwood)*. 1998 Sep–Oct;17(5):50–64. doi:10.1377/hlthaff.17.5.50
27. Hofmann B, Cleemput I, Bond K, Kronen T, Droste S, Sacchini D, et al. Revealing and acknowledging value judgments in health technology assessment. *Int J Technol Assess Health Care*. 2014 Dec;30(6):579–86. doi:10.1017/S0266462314000671
28. Scott AM, Bond K, Gutiérrez-Ibarluzea I, Hofmann B, Sandman L. Quality assessment of ethics analyses for health technology assessment. *Int J Technol Assess Health Care*. 2014 Dec;30(6):579–86. doi:10.1017/S0266462314000671
29. Arab-Zozani M, Sokhanvar M, Kakemam E, Didehban T, Hassanipour S. History of health technology assessment in Iran. *Int J Technol Assess Health Care*. 2020;36(1):34–39. doi:10.1017/S0266462319003489
30. Yazdizadeh B, Mohtasham F, Velayati A. Impact assessment of Iran’s health technology assessment programme. *Health Res Policy Syst*. 2018 Sep 7;16(1):89. PMID:29471838
31. Mohtasham F, Yazdizadeh B, Zali Z, Majdzadeh R, Nedjat S. Health technology assessment in Iran: Barriers and solutions. *Med J Islam Repub Iran*. 2016 Jan 26;30:321
32. EUnetHTA. HTA core model version 3.0 for the assessment of diagnostic technologies, medical and surgical interventions, pharmaceuticals and screening technologies. Copenhagen: European Network for Health Technology Assessment (EUnetHTA); 2016 (<https://www.eunetha.eu/wp-content/uploads/2018/03/HTACoreModel3.0-1.pdf>, accessed 15 February 2023).
33. McCullough LB, Coverdale JH, Chervenak FA. Constructing a systematic review for argument-based clinical ethics literature: the example of concealed medications. *J Med Philos*. 2007 Jan–Feb;32(1):65–76. doi:10.1080/03605310601152206
34. Anttila H, Jacobsen CB, Koivisto J, Mortensen BB, Wiuff MB, Reiman-Möttönen P, et al. Social aspects. HTA core model for medical and surgical interventions 1.0 R: Copenhagen: European Network for Health Technology Assessment (EUnetHTA), FinOHTA; 2008:128–41 (<https://corehta.info/model/HTA%20Core%20Model%20for%20Medical%20and%20Surgical%20Interventions%201.0r.pdf>, accessed 15 February 2023).
35. Dixon-Woods M, Agarwal S, Jones D, Young B, Sutton A. Synthesising qualitative and quantitative evidence: a review of possible methods. *J Health Serv Res Policy*. 2005 Jan;10(1):45–53. doi:10.1177/135581960501000110
36. Strech D, Sofaer N. How to write a systematic review of reasons. *J Med Ethics*. 2012 Feb;38(2):121–6. doi:10.1136/medethics-2011-100096
37. Ekmekci PE, Güner MD. Evaluation of ethical analyses in seven reports from the European Network for Health Technology Assessment. *Int J Technol Assess Health Care*. 2019;35(4):273–9. doi:10.1017/S0266462319000485