

Road traffic injuries and associated mortality in the Islamic Republic of Iran

Farideh Sadeghian^{1,2}, Ahmad Mehri³, Zahra Ghodsi^{2,4}, Vali Baigi^{2,5}, Mohadeseh S Bardsiri^{2,6}, Mahdi Sharif-Alhoseini², Gerard M O'Reilly^{7,8,9}, Ali Mokdad¹⁰ and Vafa Rahimi-Movaghar^{2,4,11,12,13,14}

¹Center for Health Related Social and Behavioral Sciences Research, Shahrood University of Medical Sciences, Shahrood, Islamic Republic of Iran. ²Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Islamic Republic of Iran. (Correspondence to V. Rahimi-Movaghar: v_rahimi@sina.tums.ac.ir). ³Department of Epidemiology, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Islamic Republic of Iran. ⁴Brain and Spinal Cord Injury Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Islamic Republic of Iran. ⁵Medical Failure Commissions, Forensic Medicine Organization, Tehran, Islamic Republic of Iran. ⁶School of Public Health and Preventive Medicine, Monash University, Melbourne, Australia. ⁷Emergency and Trauma Centre, The Alfred, Melbourne, Australia. ⁸National Trauma Research Institute, The Alfred, Melbourne, Australia. ⁹Institute for Health Metrics and Evaluation, University of Washington, Seattle, USA. ¹⁰Department of Neurosurgery, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Islamic Republic of Iran. ¹¹Universal Scientific Education and Research Network (USERN), Tehran, Islamic Republic of Iran. ¹²Institute of Biochemistry and Biophysics, University of Tehran, Tehran, Islamic Republic of Iran. ¹³Visiting Professor, Spine Program, University of Toronto, Toronto, Canada. (Farideh Sadeghian and Ahmad Mehri are co-first authors).

Abstract

Background: Road traffic accidents are a major public health problem globally, causing millions of injuries, deaths and disabilities, and a huge loss of financial resources, especially in low- and middle-income countries.

Aim: To determine the incidence of road traffic injuries and associated mortality from 1997 to 2020 in the Islamic Republic of Iran.

Methods: This retrospective study used data from the Legal Medicine Organization of the Islamic Republic of Iran to estimate the annual rates of road traffic injuries and associated mortality from 21 March 1997 to 20 March 2020. The data were analysed using STATA version 14 and the annual rates are reported per 100 000 population.

Results: During the study period, 5 760 835 road traffic injuries and 472 193 deaths were recorded in the Islamic Republic of Iran. The mortality rate increased from 22.4 per 100 000 in 1997 to 40 per 100 000 in 2005 and decreased to 18.4 per 100 000 in 2020. The injury rate increased from 111.1 per 100 000 in 1997 to 394.9 per 100 000 in 2005. It decreased in 2006 and 2007 and increased from then until 2010, finally reaching 331.8 per 100 000 in 2020. The male to female ratio for road traffic mortality was 3.9 in 1997 and 4.6 in 2020. The case fatality rate was highest (20.1%) in 1997 and decreased to 5.6% in 2020.

Conclusion: Continuous interventions are needed to reduce the burden of road traffic injuries and associated mortality in the Islamic Republic of Iran.

Keywords: road traffic accidents, road traffic injuries, road traffic deaths, Islamic Republic of Iran

Citation: Sadeghian F, Mehri A, Ghodsi Z, Baigi V, Bardsiri MS, Sharif-Alhoseini M, et al. Road traffic injuries and associated mortality in the Islamic Republic of Iran. *East Mediterr Health J.* 2023;29(10):796–803. <https://doi.org/10.26719/emhj.23.104>

Received: 12/05/22; Accepted: 09/02/23

Copyright: © Authors 2023; Licensee: World Health Organization. EMHJ is an open access journal. This paper is available under the Creative Commons Attribution Non-Commercial ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>)

Introduction

Road traffic accidents are a public health issue in most countries (1). Annually, road traffic injuries and deaths have significant economic effects on individuals and their families, as well as countries. Road traffic injuries are one of the leading causes of death among young people aged 5–29 years. There is considerable regional variation in road traffic injuries and deaths worldwide (2). Around 93% of the global fatalities on the roads occur in low- and middle-income countries (3). In 2016, road traffic mortality in South Asia was 20 per 100 000 persons, and Afghanistan had the highest rate of 26.6 per 100 000 (4). Considerable reductions in road traffic mortality were seen in middle- and high-income countries during 1997–2017 (5). WHO has concluded that if low- and middle-income countries follow the general trend in road traffic mortality in high-income countries, initially, they

will have a high number of deaths, but eventually, the mortality rate will decrease (4).

In the Islamic Republic of Iran, road traffic injuries are the second highest cause of death after cardiovascular disease, and the leading cause of years of life lost (6). Road traffic mortality rate increased from 22.1 per 100 000 persons in 1997 to 32.0 per 100 000 in 2007 (7). The Legal Medicine Organization of the Islamic Republic of Iran reported that 49.7% of injury-related deaths ($n = 15\,932$) in 2016 were caused by road traffic accidents (8). WHO reported that the overall road traffic mortality rate in the Islamic Republic of Iran was 20.5 per 100 000 in 2018 (10 per 100 000 car users and 4.9 per 100 000 motorcyclists) (4). There are 30.4 million cars in the Islamic Republic of Iran, and in comparison with other South-West Asian countries, the situation is not favourable in terms of road traffic mortality (4). In the Eastern Mediterranean Region, the Islamic Republic of Iran has the highest rates of road traffic injuries and mortality (9,10).

The safety profile of road traffic accidents is measured by the number of people injured and the mortality rate (2). To design effective interventions and strategies to reduce road traffic injuries and mortality, it is necessary to understand the underlying trends. Several studies with different methods have analysed road traffic injuries and mortality in the Islamic Republic of Iran (11–13). Mehmandar et al (14) analysed road traffic mortality rates in each province during 2004–2013 and predicted rates for 2014 and 2015. Besharati et al (15) analysed road traffic mortality rates recorded in each province during 2005–2015 and quantified the relation between an extensive series of covariates and road safety. A systematic review in 2021 of 20 studies, with 2 682 434 road traffic injuries and 23 272 deaths indicated that there was no comprehensive and reliable representation of road traffic mortality in the Islamic Republic of Iran (16).

In this study, we used comprehensive data to determine the trends in road traffic injuries and mortality in the Islamic Republic of Iran from 1997 to 2020.

Methods

Data sources

This was a retrospective study of data obtained from Iranian official reports on population and road traffic injuries and mortality from 21 March 1997 to 20 March 2020. As required by law, all persons who die from road traffic injuries are referred to the Legal Medicine Organization, which issues permission for burial. Population data from the Statistical Center of Iran were used to estimate the road traffic injury and mortality rates for each year.

Statistical analysis

To estimate the road traffic injury and mortality rates for each year, the number of deaths in each year for men and women was divided by the total population in the middle year. These annual rates were reported per 100 000 population. Population data from the Statistical Center of Iran were used as the denominator to estimate the road traffic injury and mortality rates for each year. Linear regression was used to model the relationship between 2 variables by fitting a Poisson equation to the observed data, with 1 variable considered to be explanatory and the other dependent. Poisson regression fitted the model with the best fit between the predictors and the outcome. As a result, it may have appeared that the behaviour of the variables was not linear. We fitted a Poisson regression model to predict the mortality rate by year using maximum likelihood estimation. Statistical analysis was performed using STATA version 14.

Ethical considerations

This study was approved by the Ethics Committee of Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, with the code number 98-01-38-355.

Results

Road traffic mortality

A total of 472 193 road traffic deaths were recorded in the Islamic Republic of Iran from 1997 to 2020. In rare circumstances, the sex of the victims was not registered. Therefore, the total number of men and women is less than the total number of victims. The road traffic mortality rate ranged from 22.4 per 100 000 population in 1997 to 18.4 per 100 000 in 2020 for both sexes. This rate surged from 22.4 per 100 000 in 1997 to a peak of 40.0 per 100 000 in 2005, and decreased to 18.4 per 100 000 in 2020 (Table 1, Figure 1). Men had a higher road traffic mortality rate than women in all years. The male rate peaked at 61.7 per 100 000 in 2006 and decreased to 30.1 per 100 000 in 2020. The female rate peaked at 15.8 per 100 000 in 2006 and decreased to 6.5 per 100 000 in 2020. The overall pattern showed a decline in both sexes from 2006 to 2020. The male: female ratio for the road traffic mortality rate was 3.9 in 1997 and 4.6 in 2020. The case mortality rate was highest (20.1%) in 1997 but decreased to 5.6% in 2020 (Table 2). The rate showed a declining trend during the study period except for a small increase in 2017 and 2019 (Table 2, Figure 2). Poisson regression analysis by sex showed that, with an increase of 1 year, the mortality rate among men decreased significantly, whereas the mortality rate among women did not decrease significantly (Table 3).

Road traffic injuries

The total number of road traffic injuries was 5 760 835 from 1997 to 2020 (Table 2). The road traffic injuries rate increased from 111.1 per 100 000 population in 1997 to 394.9 per 100 000 by 2005. In 2006, the rate decreased to 392.6 per 100 000 and then to 343.6 per 100 000 in 2007. The rate then increased annually until 421.4 per 100 000 in 2010. There were fluctuations in the rate between 2010 and 2020, when the rate was 331.8 per 100 000. The highest increase occurred in 2002 (40.1%), and the greatest reduction was in 2007 (–12.5%).


Discussion

This study investigated the trends in road traffic injuries and mortality in the Islamic Republic of Iran. From 1997 to 2020, 5 945 197 road traffic injuries and 456 797 deaths were recorded. The mortality rate increased from 1997 to 2005, and then decreased in 2020, with small fluctuations. With an increase in 1 year, the mortality rates overall and among men decreased significantly but the changes among women were not significant. Road traffic injuries increased from 1997 to 2005 and decreased in 2006, and with several fluctuations, they decreased in 2020. The male: female ratio for the road traffic mortality rate increased from 3.9 in 1997 to 4.6 in 2020. The ratio of mortality to injury was highest (20.1%) in 1997 but decreased to 5.6% in 2020. The relationship between changes in mortality rate and sex was significant. During 1997 to 2020 for each year increase, the mortality rate decreased by an average of 0.84 year for men.

Table 1 Number of road traffic deaths and mortality rate (per 100 000) according to sex from 1997 to 2020 in the Islamic Republic of Iran

Year	Population x 1000	No. of road traffic deaths			Road traffic mortality rate (95% confidence interval), per 100 000			Male to female ratio			Change ^a (%)	
		Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1997	61100	10837	2674	13679	34.9 (34.2–35.6)	8.9 (8.5–9.2)	22.4 (21.7–22.9)	3.9	—	—	—	—
1998	62144	11039	2934	14981	37.8 (37.1–38.5)	9.6 (9.3–10.0)	24.1 (23.5–24.6)	3.9	8.3	7.9	7.9	7.7
1999	63188	12302	3138	15482	38.3 (37.6–38.9)	10.1 (9.7–10.5)	24.4 (24.0–24.8)	3.8	1.3	5.2	5.2	1.6
2000	64232	13748	3347	17059	42.1 (41.4–42.8)	10.6 (10.2–11.0)	26.6 (26.2–27.0)	4.0	9.9	5.0	5.0	8.4
2001	65276	15932	3914	19727	48.0 (47.3–48.7)	12.2 (11.8–12.6)	30.2 (29.7–30.7)	3.9	14.0	15.1	15.1	13.8
2002	66320	17976	4139	21873	53.3 (52.5–54.1)	12.7 (12.3–13.1)	33.0 (32.5–33.6)	4.2	11.0	4.1	4.1	9.1
2003	67364	21002	4767	25722	61.3 (60.5–62.1)	14.4 (13.9–14.8)	38.2 (37.5–39.0)	4.3	15.0	13.4	13.4	15.8
2004	68408	21539	4941	26089	61.9 (61.1–62.7)	14.7 (14.3–15.1)	38.7 (38.2–39.1)	4.2	1.0	2.1	2.1	1.3
2005	69452	22965	5220	27746	65.0 (64.2–65.8)	15.3 (14.8–15.7)	40.0 (39.5–40.7)	4.2	5.0	4.1	4.1	4.8
2006	70496	22130	5471	27565	61.7 (60.1–62.5)	15.8 (15.4–16.2)	39.1 (38.6–39.6)	3.9	–5.1	3.3	3.3	–2.1
2007	71427	18173	4675	22918	50.1 (49.4–50.8)	13.3 (12.9–13.7)	32.0 (31.6–32.5)	3.8	–18.8	–15.8	–15.8	–17.9
2008	72357	18158	4745	23362	49.5 (48.7–50.2)	13.3 (12.8–13.8)	32.2 (31.8–32.6)	3.7	–1.2	0	0	0.6
2009	73288	18139	4835	22974	48.9 (48.2–49.6)	13.4 (13.0–13.7)	31.4 (30.9–31.8)	3.7	–1.2	0	0	–2.9
2010	74219	18386	4863	23249	49.0 (48.3–49.7)	13.2 (12.8–13.6)	31.3 (30.9–31.8)	3.7	0.2	–0.8	–0.8	–0.1
2011	75150	15624	4444	20068	41.2 (40.6–41.9)	11.9 (11.6–12.3)	26.7 (26.3–27.1)	3.5	–15.9	–9.8	–9.8	–14.8
2012	76038	14988	4101	19089	39.1 (38.5–39.7)	10.9 (10.5–11.2)	25.1 (24.7–25.5)	3.6	–5.1	–8.4	–8.4	–6.0
2013	76943	13905	4089	17994	35.9 (35.3–36.5)	10.7 (10.4–11.0)	23.4 (23.1–23.7)	3.3	–8.2	–1.8	–1.8	–6.8
2014	77856	13059	3813	16872	33.3 (32.7–33.9)	9.9 (9.5–10.2)	21.7 (21.3–22.0)	3.4	–7.2	–7.5	–7.5	–7.3
2015	78773	12807	3777	16584	32.3 (31.7–32.8)	9.7 (9.3–10.0)	21.0 (20.7–21.4)	3.3	–3.0	–2.0	–2.0	–2.9
2016	79926	12470	3462	15932	30.8 (30.2–31.3)	8.8 (8.5–9.1)	19.9 (19.6–20.3)	3.5	–4.6	–9.3	–9.3	–5.3
2017	80500	12709	3492	16201	31.1 (30.6–31.7)	8.8 (8.5–9.0)	20.1 (19.8–20.4)	3.5	1.0	0	0	1.0
2018	81466	12489	3438	14685	30.2 (29.7–30.8)	8.6 (8.3–8.8)	18.0 (17.7–18.3)	3.5	–2.9	–2.3	–2.3	–10.4
2019	81800	133256	3690	16946	31.8 (31.4–32.1)	8.9 (8.7–9.0)	20.7 (20.5–21.0)	3.6	5.3	3.5	3.5	15
2020	83409	12691	2795	15396	30.1 (29.6–30.5)	6.5 (6.3–6.8)	18.4 (18.2–18.7)	4.6	–5.3	–26.9	–26.9	–11.1

^aExcess or reduction (percentage of change) in road traffic mortality rate relative to previous year.

Figure 1 Trend in road traffic mortality rate per 100 000 population in Islamic Republic of Iran, according to sex (1997–2020)

A similar increasing trend in road traffic mortality rate from 1997 to 2005 was previously reported by Rasouli et al in the Islamic Republic of Iran (17). Besharati et al (15) reported a decreasing trend in road traffic mortality in several Iranian provinces, and Mehmandar et al (14) showed a decreasing trend in road traffic mortality rate from 2004 to 2013. Several factors have been responsible for the reduction in mortality rate; for example, the number of hospitals has been increasing since 2004 (18). Four national interventions were implemented in 2005: seat belt enforcement, helmets for motorcyclists, public traffic laws, and road safety training campaigns on social media (19). The increasing emergency admissions and number of prehospital emergency stations, as well as faster access to medical centres and hospitals have also contributed. In 2019 and 2020, the COVID-19 pandemic and the imposition of lockdown in the Islamic Republic of Iran reduced vehicle traffic, which may have significantly contributed to the reduced incidence of road traffic accidents.

Despite the declining trend in road traffic mortality in the Islamic Republic of Iran during the study period, the mortality rate was higher than in several other countries. In 2005, the road traffic mortality rate was 40 per 100 000 population, which was higher than in Türkiye (6.4 per 100 000), Iraq (21.4 per 100 000), Syrian Arab Republic (11.8 per 100 000), Saudi Arabia (26.49 per 100 000), and Egypt (13.5 per 100 000). A similar pattern for average road traffic mortality rate was observed in Eastern Mediterranean Region countries (22.2 per 100 000 in 1995, 25 per 100 000 in 2005, and 22.1 per 100 000 in 2015) (20). In Europe, road traffic mortality rate decreased from 2007 to 2018 (21), although the rate had increased steadily until 2005. The global average road traffic mortality rate decreased in 1995, 2005, and 2015, with rates of 21.5, 21.0, and 18.4 per 100 000 population, respectively (4). In 2020 in the Islamic Republic of Iran, although road traffic mortality decreased, related injuries increased. Social restrictions

to prevent the transmission of COVID-19 probably helped reduce the number of road traffic accidents as well as fatal and nonfatal injuries. The incidence of road traffic accidents in Semarang, Indonesia increased by an average 15% annually between 2017 and 2019 but decreased by 18.4% in 2020 (20). The National Highway Traffic Safety Administration in the United States of America reported an increase in mortality during the pandemic, with 38 680 road traffic deaths. The mortality rate in 2020 was 1.37 per 100 million vehicle miles travelled, which was an increase over 1.11 in 2019. Potential causes included drink-driving, speeding, and failure to wear a seatbelt (22). A study in Missouri, USA showed no decrease in serious road traffic accidents or deaths during the COVID-19 pandemic (23). In Türkiye, Oguzoglu reported a significant reduction in the number of people injured (19%) and deaths (72%) due to traffic accidents during the pandemic (24).


Our results showed an increase in male to female ratio for road traffic mortality rate from 3.9 per 100 000 in 1997 to 4.6 per 100 000 in 2020. A national study in the Islamic Republic of Iran reported a ratio of 4.2 during 1997–2007 (7). In Kashan City, the ratio was 4.7 during 2006–2013 (25). Similar to our study, several others have indicated that road traffic injuries and mortality were higher among males than females in different countries (1). Pakistan reported the highest ratio at 12.0 and Kuwait at 4.5, but the ratio across the Eastern Mediterranean Region and globally was 3.84 and 3.1, respectively (10). One explanation for the sex difference in mortality rates may be that men drive more and have more risky driving behaviour. Another possibility is that women are less likely than men to drive as part of their occupation, and men use motorcycles, which are prohibited for women. Cycling and motorized 2- and 3-wheelers are less commonly used by women, and driving these is more dangerous than driving a car. The Islamic Republic of Iran, Morocco, and Tunisia had the highest proportion of riders of motorized 2- and 3-wheelers in the Eastern

Table 2 Number of road traffic injuries and injury rate (per 100 000) in 1997–2020 in the Islamic Republic of Iran

Year	Population x 1000	Injuries	Road traffic injury rate	Annual change ^a (%)	Death/injury (%)
1997	61 100	67 884	111.1 (110.2–111.9)	—	20.1
1998	62 144	79 289	127.6 (126.7–128.5)	14.8	18.9
1999	63 188	91 048	144.1 (143.2–145.0)	12.9	17.0
2000	64 232	108 100	168.3 (167.3–169.3)	16.7	15.8
2001	65 276	117 566	180.1 (179.1–181.1)	7.0	16.8
2002	66 320	167 372	252.4 (251.1–253.4)	40.1	13.1
2003	67 364	222 309	330.0 (328.6–331.4)	30.7	11.6
2004	68 408	245 754	359.2 (357.8–360.7)	8.8	10.6
2005	69 452	274 257	394.9 (393.4–396.4)	9.9	10.1
2006	70 496	276 762	392.6 (391.1–394.1)	−0.6 ^b	9.9
2007	71 427	245 418	343.6 (342.2–345.0)	−12.5	9.3
2008	72 357	272 877	377.1 (375.7–378.5)	9.7	8.5
2009	73 288	295 179	402.8 (401.3–404.2)	6.8	7.8
2010	74 219	312 745	421.4 (420.0–422.8)	4.6	7.4
2011	75 150	297 257	395.6 (394.1–397.0)	−6.1	6.7
2012	76 038	318 802	419.3 (417.8–420.7)	5.9	5.9
2013	76 943	315 719	410.3 (408.9–411.8)	−2.1	5.7
2014	77 856	304 485	391.1 (389.7–392.5)	−4.7	5.5
2015	78 773	313 017	397.4 (395.9–398.7)	1.6	5.3
2016	79 926	333 071	416.7 (415.3–418.1)	4.8	4.8
2017	80 500	335 995	417.4 (415.9–418.8)	0.2	4.8
2018	81 466	315 092	386.8 (385.4–388.1)	8.0	4.7
2019	81 800	367 428	449.2 (448.8–49.5)	16.0	4.6
2020	83 409	276 771	331.8 (331.4–332.2)	−26.1	5.6

^aExcess or reduction in road traffic injury rate relative to previous year by Poisson regression model.

^bThe negative sign indicates a decrease in the trend compared to the previous year.

Figure 2 Road traffic injuries and road traffic mortality per 100 000 population in Islamic Republic of Iran (1997–2020)

Mediterranean Region (26). The reduction in the male to female ratio in recent years could be attributed to the increase in the number of women driving in the Islamic Republic of Iran.

Our study showed an increase in road traffic injuries in most years from 1997 to 2020. The excess annual percentage change peaked in 2002 (40.12%), and the greatest percentage reduction was in 2007 (−12.48%).

Table 3 Mortality due to road traffic accidents by sex, 1997–2020, Islamic Republic of Iran

Gender	Mortality rate per 100 000		β coefficient ^a	95% confidence interval	P
	1997	2020			
Male	34.9	30.1	–0.96	–1.36 to –0.56	<0.001
Female	8.9	6.5	–0.18	–0.39 to 0.03	0.09
Total	22.4	18.4	–0.59	–0.91 to –0.27	<0.001

^aBeta coefficient in Poisson regression to determine the rate of change of index over time.

Better registration of road traffic injuries in the Islamic Republic of Iran may have been responsible for the increase. It has previously been reported that most injuries were not being registered (27). Our results showed that for each year during the study, the mortality rate per 100 000 population decreased overall by 0.59 and among men by 0.96, but the reduction among women was not significant.

In recent years, several interventions have been implemented in the Islamic Republic of Iran to reduce road traffic injuries, such as improved emergency medical services and transport infrastructure, increased police funding, and use of speed cameras (28, 29). However, these interventions have not sufficiently reduced road traffic injuries. The Islamic Republic of Iran is a middle-income country in the Eastern Mediterranean Region and, similar to other countries in this situation, it has insufficient resources to adequately cater for patients with road traffic injuries (9). A comprehensive, integrated trauma care system has not been developed, and there is variation in the number of reported road traffic injuries based on police reports, health centre registration data, and forensic medicine (30–32).

This study had some limitations. There was insufficient access to information on changes in the number of vehicles; distances travelled; medical services; the percentage of each type of vehicle and road users, such as bicycles, motorcycles, cars, and pedestrians; and changes in accident prevention behaviour, to determine the detailed reasons for these changes. We did not adjust for vehicle registration, ownership, vehicle type, or road

user. As a result of data limitations, we did not perform longitudinal (time series) evaluation and geospatial analyses on the effect of each intervention on the incidence of mortality due to road traffic accidents. Also, we did not analyse data based on age or place of residence.

Despite these limitations, this study provided novel information on the trends in road traffic injuries and mortality from 1997 to 2020 in the Islamic Republic of Iran, which can be used to inform national and international policies on road traffic accident prevention. The findings provide useful information for longitudinal and interventional studies to better investigate the increases or decreases in road traffic injuries and mortality.

Conclusion

Although there was a declining trend in the rate of road traffic mortality from 1997 to 2020 in the Islamic Republic of Iran, the rate of road traffic injuries has increased by 300%. Preventive measures have been only partially effective. These findings suggest the need for policy-related interventions to further prevent and reduce road traffic accidents and related injuries and mortality, such as better legislation, improved road safety enforcement, and safety training for drivers with attention to the behaviour and culture of the Iranian population.

Funding: This work was funded by Sina Trauma and Surgery Research Centre, Tehran University of Medical Sciences (grant number 98-01-38-41459).

Competing interests: None declared.

Traumatismes dus aux accidents de la circulation et mortalité associée en République islamique d'Iran

Résumé

Contexte : Les accidents de la circulation constituent un problème de santé publique majeur dans le monde, qui entraîne des millions de traumatismes, de décès et d'incapacités, ainsi qu'une perte importante de ressources financières, en particulier dans les pays à revenu faible et intermédiaire.

Objectif : Déterminer l'incidence des traumatismes dus aux accidents de la circulation et la mortalité associée entre 1997 et 2020 en République islamique d'Iran.

Méthodes : La présente étude rétrospective a analysé les données de l'Organisation de médecine légale de la République islamique d'Iran pour estimer les taux annuels de traumatismes dus aux accidents de la circulation et la mortalité qui leur était associée entre le 21 mars 1997 et le 20 mars 2020. Les données ont été analysées à l'aide du logiciel STATA version 14 et les taux annuels sont rapportés pour 100 000 personnes.

Résultats : Pendant la durée de l'étude, 5 760 835 traumatismes dus aux accidents de la circulation et 472 193 décès ont été enregistrés en République islamique d'Iran. Le taux de mortalité a augmenté, passant

de 22,4 pour 100 000 personnes en 1997 à 40 pour 100 000 en 2005, puis a diminué, atteignant 18,4 pour 100 000 en 2020. Le taux de traumatismes a augmenté, passant de 111,1 pour 100 000 en 1997 à 394,9 pour 100 000 en 2005. Il a ensuite diminué en 2006 et 2007 avant d'augmenter jusqu'en 2010 pour atteindre finalement 331,8 pour 100 000 personnes en 2020. Le rapport hommes/femmes concernant la mortalité liée à ces types d'accidents était de 3,9 en 1997 et de 4,6 en 2020. Le taux de létalité le plus élevé (20,1 %) a été enregistré en 1997 et il est redescendu à 5,6 % en 2020.

Conclusion : Des interventions continues sont requises pour réduire la charge de ces traumatismes et la mortalité qui leur est associée en République islamique d'Iran.

الإصابات الناجمة عن حوادث المرور على الطرق والوفيات المرتبطة بها في جمهورية إيران الإسلامية

فريده صدغيان، أحمد مهري، زهرة قدسي، فالي بييجي، محدثة س. بردسيري، مهدي شريف الحسيني، جيرارد م. أوراييلي، علي مقداد، وفا رحيمي - موقر

الخلاصة

الخلفية: تُعدُّ حوادث المرور على الطرق من المشاكل الكبرى في مجال الصحة العامة على الصعيد العالمي، وتسبب في ملايين الإصابات والإعاقات والوفيات، وكذلك خسارة هائلة للموارد المالية، لا سيَّما في البلدان المنخفضة الدخل والمتوسطة الدخل.

الأهداف: هدفت هذه الدراسة إلى تحديد معدل وقوع الإصابات الناجمة عن حوادث المرور على الطرق والوفيات المرتبطة بها في الفترة من 1997 إلى 2020 في جمهورية إيران الإسلامية.

طرق البحث: استخدمت هذه الدراسة الاستراتيجية بيانات من مؤسسة الطب الشرعي في جمهورية إيران الإسلامية؛ لتقدير المعدلات السنوية للإصابات الناجمة عن حوادث المرور على الطرق والوفيات المرتبطة بها في الفترة من 21 مارس / آذار 1997 إلى 20 مارس / آذار 2020. وحُللت البيانات باستخدام الإصدار 14 من برنامج STATA، وأبلغ عن المعدلات السنوية لكل 100 000 نسمة.

النتائج: خلال الفترة المشمولة بالدراسة، سُجِّلَت 576 083 إصابة ناجمة عن حوادث المرور على الطرق، و 472 193 حالة وفاة مرتبطة بها في جمهورية إيران الإسلامية. وارتفع معدل الوفيات من 22.4 لكل 100 000 نسمة في عام 1997 إلى 40 لكل 100 000 نسمة في عام 2005، وانخفض إلى 18.4 لكل 100 000 نسمة في عام 2020. وارتفع معدل الإصابة من 111.1 لكل 100 000 نسمة في عام 1997 إلى 394.9 لكل 100 000 نسمة في عام 2005. وانخفض هذا المعدل في عامي 2006 و 2007، وارتفع منذئذٍ حتى عام 2010، ليصل أخيراً إلى 331.8 لكل 100 000 نسمة في عام 2020. وبلغت نسبة وفيات الذكور إلى الإناث بسبب حوادث المرور على الطرق 3.9 في عام 1997، و 4.6 في عام 2020. وبلغ معدل إماتة الحالات أعلى مستوياته (20.1 %) في عام 1997، وانخفض إلى 5.6 % في عام 2020.

الاستنتاجات: يلزم إجراء تدخلات مستمرة للحد من عبء الإصابات الناجمة عن حوادث المرور على الطرق والوفيات المرتبطة بها في جمهورية إيران الإسلامية.

References

1. Kulharni J. Public health issue related to road traffic crashes (RTCs). Int J Collab Res Intern Med Public Health 2020;13(2):1-6 (<https://www.iomcworld.org/articles/public-health-issue-related-to-road-traffic-crashesrtcs.pdf>, accessed 17 May 2023).
2. Global status report on road safety 2015: summary. Geneva: World Health Organization; 2015 (<https://apps.who.int/iris/handle/10665/354363>, accessed 17 May 2023).
3. Road traffic injuries: key facts [website]. Geneva: World Health Organization; 2022 (<https://www.who.int/news-room/fact-sheets/detail/road-traffic-injuries>, accessed 17 May 2023).
4. Global status report on road safety 2018. Geneva: World Health Organization; 2018 (<https://www.who.int/publications/item/9789241565684>, accessed 17 May 2023).
5. Safarpour H, Khorasani-Zavareh D, Soori H, Bagheri Lankarani K, Ghomian Z, Mohammadi RJTM. Vision zero: evolution history and developing trend in road safety: a scoping review. Trauma Monthly 2020;25(6):275-86. <https://doi.org/10.30491/TM.2020.244740.1166>
6. Saadat S, Yousefifard M, Asady H, Jafari AM, Fayaz M, Hosseini MJE. The most important causes of death in Iranian population; a retrospective cohort study. Emerg (Tehran) 2015 Winter;3(1):16-21. PMID:26512364
7. Rahimi-Movaghar V, Zarei MR, Saadat S, Rasouli MR, Nouri M. Int J Contr Saf Promot. Road traffic crashes in Iran from 1997 to 2007. 2009 Sep;16(3):179-81. <https://doi.org/10.1080/17457300903024277> PMID:19941217
8. Statistical yearbook of the Forensic Medicine Organization. Tehran: Forensic Medicine National Research Center; 2016.

9. Transport injuries and deaths in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 Study. *Int J Public Health*. 2018 May;63(Suppl 1):187–98. <https://doi.org/10.1007/s00038-017-0987-0> PMID:28776255
10. Rezaei S, Bagheri Lankarani K, Karami Matin B, Bazayr M, Hamzeh B, Najafi F. Determinant of road traffic crash fatalities in Iran: a longitudinal econometric analysis. *J Res Health Sci*. 2015 Summer;15(3):163–7. PMID:26411662
11. Hasanazadeh J, Moradinazar M, Najafi F, Ahmadi-Jouybari TJ. Trends of mortality of road traffic accidents in Fars Province, Southern Iran, 2004–2010. *Iran J Public Health*. 2014 Sep;43(9):1259–65. PMID:26175980
12. Sadeghi-Bazargani H, Ayubi E, Azami-Aghdash S, Abedi L, Zemestani A, Amanati L, et al. Epidemiological patterns of road traffic crashes during the last two decades in Iran: a review of the literature from 1996 to 2014. *Arch Trauma Res*. 2016 Jun 12;5(3):e32985. <https://doi.org/10.5812/atr.32985> PMID:27800461
13. Moradi A, Rahmani K. JJoMUOMS. Trend of traffic accidents and fatalities in Iran over 20 years (1993–2013). *J Mazandaran Univ Med Sci*. 2014;24(119):223–34. <http://jmums.mazums.ac.ir/article-1-4697-en.html>
14. Mehmandar M, Soori H, Mehrabi YJ. Predicting and analyzing the trend of traffic accidents deaths in Iran in 2014 and 2015. *Int J Crit Illn Inj Sci*. 2016 Apr–Jun;6(2):74–8. <https://doi.org/10.4103/2229-5151.183017> PMID:27308255
15. Besharati MM, Tavakoli Kashani A, Washington S. A comparative analysis of road safety across the provinces of Iran from 2005 to 2015. *Int J Sustain Transport* 2021;15(2):131–9. <https://doi.org/10.1080/15568318.2019.1710877>
16. Yousefifard M, Toloui A, Ahmadzadeh K, Gubari MI, Neishaboori AM, Amraei F, et al. Risk factors for road traffic injury-related mortality in Iran; a systematic review and meta-analysis. *Arch Acad Emerg Med*. 2021 Sep;9(1):e61. <https://doi.org/10.22037/aaem.v9i1.1329> PMID:34580659
17. Rasouli M, Saadat S, Haddadi M, Gooya M, Afsari M, Rahimi-Movaghar V. Epidemiology of injuries and poisonings in emergency departments in Iran. *Public Health*. 2011 Oct;125(10):727–33. <https://doi.org/10.1016/j.puhe.2011.07.006> PMID:21906762
18. Mosadeghrad A, Janbabaie G, Kalantari B, Darrudi A, Dehnavi H. Equity in distribution of hospital beds in Iran. *Kurdistan Univ Med Sci*. 2020;24(6):12–36. <http://sjku.muk.ac.ir/article-1-4674-en.html>
19. Soori H, Royanian M, Zali A, Movahedinejad A. Road traffic injuries in Iran: the role of interventions implemented by traffic police. *Traffic Inj Prev*. 2009;10(4):375–8. <https://doi.org/10.1080/15389580902972579> PMID:19593716
20. Sengoele M, Laflamme L, El-Khatib Z. Ecological study of road traffic injuries in the eastern Mediterranean region: country economic level, road user category and gender perspectives. *BMC Public Health*. 2018 Feb 13;18(1):236. <https://doi.org/10.1186/s12889-018-5150-1> PMID:29433458
21. Sardinha L, Najera Catalan HE. Attitudes to domestic violence in 49 low-and middle-income countries: a multi-level approach to primary prevention. *PloS One* 2018. <https://doi.org/10.1371/journal.pone.0206101>
22. National Highway Traffic Safety Administration [website]. 2021 (<https://www.nhtsa.gov/agencies/national-highway-traffic-safety-administration>, accessed 17 May 2023).
23. Qureshi AI, Huang W, Khan S, Lobanova I, Siddiq F, Gomez CR, et al. Mandated societal lockdown and road traffic accidents. *Accid Anal Prev*. 2020 Oct;146:105747. <https://doi.org/10.1016/j.aap.2020.105747> PMID:32911131
24. Oguzoglu U. COVID-19 lockdowns and decline in traffic related deaths and injuries. IZA Institute of Labor Economics; 2020 (<https://www.iza.org/publications/dp/13278/covid-19-lockdowns-and-decline-in-traffic-related-deaths-and-injuries>, accessed 17 May 2023).
25. Mahdian M, Fazel MR, Sehat M, Mohammadzadeh M, Akbari H. Years of life lost and mortality rate due to road traffic injuries in Kashan region, Iran, during 2012–2013. *Biosci Biotechnol Res Asia* 2015;12:741–6. <http://dx.doi.org/10.13005/bbra/2255>
26. Kolifarhood G, Khorasani-Zavareh D, Salarilak S, Shoghli A, Khosravi N. Spatial and non-spatial determinants of successful tuberculosis treatment outcomes: an implication of Geographical Information Systems in health policy-making in a developing country. *J Epidemiol Glob Health*. 2015;5(3):221–30. <https://doi.org/10.1016/j.jegh.2014.11.001> PMID:26231398
27. Rahimi-Movaghar V. Controlled evaluation of injury in an international Safe Community: Kashmar, Iran. *Public Health*. 2010;124(4):190–7. <https://doi.org/10.1016/j.puhe.2010.02.014> PMID:20417350
28. Hamid S, Elahe A, Ali M, Sepideh O, Gholam Reza S. The role of pupil liaisons' on traffic penalties and road traffic injuries. *Payesh* 2010 Oct;9(4):339–48. <http://payeshjournal.ir/article-1-548-en.html>
29. Azami-Aghdash S, Gorji HA, Shabaninejad H, Sadeghi-Bazargani H. Policy analysis of road traffic injury prevention in Iran. *Electon Physician*. 2017;9(1):3630–8. <https://doi.org/10.19082/3630> PMID:28243417
30. Haghparast-Bidgoli H, Hasselberg M, Khankeh H, Khorasani-Zavareh D, Johansson E. Barriers and facilitators to provide effective pre-hospital trauma care for road traffic injury victims in Iran: a grounded theory approach. *BMC Emerg Med*. 2010 Nov 8;10:20. <https://doi.org/10.1186/1471-227X-10-20> PMID:21059243
31. Lankarani KB, Alavian SM, Peymani P. Health in the Islamic Republic of Iran, challenges and progresses. *Med J Islam Repub Iran*. 2013;27(1):42. PMID:23479501
32. Hojjat-Assari S, Rassouli M, Madani M, Heydari HJBPC. Developing an integrated model of community-based palliative care into the primary health care (PHC) for terminally ill cancer patients in Iran. *BMC Palliat Care*. 2021 Jun 28;20:200. <https://doi.org/10.1186/s12904-021-00795-2> PMID:34182980