


WHO SUMMARY OF KEY INDICATORS - WHO SYRIA*

Trauma	Nutrition	Integrated Management of Childhood Illness (IMCI)
28,784 Truma cases suported **	25 Stabilization centres are treating patients with severe acute malnutrition (SAM) 79 Patients with SAM with modical complications receiving treatment.	243 Working health centers in IMCI 22,838 IMCI services
Immunization DPT3 (under 1 y) 67% 0% 100%	Patients with SAM with medical complications receiving treatment 827 Nutrition surveillance centres 98,087 Children under 5 screened	New borne care at home (NCH) 69 1,109 Health villages working in NCH
Measles 2 (1-2 y) 70% 0% 100% 34,067	Mental Health 23,110 Mental health and psychosocial support interventions provided by NGOs	22 Referred mothers and new born to specialized care Image: Neonatal resuscitation (NR):
Polio 3 (under 1 y) 69% 0% 100% 33,287	578 Health facilities and community centres providing MHPSS services 1,470 Schools providing MHPSS services Alerts	355,469Hospitals working in NRNew born318Referred new born to specialized care






*Other undefined hospitals are supported indirectly throughout MoH and MoHE at central level

** Data source: Severity scale January 2020









The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement

Data source: WHO programs, 4Ws Map production: Health Information Management Unit, Country office, Syrian Arab Republic