



GLOBAL AND REGIONAL CASES

HIGHLIGHTS

- From April 2012 till March 2023, a total of 2604 laboratory-confirmed cases of Middle East respiratory syndrome (MERS) were reported globally, with 936 associated deaths at a case-fatality ratio (CFR) of 36%. The majority of these cases were reported from Saudi Arabia, with 2196 cases and 855 related deaths (CFR: 39%).
- · During the month of March 2023, no new cases were reported.
- The demographic and epidemiological characteristics of reported cases do not show any significant differences when compared with the same corresponding period between 2016 and 2023.
- Among primary cases, 50–59 year-olds are at the highest risk for acquiring infection and among secondary cases the 30–39 year-olds are at the highest risk. Among both primary and secondary cases, CFR is higher within the age group of 70–79 year-olds.

SUMMARY 2604 Laboratory-confirmed cases reported since April 2012 Countries reported cases since April 2012 in the Eastern Mediterranean Region 27

Countries reported cases globally



2023	Survived	Died
January	0	1
February	0	0
March	0	0
Total	0	1

""Disclaimer: Data are subject to change over time due to lag in reporting.

Table. 2. Epidemiological characteristics of MERS cases reported globally between October 2017 – March 2018 and October 2022 – March 2023

Characteristic	Oct 17 - Mar 18	Oct 18 - Mar 19	Oct 19 - Mar 20	Oct 20 - Mar 21	Oct 21 - Mar 22	Oct 22 - Mar 23
Number	157	147	96	14	8	4
Median age in years	49	51	55	52	55	72
Gender (% male)	67	78	79	79	100	100
% of Primary Cases	58	52	80	86	100	75
% of Secondary cases	42	48	20	14	0	0
(%) of Unknown Contact History	0	0	0	0	0	25
% of HCW	24	14	10	15	0	0
% Fatal	25	24	28	43	50	25

Fig. 1. Distribution of MERS reported cases from Eastern Mediterranean Region by week of onset, June 2012 – March 2023

Deaths reported since April 2012





Fig. 2. Community versus hospital acquired MERS cases in Eastern Mediterranean Region, January 2014 – March 2023



KSA CASES

Fig. 3. MERS cases per week of onset in Saudi Arabia, June 2012 – March 2023




Fig. 4. Cases of MERS in healthcare workers reported from Saudi Arabia, January 2013 – March 2023




Fig. 5. Age and fatality distribution of primary and secondary cases of MERS reported from Saudi Arabia June 2012 – March 2023




Table. 3. Characteristics of MERS cases reported from Saudi Arabia, June 2012 - March 2023



^{**}Disclaimer: Data are subject to change over time due to lag in reporting.