

0

Table. 1. Number of MERS cases in the Eastern

Mediterranean Region by month and outcome in


GLOBAL AND REGIONAL CASES

HIGHLIGHTS

- From April 2012 to date, a total of 2627 laboratory-confirmed cases of Middle East respiratory syndrome (MERS) were reported globally, with 947 associated deaths at a case-fatality ratio (CFR) of 36%. The majority of these cases were reported from Saudi Arabia, with 2218 cases and 866 related deaths (CFR: 39%).
- During the month of July 2025, No new cases were reported.
- Among primary cases, 50–59 year-olds are at the highest risk for acquiring infection and among secondary cases the 30–39 year-olds are at the highest risk. Among both primary and secondary cases, CFR is higher within the age group of 70–79 years-old.

SUMMARY





2627
Laboratory-confirmed cases reported since April 2012 globally





Deaths reported since April 2012 globally

**Disclaimer: Data are subject to change over time due to lag in reporting.

Table. 2. Epidemiological characteristics of MERS cases reported globally by years



Fig. 1. Distribution of MERS reported cases from Eastern Mediterranean Region by week of onset, 2012 - July 2025





Fig. 2. Community versus hospital acquired MERS primary cases in Eastern Mediterranean Region, 2012 - July 2025

2025



Saudi Arabia cases

Fig. 3. MERS cases per week of onset in Saudi Arabia, 2012 – July 2025





Fig. 4. Cases of MERS in healthcare workers in Saudi Arabia, 2012 – July 2025



© World Health Organization 2024

Fig. 5. Age and fatality distribution of primary and secondary cases of MERS in Saudi Arabia, 2012 – July 2025





Table. 3. Characteristics of MERS cases in Saudi Arabia, 2012 - July 2025



The aim of this situation update is to provide the epidemiological status of MERS in the Region in order to aid better planning, coordination and response. The information in this document has been reported to WHO by Ministries of Health. For further information, contact: Tel + 20-2-22765492, Fax + 20-2-2765456 E-mail: emrgohspoutbreak@who

Published by World Health Organization Regional Office for the Eastern Mediterranean Monazamet El Seha El Alamia Str, Extension of Abdel Razak El Sanhouri Street P.O. Box 7608, Nasr City Cairo 11371, Egypt
www.emro.who.int

Document number: WHO-EM/CSR/833/E